

22.5W超级快充/适用iPhone17新系列



Product Model: CK-099 (10000mAh) Product Size:86.7*57.9*23mm

PCBA pcs:5356(U) Material:Aluminum Alloy.Top Cover PC+UV Polymer Battery/10000 m Ah

Battery: 105555*2 :,,,

Specification
s

Type-C(Orange Insert)Input:5 V/3 A 9 V/2 A 12 V/1.5 A

Type-C(Orange Insert)Output:5 V 3 A 9 V 2.22 A 12 V 1.67 A 10 V 2.25 A

C Cable Output:5 V 3 A 9 V 2.22 A 12 V 1.67 A 10 V 2.25 A

Unit Price: RMB □□□□□□



Product Model: CK-100 (20000mAh) Product Size:111*65*23.2mm

PCBA pcs:5356(U)Material:Aluminum Alloy.Top Cover PC+UV Polymer Battery/20000 m Ah

Battery: 106280*2 :,,,

Specification
s

Type-C(Orange Insert)Input:5 V/3 A 9 V/2 A 12 V/1.5 A

Type-C(Orange Insert)Output:5 V 3 A 9 V 2.22 A 12 V 1.67 A 10 V 2.25 A

C Cable Output:5 V 3 A 9 V 2.22 A 12 V 1.67 A 10 V 2.25 A

Unit Price: RMB □□□□




双向快充 | 22.5W超级快充



苹果20WPD快充

自带手机支架



可携带登机



Product Model: CK-601 (5000mAh) Product Size:89*42.5*29mm

PCBA pcs:5356(U) Plastic Material:ABS+PC Cylindrical Battery/5000 m Ah

Battery: 21700*1 ;,,,

Specification
s

TYPE-CInput:5 V 3 A 9 V 2 12 V 1.5 A

TYPE-COutput:5 V 3 A 9 V 2.2 A 12 V 1.67 A 10 V 2.25 A

Built-in Cable 5 Cable/TYPE-C Cable Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A 10 V 2.25 A

Built-in Cable 2 Cable()Output:5 V 2.4(Built-in Cable)

Price(Mirror Finish): 12.5 RMBNew Product



Product Model: CK-611 (10000mAh) Product Size:93*54.6*33.2mm

PCBA pcs:5356(U) Plastic Material:ABS+PC Polymer Battery/20000 m Ah

Battery: 263376*1 ;,,()

Specification
s

TYPE-CInput:5 V 3 A 9 V 2 12 V 1.5 A

TYPE-COutput:5 V 3 A 9 V 2.2 A 12 V 1.67 A 10 V 2.25 A

Built-in Cable 5 Cable/TYPE-C Cable Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A 10 V 2.25 A

Built-in Cable 2 Cable()Output:5 V 2.4(Built-in Cable)

Price(Mirror Finish):13.5 RMB

New
Product



Product Model: CK-AC01 (10000mAh) Product Size:112*56*27.3mm

PCBA pcs:5356(M) Plastic Material:ABS+PC Polymer Battery/10000 m Ah

Battery: 105568*2/18650*3 ;,,()

Specification
s

ACInput:5 V 2 A

TYPE-CInput:5 V 3 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 5 V 3 A 9 V 2.2 A 12 V 1.67 A 10 V 2.25 A

USB-1 A Port Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

Built-in Cable 5 Cable/TYPE-C Cable Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A 10 V 2.25 A

Standard Finish Price: 18 RMBNew Product
UV Price:20 RMB

Painted Finish Price:21 RMB



Product Model: CK-AC02 (20000mAh) Product Size:118*70*33.3mm

PCBA pcs:5356(M) Plastic Material:ABS+PC Polymer Battery/20000 m Ah

Battery: 146074*2 ;,,()

Specification
s

ACInput:5 V 2 A

TYPE-CInput:5 V 3 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 5 V 3 A 9 V 2.2 A 12 V 1.67 A 10 V 2.25 A

USB-1 A Port Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

Built-in Cable 5 Cable/TYPE-C Cable Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A 10 V 2.25 A

Standard Finish Price:19 RMB

UV Price: 21 RMB

Painted Finish Price:22 RMB

New
Product



Product Model: CK-098 (3-in-1 Magnetic Wireless Charging:)

Dimensions: 88.9*61.9*28mm

PCBA pcs:6236 Plastic Material:ABS+PC

Colors: Black, White, Blue, Pink

Cylindrical Battery/10000 m Ah Battery Model:21700*2

Specifications

TYPE-C Input 5 V 3 A 9 V 2.22 A 12 V 1.67 A

TYPE-C Output 5 V 3 A 9 V 2.22 A 12 V 1.67 A 10 V 2.25 A

Built-in Cable C Input 5 V 3 A 9 V 2.22 A 12 V 1.67 A

Built-in Cable C Output 5 V 3 A 9 V 2.22 A 12 V 1.67 A 10 V 2.25 A

Built-in Cable Output 5 V 2 A

Wireless Charging Output 15 W(MAX)

Unit Price: RMB 24

New
Product

22.5W

支持多种协议快充



自带线/智能数显

可上飞机



超

① 22.5W/20W

③ 快充不伤机



Product Model: CK-065(22.5W) Product Size:69.5*61*26.8mm

PCBA pcs:5356(H) Plastic Material:ABS+PC Polymer Battery/10000 m Ah

Colors: Black, White, Gunmetal Gray, Pink, Blue-White, Purple-Pink, Yellow-Green, Pink-White

Battery: 115252*2

Specifications:C Port Output:5 V 3 A 9 V 2.22 A 10 V 2.25 A 12 V 1.67 A

C Port Input:5 V 3 A 9 V 2 A 12 V 1.5 A

(: Built-in Cable C-C 5 Supports 15 16 Fast Charging)

Standard Finish Price:11.5 RMB

Pearlescent UV Price:13 RMB

Gradient Price:14 RMB

Product Model: CK-066(22.5W) Product Size:69.5*61*26.8mm

PCBA pcs:5356(H) Plastic Material:ABS+PC Polymer Battery/10000 m Ah

Colors: Gunmetal/Black, Silver/White

Battery: 115252*2

Specifications:C Port Output:5 V 3 A 9 V 2.22 A 10 V 2.25 A 12 V 1.67 A

C Port Input:5 V 3 A 9 V 2 A 12 V 1.5 A

(: Built-in Cable C-C 5 Supports 15 16 Fast Charging)

Standard Finish Price:11.5 RMB

Painted Finish Price:12.5 RMB

双C口可拆卸多用线

22.5W

超级快充

PD20W双向快充




22.5W

自带线超方便
苹果安卓都能充
可上飞机/高铁



快充不伤机

迷你便携



新款独家私模

Product Model: CK-803 (30000mAh) Product Size:139.5*69*46mm

PCBA pcs:5356(U) Plastic Material:ABS+PC

Polymer Battery/30000 m Ah UV-coated Top Cover

Battery: 1260110*3 ,,,

Specifications

Type-C(Black Insert)Input:5 V/2 A 9 V/2 A 12 V/1.5 A

Type-C(Orange Insert)Input:5 V/3 A 9 V/2 A 12 V/1.5 A

4-in-1 Cable USB-A Male Port Input:5 V/2 A

Type-C(Orange Insert)Output:5 V 3 A 9 V 2.22 A 12 V 1.67 A 10 V 2.25 A

USB-A(Orange Insert)Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A


USB-A(Black Insert)Output:5 V 3 A

C Cable Output:5 V 3 A 9 V 2.22 A 12 V 1.67 A 10 V 2.25 A

4-in-1 Cable Standard-charge Port Output:Android Cable 5 V/2 A

4-in-1 Cable Lightning Cable Output: 5 V 2.4 A(Lightning Cable)

Unit Price: RMB □□



新款独家私模

Product Model: CK-804 (40000mAh) Product Size: 139.5*69.5*59mm

PCBA pcs: 5356(U) Plastic Material: ABS+PC

Polymer Battery/40000 m Ah UV-coated Top Cover

Battery: 1260110*4 ;,,

Specifications

Type-C(Black Insert) Input: 5 V/2 A 9 V/2 A 12 V/1.5 A

Type-C(Orange Insert) Input: 5 V/3 A 9 V/2 A 12 V/1.5 A

4-in-1 Cable USB-A Male Port Input: 5 V/2 A

Type-C(Orange Insert) Output: 5 V 3 A 9 V 2.22 A 12 V 1.67 A 10 V 2.25 A

USB-A(Orange Insert) Output: 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

USB-A(Black Insert) Output: 5 V 3 A

C Cable Output: 5 V 3 A 9 V 2.22 A 12 V 1.67 A 10 V 2.25 A

4-in-1 Cable Standard-charge Port Output: Android Cable 5 V/2 A

4-in-1 Cable Lightning Cable Output: 5 V 2.4 A (Lightning Cable)

Unit Price: RMB □□

Super.Fast charging

当多设备同时需要补电时，告别排队久等



新款独家私模

Product Model: CK-805(50000mAh)Product Size:139.5*69.5*71.1mm

PCBA pcs:5356(U) Plastic Material:ABS+PC

Polymer Battery/50000 m Ah UV-coated Top Cover

Battery: 1260110*5 ;,,

Specification
s

Type-C(Black Insert)Input:5 V/2 A 9 V/2 A 12 V/1.5 A

Type-C(Orange Insert)Input:5 V/3 A 9 V/2 A 12 V/1.5 A

4-in-1 Cable USB-A Male Port Input:5 V/2 A

Type-C(Orange Insert)Output:5 V 3 A 9 V 2.22 A 12 V 1.67 A 10 V 2.25 A

USB-A(Orange Insert)Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

USB-A(Black Insert)Output:5 V 3 A

C Cable Output:5 V 3 A 9 V 2.22 A 12 V 1.67 A 10 V 2.25 A

4-in-1 Cable Standard-charge Port Output:Android Cable 5 V/2 A

4-in-1 Cable Lightning Cable Output: 5 V 2.4 A(Lightning Cable)

Unit Price: RMB □□

Super.Fast charging

高亮照明

可三档调节:

一档常亮 二档爆闪 三档SOS



新款独家私模

Product Model: CK-806(60000mAh)Product Size:139.5*81.5*71.1mm

PCBA pcs:5356(U) Plastic Material:ABS+PC

Polymer Battery/60000 m Ah UV-coated Top Cover

Battery: 1260110*6 :,,

Specifications

Type-C(Black Insert)Input:5 V/2 A 9 V/2 A 12 V/1.5 A

Type-C(Orange Insert)Input:5 V/3 A 9 V/2 A 12 V/1.5 A

4-in-1 Cable USB-A Male Port Input:5 V/2 A

Type-C(Orange Insert)Output:5 V 3 A 9 V 2.22 A 12 V 1.67 A 10 V 2.25 A

USB-A(Orange Insert)Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

USB-A(Black Insert)Output:5 V 3 A

C Cable Output:5 V 3 A 9 V 2.22 A 12 V 1.67 A 10 V 2.25 A

4-in-1 Cable Standard-charge Port Output:Android Cable 5 V/2 A

4-in-1 Cable Lightning Cable Output: 5 V 2.4 A(Lightning Cable)

Unit Price: RMB □□

Power
bank

22.5W快充

自带四线 | 智能数显 | 强光照明

80000mAh

PD20W快充



3C安全认证



LED精准数显

新款独家私模

Product Model: CK-808(80000mAh)Product Size:139.5*105.5*71.1mm

PCBA pcs:5356(U) Plastic Material:ABS+PC

Polymer Battery/80000 m Ah UV-coated Top Cover

Battery: 1260110*8 ;,,

Specification
s

Type-C(Black Insert)Input:5 V/2 A 9 V/2 A 12 V/1.5 A

Type-C(Orange Insert)Input:5 V/3 A 9 V/2 A 12 V/1.5 A

4-in-1 Cable USB-A Male Port Input:5 V/2 A

Type-C(Orange Insert)Output:5 V 3 A 9 V 2.22 A 12 V 1.67 A 10 V 2.25 A

USB-A(Orange Insert)Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

USB-A(Black Insert)Output:5 V 3 A

C Cable Output:5 V 3 A 9 V 2.22 A 12 V 1.67 A 10 V 2.25 A

4-in-1 Cable Standard-charge Port Output:Android Cable 5 V/2 A

4-in-1 Cable Lightning Cable Output: 5 V 2.4 A(Lightning Cable)

Unit Price: RMB □□

新款独家私模

Product Model: CK-810(100000mAh)Product Size:139.5*129.5*71.1mm

PCBA pcs:5356(U) Plastic Material:ABS+PC

Polymer Battery/100000 m Ah UV-coated Top Cover

Battery: 1260110*10 ;,,

Specification
s

Type-C(Black Insert)Input:5 V/2 A 9 V/2 A 12 V/1.5 A

Type-C(Orange Insert)Input:5 V/3 A 9 V/2 A 12 V/1.5 A

4-in-1 Cable USB-AMale Port Input:5 V/2 A

Type-C(Orange Insert)Output:5 V 3 A 9 V 2.22 A 12 V 1.67 A 10 V 2.25 A

USB-A(Orange Insert)Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

USB-A(Black Insert)Output:5 V 3 A

C Cable Output:5 V 3 A 9 V 2.22 A 12 V 1.67 A 10 V 2.25 A

4-in-1 Cable Standard-charge Port Output:Android Cable 5 V/2 A

4-in-1 Cable Lightning Cable Output: 5 V 2.4 A(Lightning Cable)


Unit Price: RMB □□




可三档：

亮

三







自带快充双线

智能数显/可上飞机



现货速发



45W

自带快充双线

智能数显/可上飞机



现货速发



双向快充



PD20W双向快充



可携登机

同充四台/兼容大小设备

Product Model: CK-056(22.5W) Product Size:100*64.6*32mm

PCBA pcs:5356(H) Plastic Material:ABS+PC Polymer Battery/20000 m Ah

Battery: 145675*2 :,,,()

TYPE-C Input:5 V 3 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-A Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

TYPE-C Cable Output:5 V 3 A 9 V 2 12 V 1.5 10 V 2.25 A

lightning Output:5 V/2.4 A

Unit Price: RMB 14.5

PCBA pcs:6306 2 Plastic Material:ABS+PC Polymer Battery/20000 m Ah

Battery: 145675*2 ,, ,,,()

C Port Input:5 V/3 A, 9 V/3 A, 12 V/3 A, 15 V/3 A, 20 V/2.25 A

C Port Output:5 V/3 A, 9 V/3 A, 12 V/3 A, 15 V/3 A, 20 V/2.25 A, 5-21 V/2.25 A, 3.3-12 V/4 A

C Cable Input:5 V/3 A, 9 V/3 A, 12 V/3 A, 15 V/3 A, 20 V/2.25 A

C Cable Output:5 V/3 A, 9 V/3 A, 12 V/3 A, 15 V/3 A, 20 V/2.25 A, 5-21 V/2.25 A, 3.3-12 V/4 A

A Port Output:5 V/3 A, 9 V/2.22 A, 12 V/1.67 A, 3.3-12 V/4 A

lightning Cable:5 V/2 A

Unit Price: RMB 29

双向快充/低温快充不发烫/快充15、16



iP6新机专用 低温

Product Model: CK-057(22.5W) Product Size:100*64.6*32mm

PCBA pcs:5356(H) Plastic Material:ABS+PC Polymer Battery/20000 m Ah

Battery: 145675*2 :, ,,,

TYPE-CInput:5 V 3 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-AOutput:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

TYPE-C Cable Output:5 V 3 A 9 V 2 12 V 1.5 10 V 2.25 A

lightning Output:5 V/2.4 A

Unit Price: RMB 14



Product Model: CK-057(45W) Product Size:100*64.6*32mm

PCBA pcs: 6306 Plastic Material:ABS+PC Polymer Battery/20000 m Ah

Battery: 145675*2 :, ,,,

C Port Input:5 V/3 A, 9 V/3 A, 12 V/3 A, 15 V/3 A, 20 V/2.25 A

C Port Output:5 V/3 A, 9 V/3 A, 12 V/3 A, 15 V/3 A, 20 V/2.25 A, 5-21 V/2.25 A, 3.3-12 V/4 A

C Cable Input:5 V/3 A, 9 V/3 A, 12 V/3 A, 15 V/3 A, 20 V/2.25 A

C Cable Output:5 V/3 A, 9 V/3 A, 12 V/3 A, 15 V/3 A, 20 V/2.25 A, 5-21 V/2.25 A, 3.3-12 V/4 A

A Port Output:5 V/3 A, 9 V/2.22 A, 12 V/1.67 A, 3.3-12 V/4 A

lightning Cable:5 V/2 A

Unit Price: RMB 28



Product Model: CK-058(22.5W) Product Size:100*64.6*32mm

PCBA pcs:5356(H) Plastic Material:ABS+PC Polymer Battery/20000 m Ah

Battery: 145675*2 :, ,, ()

TYPE-CInput:5 V 3 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-AOutput 5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

TYPE-C Cable Output:5 V 3 A 9 V 2 12 V 1.5 10 V 2.25 A

lightning Output:5 V/2.4 A

Unit Price: RMB 15



Product Model: CK-058(45W) Product Size:100*64.6*32mm

PCBA pcs: 6306 Plastic Material:ABS+PC Polymer Battery/20000 m Ah

Battery: 145675*2 :, ,, ()

C Port Input:5 V/3 A, 9 V/3 A, 12 V/3 A, 15 V/3 A, 20 V/2.25 A

C Port Output:5 V/3 A, 9 V/3 A, 12 V/3 A, 15 V/3 A, 20 V/2.25 A, 5-21 V/2.25 A, 3.3-12 V/4 A

C Cable Input:5 V/3 A, 9 V/3 A, 12 V/3 A, 15 V/3 A, 20 V/2.25 A

C Cable Output:5 V/3 A, 9 V/3 A, 12 V/3 A, 15 V/3 A, 20 V/2.25 A, 5-21 V/2.25 A, 3.3-12 V/4 A

A Port Output:5 V/3 A, 9 V/2.22 A, 12 V/1.67 A, 3.3-12 V/4 A

lightning Cable:5 V/2 A

Unit Price: RMB 29



Product Model: CK-059(22.5W) Product Size:100*64.6*32mm

PCBA pcs:5356(H) Plastic Material:ABS+PC Polymer Battery/20000 m Ah

Battery: 145675*2 :, ,,

TYPE-CInput:5 V 3 A 9 V 2 A 12 V 1.5 A



Product Model: CK-059(45W) Product Size:100*64.6*32mm

PCBA pcs: 6306 Plastic Material:ABS+PC Polymer Battery/20000 m Ah

Battery: 145675*2 :, ,,

C Port Input:5 V/3 A, 9 V/3 A, 12 V/3 A, 15 V/3 A, 20 V/2.25 A

C Port Output:5 V/3 A, 9 V/3 A, 12 V/3 A, 15 V/3 A, 20 V/2.25 A, 5-21 V/2.25 A, 3.3-12 V/4 A

C Cable Input:5 V/3 A, 9 V/3 A, 12 V/3 A, 15 V/3 A, 20 V/2.25 A

C Cable Output:5 V/3 A, 9 V/3 A, 12 V/3 A, 15 V/3 A, 20 V/2.25 A, 5-21 V/2.25 A, 3.3-12 V/4 A

A Port Output:5 V/3 A, 9 V/2.22 A, 12 V/1.67 A, 3.3-12 V/4 A

lightning Cable:5 V/2 A

Unit Price: RMB 28 (□□□□□□□□)



Product Model: CK-013(22.5W) Product Size:56.2*112.3*28.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Cylindrical Battery/10000 m Ah

Battery: 21700*2 ; , ,

TYPE-CInput:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-COutput:5 V 2 A 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USBOutput:5 V 2 A 5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

lightning Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

Cable: 11.5 RMB Cable:7.5 RMB



Product Model: CK014(22.5W) Product Size:56.2*112.3*28.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Cylindrical Battery/10000 m Ah

Battery: 21700*2 : , , ,

TYPE-CInput:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-COutput:5 V 2 A 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USBOutput 5 V 2 A 5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

lightning Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

Cable: 12 RMB Cable:8 RMB



Product Model: CK-015(22.5W) Dimensions:94.3*52.8*32.8

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Cylindrical Battery/10000 m Ah

Battery: 21700*2 :,,,

TYPE-CInput:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-COutput:5 V 2 A 5 V 3 A 9 V 2.2 A 12 V 1.67 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

lightning Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

Cable: 11.5 RMB Cable:7.5 RMB



Product Model: CK024(22.5W) Dimensions:97.5*70*38.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/20000 m Ah

Battery: 146074*2 :,,,

USBOutput:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

TYPE-CInput:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-COutput:5 V 2 A 5 V 3 A 9 V 2.2 A 12 V 1.67 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Output:5 V/2.4 A

Fast Charging 22.5 W

Cable: 13 RMB





Product Model: CK-048(22.5W) Product Size:56.2*112.3*28.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Cylindrical Battery/10000 m Ah

Battery: 21700*2 ;

TYPE-C Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C Output:5 V 2 A 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB Output:5 V 2 A 5 V 3 A 9 V 2 A 12 V 1.5 0 V 2.25 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

lightning Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

Cable: 12.5 RMB Cable:8.5 RMB



Product Model: CK055(22.5W) Product Size:104*67*28mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC

Battery: 105568*2 18650*3 /10000mAh (318650)

Colors: Black, White, Purple, Blue

TYPE-C Input:5 V 3 A 9 V 2 A 12 V 1.5 A

Micro Input:5 V 3 A 9 V 2 A 12 V 1.5 A

TYPE-C Output:5 V 3 A 9 V 2.2 A 12 V 1.6 A USB:4.5 V 5 A 5 V 3 A 9 V 2 A 12 V 1.5 A

Built-in Cable: (lightning:5 V 2.4 A)(TYPE-C:5 V/3 A 9 V 2.2 A 12 V 1.6 A)

Fast Charging 22.5 W 5 V 2 A

Cable: 10 RMB Cable Light:6 RMB

15W/PD20W快充

自带便携双线



现货速发 ⚡ 磁吸快充



Product Model: CK-W001(15W) Product Size:113.7*71*19mm

PCBA pcs:5568 Plastic Material:ABS+PC Polymer Battery/10000 m Ah

Battery: 126280*1 : , ,

TYPE-CInput:5 V 3 A 9 V 2 A 12 V 1.5 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A

USB-AOutput:5 V 3 A 9 V 2 A 12 V 1.5 A

lightning Cable Output: PD 20 W

Wireless Charging Output:5 W/10 W/15 W

(:Wireless Charging 15 W, Built-in Cable PD 20 W, Input Output Fast Charging)

Unit Price: RMB 22

30分钟充电 ⚡ 85%



15W无线充

22.5W/PD20W快充

各种设备都能充



Product Model: CK-W002(15W) Product Size:113.7*71*19mm

PCBA pcs:5568 Plastic Material:ABS+PC Polymer Battery/10000 m Ah

Battery: 126280*1 : , ,

TYPE-CInput:5 V 3 A 9 V 2 A 12 V 1.5 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A

USB-AOutput:5 V 3 A 9 V 2 A 12 V 1.5 A

lightning Cable Output: PD 20 W

Wireless Charging Output:5 W/10 W/15 W

(:Wireless Charging 15 W, Built-in Cable PD 20 W, Input Output Fast Charging)

Unit Price: RMB 22



四线系列:

容量:

Fast Charging 22.5 W()

5 V 2 A ()

Cable

Cable

Cable Light

Input Cable Light



Product Model: CK-103(22.5W) Product Size:148*70*45.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/30000 m Ah

Battery: 1260110*3 ;,



Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-CInput:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-AOutput 5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A Black USB-AOutput 5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price:Cable:14.5 RMB CK-103 5 V 2 APrice:Cable:11.5 RMB (Input Output 5 V 2 A)

Cable:11.5 RMB CK-103 B Cable:9.5 RMB

Light:12.5 RMB CK-103 D

Cable Light:18.5 RMB CK-103 XD

Product Model: CK-104(22.5W) Product Size:148*70*57.2mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/40000 m Ah

Battery: 1260110*4 ;,

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-CInput:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-AOutput 5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A Black USB-AOutput 5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price:Cable:15 RMB CK-104 5 V 2 APrice:Cable:12 RMB (Input Output 5 V 2 A)

Cable:12 RMB CK-104 B Cable:10 RMB

Light:13 RMB CK-104 D

Cable Light:19 RMB CK-104 XD

22.5W

PD20W
快充大容量

充电



大容量快充

22.5W
超级快充

智能数显 自带四线



自带LED灯



Product Model: CK-105(22.5W) Product Size:148*70*69.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/50000 m Ah

Battery: 1260110*5 ;,

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C Input:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-A Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A Black USB-A Output:5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price:Cable:16 RMB CK-105 5 V 2 A Price:Cable:13 RMB (Input Output 5 V 2 A)

Cable:13 RMB CK-105 B Cable:11 RMB

Light:15 RMB CK-105 D

Cable Light:20 RMB CK-105 XD

拎看就能走

便携挂绳



自带四线

Product Model: CK-106(22.5W) Product Size:148*70*81.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/60000 m Ah

Battery: 1260110*6 ;,

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C Input:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-A Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A Black USB-A Output:5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price:Cable:17 RMB CK-106 5 V 2 A Price:Cable:14 RMB (Input Output 5 V 2 A)

Cable:14 RMB CK-106 B Cable:12 RMB

Light:16 RMB CK-106 D

Cable Light:21 RMB CK-106 XD



Product Model: CK-111(22.5W) Product Size:148*69*21.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/10000 m A

Battery: 1260110*1 ;

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C Input:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-A Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A Black USB-A Output:5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price:Cable:12 RMB CK-111 5 V 2 A Price:Cable:8.5 RMB (Input Output 5 V 2 A)

Cable:9 RMB CK-111 B Cable:7.5 RMB

Light:10 RMB CK-111 D Cable:5 RMB Cable:6.5 RMB

Cable Light:16 RMB CK-111 XD



Product Model: CK-112(22.5W) Product Size:148*69*33.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/20000 m Ah

Battery: 1260110*2 ;

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C Input:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-A Output 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A Black USB-A Output 5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price: Cable: 12.5 RMB CK-112 5 V 2 A Price: Cable:9 RMB (Input Output 5 V 2 A)

Cable: 9.5 RMB CK-112 B Cable:8 RMB

Light: 10.5 RMB CK-112 D Cable:5.5 RMB

Cable Light: 16.5 RMB CK-112 XD Cable:7 RMB

22.5W超级快充



智能数显 ⚡ 八输出三输入



Product Model: CK-113(22.5W) Product Size:148*70*45.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/30000 m A



Battery: 1260110*3 ;,

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-CInput:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-AOutput:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A Black USB-AOutput:5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price:Cable:14 RMB CK-113 5 V 2 APrice:Cable:11.5 RMB (Input Output 5 V 2 A)

Cable:11.5 RMB CK-113 B Cable:10.5 RMB

Light:12.5 RMB CK-113 D Cable:7.5 RMB

Cable Light:18 RMB CK-113 XD Cable:9.5 RMB

22.5W

超大容量 智能数显

八输出三输入



电量持久续航



Product Model: CK-114(22.5W) Product Size:148*70*57.2mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/40000 m A

Battery: 1260110*4 ;,

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-CInput:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-AOutput:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A Black USB-AOutput 5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price:Cable:15 RMB CK-114 5 V 2 APrice:Cable:12 RMB (Input Output 5 V 2 A)

Cable:12 RMB CK-114 B Cable:11 RMB

Light:13 RMB CK-114 D Cable:8 RMB

Cable Light:19 RMB CK-114 XD Cable:10 RMB

四线

便携挂绳

大容量 | High-capacity

同充多台 | Charge multiple
units at the same time

大厂电芯 | Large factory
battery cells



Product Model: CK-115(22.5W) Product Size:148*70*69.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/50000 m Ah

Battery: 1260110*5 ;,

Specifications:Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-CInput:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-AOutput:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A Black USB-AOutput:5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price:Cable:16 RMB CK-115 5 V 2 APrice:Cable:13 RMB (Input Output 5 V 2 A)

Cable:13 RMB CK-115 B Cable:11 RMB

Light:15 RMB CK-115 D Cable:8 RMB

Cable Light:20 RMB CK-115 XD Cable:12 RMB

Product Model: CK-116(22.5W) Product Size:148*70*81.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/60000 m Ah

Battery: 1260110*6 ;,

Specifications:Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-CInput:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-AOutput:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A Black USB-AOutput:5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price:Cable:17 RMB CK-116 5 V 2 APrice:Cable:14 RMB (Input Output 5 V 2 A)

Cable:14 RMB CK-116 B Cable:12 RMB

Light:16 RMB CK-116 D Cable:9 RMB

Cable Light:21 RMB CK-116 XD Cable:13 RMB





Product Model: CK-121(22.5W) Product Size:148*69*21.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/10000 m Ah

Battery: 1260110*1 ;

Specifications:Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C Input:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-A Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A Black USB-A Output:5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price:Cable:12 RMB CK-121 5 V 2 A Price:Cable:8.5 RMB (Input Output 5 V 2 A)

Cable:9 RMB CK-121 B Cable:7.5 RMB

Light:10 RMB CK-121 D Cable:5 RMB

Cable Light:16 RMB CK-121 XD Cable:6.5 RMB



Product Model: CK-122(22.5W) Product Size:148*69*33.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/20000 m Ah

Battery: 1260110*2 ;

Specifications:Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C Input:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-A Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A Black USB-A Output:5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price:Cable:12.5 RMB CK-122 5 V 2 A Price:Cable:9 RMB (Input Output 5 V 2 A)

Cable:9.5 RMB CK-122 B Cable:8 RMB

Light:10.5 RMB CK-122 D Cable:5.5 RMB

Cable Light:16.5 RMB CK-122 XD Cable:7 RMB



Product Model: CK-123(22.5W) Product Size:148*70*45.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/30000 m Ah

Battery: 1260110*3 ;,

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C Input:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-A Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A Black USB-A Output:5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12V1.5 10V2.25A

lightning Output:5 V/2.4 A

Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price:Cable:14.5 RMB CK-123 5 V 2 A Price:Cable:11.5 RMB (Input Output 5 V 2 A)

Cable:11.5 RMB

CK-123 B Cable:10.5 RMB

Light:12.5 RMB

CK-123 D Cable:7.5 RMB

Light Cable:18.5 RMB CK-123 XD



Product Model: CK-124(22.5W) Product Size:148*70*57.2mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/40000 m A

Battery: 1260110*4 ;,

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C Input:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-A Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A Black USB-A Output: 5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Output:5 V/2.4 A

Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price:Cable:15 RMB CK-124 5 V 2 A Price:Cable:12 RMB (Input Output 5 V 2 A)

Cable:12 RMB CK-124 B Cable:11 RMB

Light:13 RMB CK-124 D Cable:8 RMB

Cable Light:19 RMB CK-124 XD Cable:10 RMB



Product Model: CK-125(22.5W) Product Size:148*70*69.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/50000 m Ah

Battery: 1260110*5 ;,

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C Input:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-A Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A Black USB-A Output:5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price:Cable:16 RMB CK-125 5 V 2 A Price:Cable:13 RMB (Input Output 5 V 2 A)

Cable:13 RMB CK-125 B Cable:12 RMB

Light:15 RMB CK-125 D Cable:8 RMB

Cable Light:20 RMB CK-125 XD Cable:11 RMB



Product Model: CK-126(22.5W) Product Size:148*70*81.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/60000 m A

Battery: 1260110*6 ;,

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C Input:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-A Output 5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A Black USB-A Output 5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price:Cable:17 RMB CK-126 5 V 2 A Price:Cable:14 RMB (Input Output 5 V 2 A)

Cable:14 RMB CK-126 B Cable:13 RMB

Light:16 RMB CK-126 D Cable:9 RMB

Cable Light:21 RMB CK-126 XD Cable:12 RMB



Product Model: CK-141 **Product Size: 148*69*21.5mm**

PCBA pcs: 22.5 W/5356(H) Plastic Material: ABS+PC Polymer Battery/10000 m A

Battery: 1260110*1 ;

Specifications: Micro-B Black Input: 5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C Input: 5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-A Output: 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A Black USB-A Output: 5 V 3 A

TYPE-C Cable Output: 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

lightning Output: 5 V/2.4 A Micro-B Cable Output: 5 V 2 A USB Cable Input: 5 V 2 A

Light Price

Fast Charging Price Cable: 14 RMB 5 V 2 A Price: Cable: 10.5 RMB (Input Output 5 V 2 A)

Cable: 11 RMB Cable: 10 RMB



Product Model: CK-142 **Dimensions: 148*69*33.5mm**

PCBA pcs: 22.5 W/5356(H) Plastic Material: ABS+PC Polymer Battery/20000 m A

Battery: 1260110*2

Colors: Black, White

Specifications: Micro-B Black Input: 5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C Input: 5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-A Output: 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A Black USB-A Output: 5 V 3 A

TYPE-C Cable Output: 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

lightning Output: 5 V/2.4 A Micro-B Cable Output: 5 V 2 A USB Cable Input: 5 V 2 A

Light Price

Fast Charging Price Cable: 14.5 RMB 5 V 2 A Price: Cable: 11 RMB (Input Output 5 V 2 A)

Cable: 11.5 RMB Cable: 10.5 RMB

户外露营灯

超长续航照亮夜空

自带LED户外灯



自带四线，随充不断电

经典双色/时尚外观 户外露营灯/大容量不断电



急速发货

Product Model: CK-143

Dimensions: 148*70*45.5mm

PCBA pcs:22.5 W/5356(H)

Plastic Material:ABS+PC Polymer Battery/30000 m Ah

Battery: 1260110*3

Colors: Black, White



Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-CInput:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-AOutput:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A Black USB-AOutput:5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Light Price

Fast Charging Price Cable:16 RMB 5 V 2 APrice:Cable:13.5 RMB (Input Output 5 V 2 A)

Cable:14 RMB

Product Model: CK144

Dimensions: 148*70*57.2mm

PCBA pcs:22.5 W/5356(H)

Plastic Material:ABS+PC Polymer Battery/40000 m Ah

Battery: 1260110*4

Colors: Black, White

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-CInput:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-AOutput:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A Black USB-AOutput: 5 V 3 A


TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Light Price

Fast Charging Price Cable: 17 RMB 5 V 2 APrice: Cable: 14.5 RMB (Input Output 5 V 2 A)

Cable: 15 RMB





Product Model: CK-145 Product Size:148*70*69.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/50000 m Ah

Battery: 1260110*5 ;

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C Input:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-A Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A Black USB-A Output:5 V 3 A


TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Light Price

Fast Charging Price Cable: 18 RMB 5 V 2 A Price: Cable: 15.5 RMB (Input Output 5 V 2 A)

Cable: 16 RMB Cable: 15 RMB



Product Model: CK146 Product Size:148*70*81.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/60000 m A

Battery: 1260110*6 ;

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C Input:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-A Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A Black USB-A Output:5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Light Price

Fast Charging Price Cable: 18.5 RMB 5 V 2 A Price: Cable: 16 RMB (Input Output 5 V 2 A)

Cable: 16.5 RMB Cable: 15.5 RMB



Product Model: CK-151

Dimensions: 148*69*21.5mm

PCBA pcs:5407 Plastic Material:ABS+PC Polymer Battery/10000 m Ah

Battery: 1260110*1 : ,

Input Output:5 V 2 A

Unit Price: RMB 000:11

Cable:9 RMB

Light:10.5 RMB

Cable Light:TBD



Product Model: CK-152

Dimensions: 148*69*33.5mm

PCBA pcs:5407 Plastic Material:ABS+PC Polymer Battery/20000 m Ah

Battery: 1260110*2 : ,

Input Output:5 V 2 A

Unit Price: RMB 000:11.5

Cable:9.5 RMB

Light:11 RMB

Cable Light:TBD

自带四线



智能数显



Product Model: CK-153

Dimensions: 148*69*45.5mm

PCBA pcs:5407 Plastic Material:ABS+PC Polymer Battery/30000 m Ah

Battery: 1260110*3 :

Input Output:5 V 2 A

Unit Price: RMB 000:14

Cable:12 RMB

Light:13.5 RMB

Cable Light:TBD



有光就有电 安全快充

智能数显大屏

同时充五台设备

4000mAh大容量

高亮户

太阳能蓄电面板



自带四线

同充多台

强光手电筒

Product Model: CK-154

Dimensions: 148*69*57.2mm

PCBA pcs:5407 Plastic Material:ABS+PC Polymer Battery/40000 m Ah

Battery: 1260110*4 :

Input Output:5 V 2 A

Unit Price: RMB 000:15

Cable:13 RMB

Light:14.5 RMB

Cable Light:TBD





Product Model: CK-155

Dimensions: 148*69*70mm

PCBA pcs:5407 Plastic Material:ABS+PC Polymer Battery/50000 m Ah

Battery: 1260110*5 : ,

Input Output:5 V 2 A

Unit Price: RMB 000:16

Cable:14 RMB

Light:15.5 RMB

Cable Light:TBD



Product Model: CK-156

Dimensions: 148*69*81.5mm

PCBA pcs:5407 Plastic Material:ABS+PC Polymer Battery/60000 m Ah

Battery: 1260110*6 : ,

Input Output:5 V 2 A

Unit Price: RMB 000:17

Cable:15 RMB

Light:16.5 RMB

Cable Light:TBD



22.5W
充

自带四线/PD20W双向快充

可上飞机



22.5W

PD20W快充

自带便携四线

LED露营灯

Product Model: CK-161 Product Size:148*69*21.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/10000 m Ah

Battery: 1260110*1 ;,

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C Input:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-A Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A Black USB-A Output:5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price:Cable:12.5 RMB CK-161 5 V 2 A Price:Cable:9 RMB (Input Output 5 V 2 A)

Cable:9.5 RMB CK-161 B Cable:7 RMB

Light:10.5 RMB CK-161 D

Cable Light:16.5 RMB CK-161 XD

Product Model: CK162 Product Size:148*69*33.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/20000 m Ah

Battery: 1260110*2 ;,

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C Input:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-A Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A Black USB-A Output:5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price:Cable:13 RMB CK-162 5 V 2 A Price:Cable:9.5 RMB (Input Output 5 V 2 A)

Cable:10 RMB CK-162 B Cable:7.5 RMB

Light:11 RMB CK-162 D

Cable Light:17.5 CK-162 XD



Product Model: CK-163 Product Size:148*70*45.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/30000 m Ah

Battery: 1260110*3 ;,

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-CInput:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-AOutput:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A Black USB-AOutput:5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price:Cable:15 RMB CK-163 5 V 2 APrice:Cable:12 RMB (Input Output 5 V 2 A)

Cable:12 RMB CK-163 B Cable:10 RMB

Light:13 RMB CK-163 D

Cable Light:19 RMB CK-163 XD

Product Model: CK164 Product Size:148*70*57.2mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/40000 m A

Battery: 1260110*4 ;,

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-CInput:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-AOutput:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A Black USB-AOutput:5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price:Cable:16 RMB CK-164 5 V 2 APrice:Cable:13 RMB (Input Output 5 V 2 A)

Cable:13 RMB CK-164 B Cable:11 RMB

Light:15 RMB CK-164 D

Cable Light:20 RMB CK-164 XD



Product Model: CK-165 Product Size:148*70*69.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/50000 m Ah

Battery: 1260110*5 ;

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C Input:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-A Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A Black USB-A Output:5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price:Cable:17 RMB CK-165 5 V 2 A Price:Cable:14 RMB (Input Output 5 V 2 A)

Cable:14 RMB CK-165 B Cable:12 RMB

Light:16 RMB CK-165 D

Cable Light:21 RMB CK-165 XD



Product Model: CK166 Product Size:148*70*81.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/60000 m A

Battery: 1260110*6 ;

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C Input:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-A Output 5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A Black USB-A Output 5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price: Cable: 18 RMB CK-166 5 V 2 A Price: Cable: 15 RMB (Input Output 5 V 2 A)

Cable: 15 RMB CK-166 B Cable: 13 RMB

Light: 17 RMB CK-166 D

Cable Light: 22 RMB CK-166 XD

22.5W



Product Model: CK-171(22.5W) Product Size:148*69*21.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/10000 m A

Battery: 1260110*1 ; ,

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C Input:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-A Output 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A Black USB-A Output 5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price:Cable:12 RMB CK-171 5 V 2 A Price:Cable:8.5 RMB (Input Output 5 V 2 A)

Cable:9 RMB CK-171 B Cable:6.5 RMB

Light:10 RMB CK-171 D

Cable Light:16 RMB CK-171 XD

22.5W

小巧便携/智能数显

自带四线

多输出/多输入

3C认证 支持苹果系 超级快充 所有手机都能充 | 低电压 发货

Product Model: CK-172(22.5W) Product Size:148*69*33.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/20000 m A

Battery: 1260110*2 : , ,

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C Input:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-A Output 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A Black USB-A Output 5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price: Cable: 12.5 RMB CK-172 5 V 2 A Price: Cable:9 RMB (Input Output 5 V 2 A)

Cable:9.5 RMB CK-172 B Cable:7 RMB

Light: 10.5 RMB CK-172 D

Cable Light:16.5 RMB CK-172 XD



Product Model: CK-173(22.5W) Product Size:148*70*45.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/30000 m Ah

Battery: 1260110*3 , ,

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C Input:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-A Output 5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A Black USB-A Output 5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price:Cable:14.5 RMB CK-173 5 V 2 A Price:Cable:11.5 RMB (Input Output 5 V 2 A)

Cable:11.5 RMB CK-173 B Cable:9.5 RMB

Light:12.5 RMB CK-173 D

Cable Light:18.5 RMB CK-173 XD

Product Model: CK-174(22.5W) Product Size:148*70*57.2mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/40000 m Ah

Battery: 1260110*4 , ,

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C Input:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-A Output 5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A Black USB-A Output 5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price: Cable: 15 RMB CK-174 5 V 2 A Price: Cable: 12 RMB (Input Output 5 V 2 A)

Cable: 12 RMB CK-174 B Cable: 10 RMB

Light: 13 RMB CK-174 D

Cable Light: 19 RMB CK-174 XD

停电应急 | 户外露营 | 直播摆摊

22.5W

PD20W双向快充

智能数显 超大容量

自带挂绳

自带四线

电量持久续航



22.5W 自带四线 (小长假，放肆hi)

户外大容量

多协议快充

3C认证

保 3C权威认证



Product Model: CK-175(22.5W) Product Size:148*70*69.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/50000 m Ah

Battery: 1260110*5 ; , ,

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C Input:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-A Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A Black USB-A Output:5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price: Cable: 16 RMB CK-175 5 V 2 A Price: Cable: 13 RMB (Input Output 5 V 2 A)

Cable: 13 RMB CK-175 B Cable: 11 RMB

Light: 15 RMB CK-175 D

Cable Light: 20 RMB CK-175 XD

Product Model: CK-176(22.5W) Product Size:148*70*81.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/60000 m Ah

Battery: 1260110*6 ; , ,

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C Input:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-A Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A Black USB-A Output:5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price: Cable: 17 RMB CK-176 5 V 2 A Price: Cable: 14 RMB (Input Output 5 V 2 A)

Cable: 14 RMB CK-176 B Cable: 12 RMB

Light: 16 RMB CK-176 D

Cable Light: 21 RMB CK-176 XD



Product Model: CK-181(22.5W) Product Size:148*69*21.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/10000 m A

Battery: 1260110*1 ; ,

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C Input:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-A Output 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A Black USB-A Output 5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price:Cable:12 RMB CK-181 5 V 2 A Price:Cable:8.5 RMB (Input Output 5 V 2 A)

Cable:9 RMB CK-181 B Cable:6.5 RMB

Light:10 RMB CK-181 D

Cable Light:16 RMB CK-181 XD



Product Model: CK-182(22.5W) Product Size:148*69*33.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/20000 m A

Battery: 1260110*2 : , ,

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C Input:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-A Output 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A Black USB-A Output 5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price: Cable: 12.5 RMB CK-182 5 V 2 A Price: Cable:9 RMB (Input Output 5 V 2 A)

Cable:9.5 RMB CK-182 B Cable:7 RMB

Light: 10.5 RMB CK-182 D

Cable Light:16.5 RMB CK-182 XD

• 22.5W | 20W

• 智能显示屏



⚡ 自带挂绳



22.5W!

智能数显

自带四线



CCC 3C

自带挂绳

Product Model: CK-183(22.5W) Product Size:148*70*45.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/30000 m Ah

Battery: 1260110*3 ;,,

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C Input:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-A Output 5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A Black USB-A Output 5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price:Cable:14.5 RMB CK-183 5 V 2 A Price:Cable:11.5 RMB(Input Output 5 V 2 A)

Cable:11.5 RMB CK-183 B Cable:9.5 RMB

Light:12.5 RMB CK-183 D

Cable Light:18.5 RMB CK-183 XD

Product Model: CK-184(22.5W) Product Size:148*70*57.2mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/40000 m Ah

Battery: 1260110*4 ;, ,

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C Input:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-A Output 5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A Black USB-A Output 5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price: Cable: 15 RMB CK-184 5 V 2 A Price: Cable: 12 RMB (Input Output 5 V 2 A)

Cable: 12 RMB CK-184 B Cable: 10 RMB

Light: 13 RMB CK-184 D

Cable Light: 19 RMB CK-184 XD



Product Model: CK-185(22.5W) Product Size:148*70*69.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/50000 m Ah

Battery: 1260110*5 ; , ,

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C Input:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-A Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A Black USB-A Output:5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price:Cable:16 RMB CK-185 5 V 2 A Price:Cable:13 RMB (Input Output 5 V 2 A)

Cable:13 RMB CK-185 B Cable:11 RMB

Light:15 RMB CK-185 D

Cable Light:20 RMB CK-185 XD



Product Model: CK-186(22.5W) Product Size:148*70*81.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/60000 m Ah

Battery: 1260110*6 ; , ,

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C Input:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-A Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A Black USB-A Output:5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price: Cable: 17 RMB CK-186 5 V 2 A Price: Cable: 14 RMB (Input Output 5 V 2 A)

Cable: 14 RMB CK-186 B Cable: 12 RMB

Light: 16 RMB CK-186 D

Cable Light:21 RMB CK-186 XD



Product Model: CK-191(22.5W) Product Size:148*69*21.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/10000 m A

Battery: 1260110*1 : ,



Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C Input:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-A Output 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A Black USB-A Output 5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price:Cable:12 RMB CK-191 5 V 2 A Price:Cable:8.5 RMB (Input Output 5 V 2 A)

Cable:9 RMB CK-191 B Cable:6.5 RMB

Light:10 RMB CK-191 D

Cable Light:16 RMB CK-191 XD



Product Model: CK-192(22.5W) Product Size:148*69*33.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/20000 m A

Battery: 1260110*2 : ,

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C Input:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-A Output 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A Black USB-A Output 5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price:Cable:12.5 RMB CK-192 5 V 2 A Price:Cable:9 RMB (Input Output 5 V 2 A)

Cable:9.5 RMB CK-192 B Cable:7 RMB

Light:10.5 RMB CK-192 D

Cable Light:16.5 RMB CK-192 XD

22.5W

20W

小巧大容量



Product Model: CK-193(22.5W) Product Size:148*70*45.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/30000 m Ah

Battery: 1260110*3 ;,,

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-CInput:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-AOutput 5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A Black USB-AOutput 5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price:Cable:14.5 RMB CK-193 5 V 2 APrice:Cable:11.5 RMB (Input Output 5 V 2 A)

Cable:11.5 RMB CK-193 B Cable:9.5 RMB

Light:12.5 RMB CK-193 D

Cable Light:20 RMB CK-193 XD

Product Model: CK-194(22.5W) Product Size:148*70*57.2mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/40000 m Ah

Battery: 1260110*4 ;, ,

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-CInput:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-AOutput 5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A Black USB-AOutput 5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price: Cable: 15 RMB CK-194 5 V 2 APrice: Cable: 12 RMB (Input Output 5 V 2 A)

Cable: 12 RMB CK-194 B Cable: 10 RMB

Light: 13 RMB CK-194 D

Cable Light: 21 RMB CK-194 XD





Product Model: CK-195(22.5W) Product Size:148*70*69.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/50000 m Ah

Battery: 1260110*5 ; , ,

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C Input:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-A Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A Black USB-A Output:5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price: Cable: 16 RMB CK-195 5 V 2 A Price: Cable: 13 RMB (Input Output 5 V 2 A)

Cable: 13 RMB CK-195 B Cable: 11 RMB

Light: 15 RMB CK-195 D

Cable Light: 20 RMB CK-195 XD



Product Model: CK-196(22.5W) Product Size:148*70*81.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/60000 m Ah

Battery: 1260110*6 ; , ,

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C Input:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-A Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A Black USB-A Output:5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price: Cable: 17 RMB CK-196 5 V 2 A Price: Cable: 14 RMB (Input Output 5 V 2 A)

Cable: 14 RMB CK-196 B Cable: 12 RMB

Light: 16 RMB CK-196 D

Cable Light: 21 RMB CK-196 XD

PD20W双向快充 可上飞机 智能数显

电量续航长久

自带四线



适用苹果全新系列

Product Model: CK-201(22.5W) Product Size:148*69*21.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/10000 m A

Battery: 1260110*1 ; ,

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-CInput:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-AOutput 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A Black USB-AOutput 5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price:Cable:12 RMB CK-201 5 V 2 APrice:Cable:8.5 RMB (Input Output 5 V 2 A)

Cable:9 RMB CK-201 B Cable:6.5 RMB

Light:10 RMB CK-201 D

Cable Light:16 RMB CK-201 XD



Product Model: CK-202(22.5W) Product Size:148*69*33.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/20000 m A

Battery: 1260110*2 : ,

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-CInput:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-AOutput 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A Black USB-AOutput 5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price: Cable: 12.5 RMB CK-202 5 V 2 APrice: Cable:9 RMB(Input Output 5 V 2 A)

Cable:9.5 RMB CK-202 B Cable:7 RMB

Light: 10.5 RMB CK-202 D

Cable Light:16.5 RMB CK-202 XD



智能电量显示

自带四线/自带挂绳



Product Model: CK-203(22.5W) Product Size:148*70*45.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/30000 m Ah

Battery: 1260110*3 ;,,

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C Input:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-A Output 5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A Black USB-A Output 5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price:Cable:14.5 RMB CK-203 5 V 2 A Price:Cable:11.5 RMB(Input Output 5 V 2 A)

Cable:11.5 RMB CK-203 B Cable:9.5 RMB

Light:13.5 RMB CK-203 D

Cable Light:18.5 RMB CK-203 XD



Product Model: CK-204(22.5W) Product Size:148*70*57.2mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/40000 m Ah

Battery: 1260110*4 ;, ,

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C Input:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-A Output 5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A Black USB-A Output 5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price:Cable:15 RMB CK-204 5 V 2 A Price:Cable:12 RMB (Input Output 5 V 2 A)

Cable:12 RMB CK-204 B Cable:10 RMB

Light:14 RMB CK-204 D

Cable Light:19 RMB CK-204 XD



Product Model: CK-205(22.5W) Product Size:148*70*69.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/50000 m Ah

Battery: 1260110*5 ; , ,

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C Input:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-A Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A Black USB-A Output:5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price:Cable:16 RMB CK-205 5 V 2 A Price:Cable:13 RMB (Input Output 5 V 2 A)

Cable:13 RMB CK-205 B Cable:11 RMB

Light:15 RMB CK-205 D

Cable Light:20 RMB CK-205 XD

Product Model: CK-206(22.5W) Product Size:148*70*81.5mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/60000 m Ah

Battery: 1260110*6 ; , ,

Micro-B Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C Input:5 V 3 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output: 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-A Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A Black USB-A Output:5 V 3 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Output:5 V/2.4 A Micro-B Cable Output:5 V 2 A USB Cable Input:5 V 2 A

Fast Charging Price:Cable:17 RMB CK-206 5 V 2 A Price:Cable:14 RMB (Input Output 5 V 2 A)

Cable:14 RMB CK-206 B Cable:12 RMB

Light:16 RMB CK-206 D

Cable Light:21 RMB CK-206 XD



双线系列:

容量:

Fast Charging 22.5

W

5 V 2 A

pairs Cable 1-5

Cable 1-2

pairs Cable Light 3-5



22.5W超级快充 智能冰芯 不发烫



超级快充 小巧便携



Product Model: CK-001(22.5W) Product Size:148.2*68.1*19.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/10000 m Ah

Battery: 1260110*1 ;

TYPE-CBlack Input:5 V 2 A 9 V 2 A 12 V 1.5 TYPE-CInput:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 2 A 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 2 A 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A

lightning Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

Cable: 11.5 RMB CK-001 Cable:8 RMB

Cable:9 RMB CK-025 Cable:6.5 RMB

Product Model: CK-002(22.5W) Product Size:148.2*68.1*31.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/20000 m Ah

Battery: 1260110*2 ;

TYPE-CBlack Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-CInput:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 2 A 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 2 A 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A

lightning Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

Cable: 12 RMB CK-002 Cable:8.5 RMB

Cable:9.5 RMB CK-026 Cable:7 RMB



Product Model: CK-003(22.5W) Product Size:148.2*68.1*43.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/30000 m Ah

Battery: 1260110*3 :

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

14 RMB:10 RMB



Product Model: CK-1001(22.5W) Product Size:148.2*68.1*56mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/40000 m Ah

Battery: 1260110*4 :

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output:5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

15 RMB:10.5 RMB





Product Model: CK-004(22.5W) Product Size:148.2*68.1*43.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/30000 m Ah

Battery: 1260110*3 ,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

16 RMB:11 RMB





Product Model: CK-005(22.5W) Product Size:148.2*68.1*19.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/10000 m Ah

Battery: 1260110*1 ; ,

TYPE-CBlack Input:5 V 2 A 9 V 2 A 12 V 1.5 TYPE-CInput:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 2 A 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 2 A 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A

lightning Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

Cable:11.5 RMB CK-005 Cable:8 RMB Cable:6.5 RMB

Cable:9 RMB CK-027 Cable:6.5 RMB Cable:5 RMB



Product Model: CK-006(22.5W) Product Size:148.2*68.1*31.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/20000 m Ah

Battery: 1260110*2 : , ,

TYPE-CBlack Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-CInput:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 2 A 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 2 A 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A

lightning Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

Cable:12 RMB CK-006 Cable:8.5 RMB Cable:7 RMB

Cable:9.5 RMB CK-028 Cable:7 RMB Cable:5.5 RMB



Product Model: CK-007(22.5W) Product Size:148.2*68.1*43.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/30000 m Ah

Battery: 1260110*3 : , ,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge
14 RMB:10 RMB



Product Model: CK-007(22.5W) Product Size:148.2*68.1*43.7mm

PCBA pcs:22.5 W/5356(M) Plastic Material:ABS+PC Polymer Battery/30000 m Ah

Battery: 1260110*3 : , ,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A


TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W Supports 15 16 Fast Charging
15.5 RMB



适用苹果/安卓





Product Model: CK-1002(22.5W) Product Size:148.2*68.1*56mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/40000 m Ah

Battery: 1260110*4 : ,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output:5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A



Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

15 RMB:10.5 RMB



Product Model: CK-1002(22.5W) Product Size:148.2*68.1*56mm

PCBA pcs:22.5 W/5356(M) Plastic Material:ABS+PC Polymer Battery/40000 m Ah

Battery: 1260110*4 : , ,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A



Fast Charging 22.5 W Supports 15 16 Fast Charging

16 RMB



Product Model: CK-008(22.5W) Product Size:148.2*68.1*68mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/50000 m Ah



Battery: 1260110*5 : ,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

16 RMB:11 RMB



Product Model: CK-008(22.5W) Product Size:148.2*68.1*68mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/50000 m Ah

Battery: 1260110*5 : , ,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W

17 RMB





Product Model: CK-009(22.5W) Product Size:148.2*68.1*19.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/10000 m Ah

Battery: 1260110*1 ;,



TYPE-CBlack Input:5 V 2 A 9 V 2 A 12 V 1.5 TYPE-CInput:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 2 A 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 2 A 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A

lightning Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

Cable:11.5 RMB CK-009 Cable:8 RMB Cable:6.5 RMB

Cable:9 RMB CK-029 Cable:6.5 RMB Cable:5 RMB



Product Model: CK-010(22.5W) Product Size:148.2*68.1*31.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/20000 m Ah

Battery: 1260110*2 ;,

TYPE-CBlack Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-CInput:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 2 A 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 2 A 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A

lightning Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

Cable:12 RMB CK-010 Cable:8.5 RMB Cable:7 RMB

Cable:9.5 RMB CK-030 Cable:7 RMB Cable:5.5 RMB



Product Model: CK-011(22.5W) Product Size:148.2*68.1*43.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/30000 m Ah

Battery: 1260110*3 :

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

14 RMB:10 RMB



Product Model: CK-011(22.5W) Product Size:148.2*68.1*43.7mm

PCBA pcs:22.5 W/5356(M) Plastic Material:ABS+PC Polymer Battery/30000 m Ah

Battery: 1260110*3 :

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W Supports 15 16 Fast Charging

15.5 RMB





Product Model: CK-1003(22.5W) Product Size:148.2*68.1*56mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/40000 m Ah

Battery: 1260110*4 :

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output:5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

New Product

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

15 RMB:10.5 RMB



Product Model: CK-1003(22.5W) Product Size:148.2*68.1*56mm

PCBA pcs:22.5 W/5356(M) Plastic Material:ABS+PC Polymer Battery/40000 m Ah

Battery: 1260110*4 :

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

New Product

Fast Charging 22.5 W Supports 15 16 Fast Charging

16 RMB



Product Model: CK-012(22.5W) Product Size:148.2*68.1*68mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/50000 m Ah

Battery: 1260110*5 : ,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

16 RMB:11 RMB



Product Model: CK-012(22.5W) Product Size:148.2*68.1*68mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/50000 m Ah

Battery: 1260110*5 : , ,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W

17 RMB



Product Model: CK-016(22.5W) Product Size:148.2*68.1*19.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/10000 m Ah

Battery: 1260110*1 ;,

TYPE-CBlack Input:5 V 2 A 9 V 2 A 12 V 1.5 TYPE-CInput:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 2 A 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 2 A 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A

lightning Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

Cable:11.5 RMB CK-016 Cable:8 RMB

Cable:9 RMB CK-031 Cable:6.5 RMB



Product Model: CK-017(22.5W) Product Size:148.2*68.1*31.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/20000 m Ah

Battery: 1260110*2 ;,

TYPE-CBlack Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-CInput:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 2 A 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 2 A 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A

lightning Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

Cable: 12 RMB CK-017 Cable:8.5 RMB

Cable:9.5 RMB CK-032 Cable:7 RMB

自带



Product Model: CK-018(22.5W) Product Size:148.2*68.1*43.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/30000 m Ah

Battery: 1260110*3 :

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

14 RMB:10 RMB



Product Model: CK-018(22.5W) Product Size:148.2*68.1*43.7mm

PCBA pcs:22.5 W/5356(M) Plastic Material:ABS+PC Polymer Battery/30000 m Ah

Battery: 160110*3 :

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W Supports 15 16 Fast Charging

15.5 RMB



22.5W

超长续航 超大容量

电量显示

智能数显

自带便携挂绳

现货速发 ⚡ 4倍冰



Product Model: CK-1004(22.5W) Product Size:148.2*68.1*56mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/40000 m Ah

Battery: 1260110*4 : ,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output:5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

New Product

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

15 RMB:10.5 RMB

Product Model: CK-1004(22.5W) Product Size:148.2*68.1*56mm

PCBA pcs:22.5 W/5356(M) Plastic Material:ABS+PC Polymer Battery/40000 m Ah

Battery: 1260110*4 : ,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

New Product

Fast Charging 22.5 W Supports 15 16 Fast Charging

16 RMB



Product Model: CK-019(22.5W) Product Size:148.2*68.1*68mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/50000 m Ah

Battery: 1260110*5 ,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

16 RMB:11 RMB



Product Model: CK-019(22.5W) Product Size:148.2*68.1*68mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/50000 m Ah

Battery: 1260110*5 ,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W

17 RMB



Product Model: CK-020(22.5W) Product Size:148.2*68.1*19.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/10000 m Ah

Battery: 1260110*1 ;,



TYPE-CBlack Input:5 V 2 A 9 V 2 A 12 V 1.5 TYPE-CInput:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 2 A 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 2 A 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A

lightning Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

Cable: 11.5 RMB CK-020 Cable:8 RMB

Cable:9 RMB CK-033 Cable:6.5 RMB

Product Model: CK-021(22.5W) Product Size:148.2*68.1*31.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/20000 m Ah

Battery: 1260110*2 ;,

TYPE-CBlack Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-CInput:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 2 A 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 2 A 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A

lightning Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

Cable:12 RMB CK-021 Cable:8.5 RMB

Cable:9.5 RMB CK-034 Cable:7 RMB



Product Model: CK-022(22.5W) Product Size:148.2*68.1*43.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/30000 m Ah

Battery: 1260110*3 :

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge
14 RMB:10 RMB

Product Model: CK-022(22.5W) Product Size:148.2*68.1*43.7mm

PCBA pcs:22.5 W/5356(M) Plastic Material:ABS+PC Polymer Battery/30000 m Ah

Battery: 1260110*3 :

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W Supports 15 16 Fast Charging

15.5 RMB





Product Model: CK-1005(22.5W) Product Size:148.2*68.1*56mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/40000 m Ah

Battery: 1260110*4 :

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output:5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A



Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

15 RMB:10.5 RMB



Product Model: CK-1005(22.5W) Product Size:148.2*68.1*56mm

PCBA pcs:22.5 W/5356(M) Plastic Material:ABS+PC Polymer Battery/40000 m Ah

Battery: 1260110*4 :

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A



Fast Charging 22.5 W Supports 15 16 Fast Charging

16 RMB



Product Model: CK-023(22.5W) Product Size:148.2*68.1*68mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/50000 m Ah



Battery: 1260110*5 : ,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

16 RMB: 11 RMB



Product Model: CK-023(22.5W) Product Size:148.2*68.1*68mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/50000 m Ah

Battery: 1260110*5 : ,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W

17 RMB



Product Model: CK-036(22.5W) Product Size:148.2*68.1*19.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/10000 m Ah

Battery: 1260110*1 ;,



TYPE-CBlack Input:5 V 2 A 9 V 2 A 12 V 1.5 TYPE-CInput:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 2 A 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 2 A 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A

lightning Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

Cable: 11.5 RMB CK-036 Cable:8 RMB

Cable:9 RMB CK-040 Cable:6.5 RMB



Product Model: CK-037(22.5W) Product Size:148.2*68.1*31.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/20000 m Ah

Battery: 1260110*2 ;,

TYPE-CBlack Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-CInput:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 2 A 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 2 A 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A

lightning Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

Cable: 12 RMB CK-037 Cable:8.5 RMB

Cable:9.5 RMB CK-041 Cable:7 RMB



22.5W



Product Model: CK-038(22.5W) Product Size:148.2*68.1*43.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/30000 m Ah

Battery: 1260110*3 : ,



TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

14 RMB:10 RMB



Product Model: CK-038(22.5W) Product Size:148.2*68.1*43.7mm

PCBA pcs:22.5 W/5356(M) Plastic Material:ABS+PC Polymer Battery/30000 m Ah

Battery: 1260110*3 : ,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W Supports 15 16 Fast Charging

15.5 RMB



22.5W
充电速度贼快
自带

智能数显/PD20W快充

现货速发 双向快充

22.5W超级快充/自带双线

便携挂绳

Product Model: CK-1006(22.5W) Product Size:148.2*68.1*56mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/40000 m Ah

Battery: 1260110*4 : ,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output:5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

New
Product

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

15 RMB:10.5 RMB

Product Model: CK-1006(22.5W) Product Size:148.2*68.1*56mm

PCBA pcs:22.5 W/5356(M) Plastic Material:ABS+PC Polymer Battery/40000 m Ah

Battery: 1260110*4 : ,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

New
Product

Fast Charging 22.5 W Supports 15 16 Fast Charging

16 RMB



Product Model: CK-039(22.5W) Product Size:148.2*68.1*68mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/50000 m Ah

Battery: 1260110*5 : ,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

16 RMB:11 RMB



Product Model: CK-039(22.5W) Product Size:148.2*68.1*68mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/50000 m Ah

Battery: 1260110*5 : ,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W

17 RMB



Product Model: CK-042(22.5W) Product Size:148.2*68.1*19.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/10000 m Ah

Battery: 1260110*1 ;,



TYPE-CBlack Input:5 V 2 A 9 V 2 A 12 V 1.5 TYPE-CInput:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 2 A 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 2 A 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A

lightning Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

Cable: 12 RMB CK-042 Cable:8.5 RMB

Cable:9.5 RMB CK-046 Cable:7 RMB

Product Model: CK-043(22.5W) Product Size:148.2*68.1*31.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/20000 m Ah

Battery: 1260110*2 ;,

TYPE-CBlack Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-CInput:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 2 A 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 2 A 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A

lightning Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

Cable: 12.5 RMB CK-043 Cable:9 RMB

Cable: 10 RMB CK-047 Cable:7.5 RMB

黑科技!

"30000mAh"

- 低温真快充
- 同充六台
- 智能数显



22.5W · PD20W ·

边充边玩也超快



Product Model: CK-044(22.5W) Product Size:148.2*68.1*43.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/30000 m Ah

Battery: 1260110*3 :

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

14.5 RMB:10.5 RMB

Product Model: CK-044(22.5W) Product Size:148.2*68.1*43.7mm

PCBA pcs:22.5 W/5356(M) Plastic Material:ABS+PC Polymer Battery/30000 m Ah

Battery: 1260110*3 :

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W Supports 15 16 Fast Charging

16 RMB



22.5W超 充

自带双线

多输出/多输入

现货速发 双向快充

自带双线

多输出/多输入

现货速发 双向快充

Product Model: CK-1007(22.5W) Product Size:148.2*68.1*56mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/40000 m Ah

Battery: 1260110*4 : ,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output:5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

New Product

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

15.5 RMB:11 RMB

Product Model: CK-1007(22.5W) Product Size:148.2*68.1*56mm

PCBA pcs:22.5 W/5356(M) Plastic Material:ABS+PC Polymer Battery/40000 m Ah

Battery: 1260110*4 : ,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

New Product

Fast Charging 22.5 W Supports 15 16 Fast Charging

16.5 RMB



Product Model: CK-045(22.5W) Product Size:148.2*68.1*68mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/50000 m Ah



Battery: 1260110*5 :

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

16.5 RMB:11.5 RMB



Product Model: CK-045(22.5W) Product Size:148.2*68.1*68mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/50000 m Ah

Battery: 1260110*5 :

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W

17.5 RMB





小巧便携大容量

22.5W 

PD20W双向快充

30分钟约充满70%

苹果8-16全系快充

智能数显/四台同充

3C认证/自带双线



Product Model: CK-051(22.5W) Product Size:148.2*68.1*19.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/10000 m Ah

Battery: 1260110*1 ;,



TYPE-CBlack Input:5 V 2 A 9 V 2 A 12 V 1.5 TYPE-CInput:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 2 A 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 2 A 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A

lightning Output:5 V/2.4 A

Fast Charging 22.5 W(Painted Finish) 5 V 2 A(Standard Finish)5326 Output Input 5 V 2 A)CPort Charge

Cable: 12 RMB CK-051 Cable:8.5 RMB

Cable:9.5 RMB CK-049 Cable:7 RMB

Product Model: CK-052(22.5W) Product Size:148.2*68.1*31.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/20000 m Ah

Battery: 1260110*2 ;,

TYPE-CBlack Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-CInput:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 2 A 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 2 A 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A

lightning Output:5 V/2.4 A

Fast Charging 22.5 W(Painted Finish) 5 V 2 A(Standard Finish) (5326 Output Input 5 V 2 A)CPort Charge

Cable: 12.5 RMB CK-052 Cable:9 RMB

Cable: 10 RMB CK-050 Cable:7.5 RMB



充

Product Model: CK-053(22.5W) Product Size:148.2*68.1*43.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/30000 m Ah

Battery: 1260110*3 : ,



TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W(Painted Finish) 5 V 2 AStandard Finish(5326 Output Input 5 V 2 A)CPort Charge

14.5 RMB:10.5 RMB



Product Model: CK-053(22.5W) Product Size:148.2*68.1*43.7mm

PCBA pcs:22.5 W/5356(M) Plastic Material:ABS+PC Polymer Battery/30000 m Ah

Battery: 1260110*3 : ,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W(Painted Finish)

Supports 15 16 Fast
Charging

16 RMB



22.5W

多输出/多输入

现货速发 双向快充

超级快充

自带便携挂绳

停电应急能手

Product Model: CK-1008(22.5W) Product Size:148.2*68.1*56mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/40000 m Ah

Battery: 1260110*4 : ,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output:5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12V1.5 10V2.25A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W(Painted Finish) 5 V 2 A Standard Finish(5326 Output Input 5 V 2 A)CPort Charge

15.5 RMB

11 RMB

New Product

Product Model: CK-1008(22.5W) Product Size:148.2*68.1*56mm

PCBA pcs:22.5 W/5356(M) Plastic Material:ABS+PC Polymer Battery/40000 m Ah

Battery: 1260110*4 : ,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W(Painted Finish)

16.5 RMB

Supports 15 16 Fast Charging

New Product



Product Model: CK-054(22.5W) Product Size:148.2*68.1*68mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/50000 m Ah



Battery: 1260110*5 : ,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

16.5 RMB:11.5 RMB



Product Model: CK-054(22.5W) Product Size:148.2*68.1*68mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/50000 m Ah

Battery: 1260110*5 : ,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W

17.5 RMB





Product Model: CK-070(22.5W) Product Size:148.2*68.1*19.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/10000 m Ah

Battery: 1260110*1 : , ,



TYPE-CBlack Input:5 V 2 A 9 V 2 A 12 V 1.5 TYPE-CInput:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 2 A 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 2 A 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A

lightning Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

Cable: 11.5 RMB CK-070 Cable:8 RMB

Cable:9 RMB CK-070 B Cable:6.5 RMB



Product Model: CK-071(22.5W) Product Size:148.2*68.1*31.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/20000 m Ah

Battery: 1260110*2 : , ,

TYPE-CBlack Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-CInput:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 2 A 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 2 A 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A

lightning Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

Cable: 12 RMB CK-071 Cable:8.5 RMB

Cable:9.5 RMB CK-071 B Cable:7 RMB



Product Model: CK-072(22.5W) Product Size:148.2*68.1*43.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/30000 m Ah

Battery: 1260110*3 : ,,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

14 RMB:10 RMB



Product Model: CK-072(22.5W) Product Size:148.2*68.1*43.7mm

PCBA pcs:22.5 W/5356(M) Plastic Material:ABS+PC Polymer Battery/30000 m Ah

Battery: 1260110*3 : ,,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W Supports 15 16 Fast Charging

15.5 RMB





Product Model: CK-1009(22.5W) Product Size:148.2*68.1*56mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/40000 m Ah

Battery: 1260110*4 : ,,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output:5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A



Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

15 RMB:10.5 RMB



Product Model: CK-1009(22.5W) Product Size:148.2*68.1*56mm

PCBA pcs:22.5 W/5356(M) Plastic Material:ABS+PC Polymer Battery/40000 m Ah

Battery: 1260110*4 : ,,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A



Fast Charging 22.5 W Supports 15 16 Fast Charging

16 RMB



Product Model: CK-073(22.5W) Product Size:148.2*68.1*68mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/50000 m Ah

Battery: 1260110*5 : ,,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

16 RMB:11 RMB



Product Model: CK-073(22.5W) Product Size:148.2*68.1*68mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/50000 m Ah

Battery: 1260110*5 : ,,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W

17 RMB

22.5W

20W
PD快充



双向快充



Product Model: CK-074(22.5W) Product Size:148.2*68.1*19.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/10000 m Ah

Battery: 1260110*1 : , ,



TYPE-CBlack Input:5 V 2 A 9 V 2 A 12 V 1.5 TYPE-CInput:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 2 A 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 2 A 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A

lightning Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

Cable: 11.5 RMB CK-074 Cable:8 RMB

Cable:9 RMB CK-074 B Cable:6.5 RMB



Product Model: CK-075(22.5W) Product Size:148.2*68.1*31.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/20000 m Ah

Battery: 1260110*2 : , ,

TYPE-CBlack Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-CInput:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 2 A 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 2 A 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A

lightning Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

Cable: 12 RMB CK-075 Cable:8.5 RMB

Cable:9.5 RMB CK-075 B Cable:7 RMB



Product Model: CK-076(22.5W) Product Size:148.2*68.1*43.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/30000 m Ah

Battery: 1260110*3 : ,,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

14 RMB:10 RMB



Product Model: CK-076(22.5W) Product Size:148.2*68.1*43.7mm

PCBA pcs:22.5 W/5356(M) Plastic Material:ABS+PC Polymer Battery/30000 m Ah

Battery: 1260110*3 : ,,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W Supports 15 16 Fast Charging

15.5 RMB



22.5W/20W

便携挂绳

3C认证/智能数显

自带

22.5W快充 / 20W快充

Product Model: CK-1010(22.5W) Product Size:148.2*68.1*56mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/40000 m Ah

Battery: 1260110*4 : ,,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output:5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

New Product

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

15 RMB:10.5 RMB

Product Model: CK-1010(22.5W) Product Size:148.2*68.1*56mm

PCBA pcs:22.5 W/5356(M) Plastic Material:ABS+PC Polymer Battery/40000 m Ah

Battery: 1260110*4 : ,,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

New Product

Fast Charging 22.5 W Supports 15 16 Fast Charging

16 RMB



Product Model: CK-077(22.5W) Product Size:148.2*68.1*68mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/50000 m Ah

Battery: 1260110*5 : ,,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

16 RMB:11 RMB



Product Model: CK-077(22.5W) Product Size:148.2*68.1*68mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/50000 m Ah

Battery: 1260110*5 : ,,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W

17 RMB



Product Model: CK-078(22.5W) Product Size:148.2*68.1*19.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/10000 m Ah

Battery: 1260110*1 ;,



TYPE-CBlack Input:5 V 2 A 9 V 2 A 12 V 1.5 TYPE-CInput:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 2 A 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 2 A 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A

lightning Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

Cable: 11.5 RMB CK-078 Cable:8 RMB

Cable:9 RMB CK-078 B Cable:6.5 RMB

Product Model: CK-079(22.5W) Product Size:148.2*68.1*31.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/20000 m Ah

Battery: 1260110*2 ;,

TYPE-CBlack Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-CInput:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 2 A 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 2 A 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A

lightning Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

Cable: 12 RMB CK-079 Cable:8.5 RMB

Cable:9.5 RMB CK-079 B Cable:7 RMB

22.5W

大容量/PD20W快充

快充苹果15/16

22.5W

Product Model: CK-080(22.5W) Product Size:148.2*68.1*43.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/30000 m Ah

Battery: 1260110*3 :

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

14 RMB:10 RMB



Product Model: CK-080(22.5W) Product Size:148.2*68.1*43.7mm

PCBA pcs:22.5 W/5356(M) Plastic Material:ABS+PC Polymer Battery/30000 m Ah

Battery: 1260110*3 :

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W Supports 15 16 Fast Charging

15.5 RMB

New
Product



Product Model: CK-1011(22.5W) Product Size:148.2*68.1*56mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/40000 m Ah

Battery: 1260110*4 : ,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output:5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A



Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

15 RMB:10.5 RMB

Product Model: CK-1011(22.5W) Product Size:148.2*68.1*56mm

PCBA pcs:22.5 W/5356(M) Plastic Material:ABS+PC Polymer Battery/40000 m Ah

Battery: 1260110*4 : ,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A



Fast Charging 22.5 W Supports 15 16 Fast Charging

16 RMB



Product Model: CK-081(22.5W) Product Size:148.2*68.1*68mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/50000 m Ah



Battery: 1260110*5 : ,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

16 RMB:11 RMB



Product Model: CK-081(22.5W) Product Size:148.2*68.1*68mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/50000 m Ah

Battery: 1260110*5 : ,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W

17 RMB



22.5W

充电速度贼快

小巧便携/PD20W快充

快充苹果15/16



Product Model: CK-082(22.5W) Product Size:148.2*68.1*19.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/10000 m Ah

Battery: 1260110*1 : , ,



TYPE-CBlack Input:5 V 2 A 9 V 2 A 12 V 1.5 TYPE-CInput:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 2 A 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 2 A 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A

lightning Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

Cable: 11.5 RMB CK-082 Cable:8 RMB

Cable:9 RMB CK-082 B Cable:6.5 RMB



Product Model: CK-083(22.5W) Product Size:148.2*68.1*31.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/20000 m Ah

Battery: 1260110*2 : , ,

TYPE-CBlack Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-CInput:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 2 A 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 2 A 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A

lightning Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

Cable: 12 RMB CK-083 Cable:8.5 RMB

Cable:9.5 RMB CK-083 B Cable:7 RMB

22.5W

30分钟充电 ⚡ 85%



旗舰级配置带来迅猛快充体验



Product Model: CK-084(22.5W) Product Size:148.2*68.1*43.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/30000 m Ah

Battery: 1260110*3 : ,,



TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

14 RMB:10 RMB



Product Model: CK-084Light (22.5 W) Product Size:148.2*68.1*43.7 mm

PCBA pcs:22.5 W/5356(M) Plastic Material:ABS+PC Polymer Battery/30000 m Ah

Battery: 1260110*3 : ,,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W Supports 15 16 Fast Charging

15.5 RMB





Product Model: CK-1012(22.5W) Product Size:148.2*68.1*56mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/40000 m Ah

Battery: 1260110*4 : ,,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output:5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A



Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

15 RMB:10.5 RMB



Product Model: CK-1012(22.5W) Product Size:148.2*68.1*56mm

PCBA pcs:22.5 W/5356(M) Plastic Material:ABS+PC Polymer Battery/40000 m Ah

Battery: 1260110*4 : ,,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A



Fast Charging 22.5 W Supports 15 16 Fast Charging

16 RMB



Product Model: CK-085(22.5W) Product Size:148.2*68.1*68mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/50000 m Ah

Battery: 1260110*5 : , ,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

16 RMB:11 RMB



Product Model: CK-085(22.5W) Product Size:148.2*68.1*68mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/50000 m Ah

Battery: 1260110*5 : , ,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A


USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W

17 RMB



- iPhone15/16全系快充
- PD20W



可上飞机



Product Model: CK-086(22.5W) Product Size:148.2*68.1*19.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/10000 m Ah

Battery: 1260110*1 :,,



TYPE-CBlack Input:5 V 2 A 9 V 2 A 12 V 1.5 TYPE-CInput:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 2 A 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 2 A 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A

lightning Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

Cable: 11.5 RMB CK-086 Cable:8 RMB

Cable:9 RMB CK-086 B Cable:6.5 RMB



Product Model: CK-087(22.5W) Product Size:148.2*68.1*31.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/20000 m Ah

Battery: 1260110*2 :,,

TYPE-CBlack Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-CInput:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 2 A 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 2 A 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A

lightning Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

Cable: 12 RMB CK-087 Cable:8.5 RMB

Cable:9.5 RMB CK-087 B Cable:7 RMB



22.5W

FAST

智能数显/自带双线

30分钟充满75%

日常外出随身携带,无!

22.5W超级快充



Product Model: CK-088(22.5W) Product Size:148.2*68.1*43.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/30000 m Ah

Battery: 1260110*3 :,,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

14 RMB:10 RMB

Product Model: CK-1013(22.5W) Product Size:148.2*68.1*56mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/40000 m Ah

Battery: 1260110*4 :,,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output:5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

15 RMB:10.5 RMB

New Product



Product Model: CK-089(22.5W) Product Size:148.2*68.1*68mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/50000 m Ah

Battery: 1260110*5 :,,,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

16 RMB:11 RMB



Product Model: CK-090(22.5W) Product Size:148.2*68.1*19.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/10000 m Ah

Battery: 1260110*1 :,,,

TYPE-CBlack Input:5 V 2 A 9 V 2 A 12 V 1.5 TYPE-CInput:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 2 A 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 2 A 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A

lightning Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

Cable: 11.5 RMB CK-090 Cable:8 RMB

Cable:9 RMB CK-090 B Cable:6.5 RMB



Product Model: CK-091(22.5W) Product Size:148.2*68.1*31.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/20000 m Ah

Battery: 1260110*2 :,,,



TYPE-CBlack Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-CInput:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 2 A 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 2 A 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A

lightning Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

Cable: 12 RMB CK-091 Cable:8.5 RMB

Cable:9.5 RMB CK-091 B Cable:7 RMB



22.5W/20W

视芯片同时快充设备

Product Model: CK-092(22.5W) Product Size:148.2*68.1*43.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/30000 m Ah

Battery: 1260110*3 :,,,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

14 RMB:10 RMB



Product Model: CK-1014(22.5W) Product Size:148.2*68.1*56mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/40000 m Ah

Battery: 1260110*4 :,,,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output:5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A



Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

15 RMB:10.5 RMB



Product Model: CK-093(22.5W) Product Size:148.2*68.1*68mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/50000 m Ah

Battery: 1260110*5 :,,,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A



Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

16 RMB:11 RMB



Product Model: CK-094(22.5W) Product Size:148.2*68.1*19.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/10000 m Ah

Battery: 1260110*1 :, ,,

TYPE-CBlack Input:5 V 2 A 9 V 2 A 12 V 1.5 TYPE-CInput:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 2 A 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 2 A 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A

lightning Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

Cable: 11.5 RMB CK-094 Cable:8 RMB

Cable:9 RMB CK-094 B Cable:6.5 RMB

Product Model: CK-095(22.5W) Product Size:148.2*68.1*31.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/20000 m Ah

Battery: 1260110*2 :, ,,

TYPE-CBlack Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-CInput:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 2 A 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 2 A 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A

lightning Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

Cable: 12 RMB CK-095 Cable:8.5 RMB

Cable:9.5 RMB CK-095 B Cable:7 RMB



适用苹果15 16手机 ⚡

Product Model: CK-096(22.5W) Product Size:148.2*68.1*43.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/30000 m Ah

Battery: 1260110*3 ;, ,,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

14 RMB:10 RMB



Product Model: CK-096(22.5W) Product Size :148.2*68.1*43.7mm

PCBA pcs:22.5 W/5356(M) Plastic Material:ABS+PC Polymer Battery/30000 m Ah

Battery: 1260110*3 ;, ,,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W Supports 15 16 Fast Charging

15.5 RMB





Product Model: CK-1015(22.5W) Product Size:148.2*68.1*56mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/40000 m Ah

Battery: 1260110*4 :, ,,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output:5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A



Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

15 RMB:10.5 RMB



Product Model: CK-1015(22.5W) Product Size:148.2*68.1*56mm

PCBA pcs:22.5 W/5356(M) Plastic Material:ABS+PC Polymer Battery/40000 m Ah

Battery: 1260110*4 :, ,,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A



Fast Charging 22.5 W

Supports 15 16 Fast Charging

16 RMB



Product Model: CK-097(22.5W) Product Size:148.2*68.1*68mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/50000 m Ah

Battery: 1260110*5 :, ,,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

16 RMB:11 RMB



Product Model: CK-097(22.5W) Product Size:148.2*68.1*68mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/50000 m Ah

Battery: 1260110*5 :, ,,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W

17 RMB





Product Model: CK-501() Product Size:148.2*68.1*19.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/10000 m Ah

Battery: 1260110*1 ;,

TYPE-CBlack Input:5 V 2 A 9 V 2 A 12 V 1.5 TYPE-CInput:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 2 A 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 2 A 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A

lightning Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

Cable: 11.5 RMB CK-501 Cable:8 RMB

Cable:9 RMB CK-501 B Cable:6.5 RMB



Product Model: CK-502(22.5W) Product Size:148.2*68.1*31.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/20000 m Ah

Battery: 1260110*2 ;,

TYPE-CBlack Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-CInput:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 2 A 5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 2 A 5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 A

lightning Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

Cable: 12 RMB CK-502 Cable:8.5 RMB

Cable:9.5 RMB CK-502 B Cable:7 RMB



Product Model: CK-503(22.5W) Product Size:148.2*68.1*43.7mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/30000 m Ah

Battery: 1260110*3 ; , ,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

14 RMB:10 RMB



Product Model: CK-503(22.5W) Product Size :148.2*68.1*43.7mm

PCBA pcs:22.5 W/5356(M) Plastic Material:ABS+PC Polymer Battery/30000 m Ah

Battery: 1260110*3 ; , ,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A



Fast Charging 22.5 W Supports 15 16 Fast Charging

15.5 RMB



Product Model: CK-504(22.5W) Product Size:148.2*68.1*56mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/40000 m Ah

Battery: 1260110*4 :,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output:5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

New
Product

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

15 RMB:10.5 RMB

Product Model: CK-504(22.5W) Product Size:148.2*68.1*56mm

PCBA pcs:22.5 W/5356(M) Plastic Material:ABS+PC Polymer Battery/40000 m Ah

Battery: 1260110*4 :,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

New
Product

Fast Charging 22.5 W

Supports 15 16 Fast Charging

16 RMB



Product Model: CK-505(22.5W) Product Size:148.2*68.1*68mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/50000 m Ah



Battery: 1260110*5 ;,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W 5 V 2 A(5326 Output Input 5 V 2 A)CPort Charge

16 RMB:11 RMB

Product Model: CK-505(22.5W) Product Size:148.2*68.1*68mm

PCBA pcs:22.5 W/5356(H) Plastic Material:ABS+PC Polymer Battery/50000 m Ah

Battery: 1260110*5 ;,

TYPE-C 2 Black Input:5 V 2 A 9 V 2 A 12 V 1.5 A TYPE-C 1 Input:5 V 2.5 A 9 V 2 A 12 V 1.5 A

TYPE-C 1 Output:5 V 3 A 9 V 2.2 A 12 V 1.67 A

USB-1 Output:5 V 3 A 9 V 2 A 12 V 1.5 A 10 V 2.25 A USB-2/3/4 Output 5 V 2 A

TYPE-C Cable Output:5 V 3 A 9 V 2 A 12 V 1.5 10 V 2.25 A

lightning Cable Output:5 V/2.4 A

Fast Charging 22.5 W

17 RMB





Product Model: CK-B01

Dimensions: 148.2*68.1*16mm

PCBA pcs:5407 Plastic Material:ABS+PC Polymer Battery/10000 m Ah

Battery: 1260110*1 : ,

Input Output:5 V 2 A Light

Battery, pcs

Unit Price: RMB 3.5



Product Model: CK-B02

Dimensions: 148.2*68.1*28mm

PCBA pcs:5407 Plastic Material:ABS+PC Polymer Battery/20000 m Ah

Battery: 1260110*2 : ,

Input Output:5 V 2 A Light

Battery, pcs

Unit Price: RMB 3.8



Product Model: CK-B05

Dimensions: 148.2*68.1*16mm



PCBA pcs:5407 Plastic Material:ABS+PC Polymer Battery/10000 m Ah

Battery: 1260110*1 : ,

Input Output:5 V 2 A Light

Battery, pcs

Unit Price: RMB 3.5

Product Model: CK-B06

Dimensions: 148.2*68.1*28mm

PCBA pcs:5407 Plastic Material:ABS+PC Polymer Battery/20000 m Ah

Battery: 1260110*2 : ,

Input Output:5 V 2 A Light

Battery, pcs

Unit Price: RMB 3.8

