



F 45° View



R 45° View

DF-1 Parameter

Rate Power:500W

Top Speed:38km/h

Battery Type:Lead-acid

Battery Voltage:48V/60V

Charging Voltage: 110V-220V

Tire F/R:2.5-10

Brake F/R:Drum/Drum

Seat Height:700mm

Overall Size:1510*650*1000mm

Wheel Base:1040mm

Net Weight:35.1kg

Optional Colour



Side View



F 45° View



Side View

KX Parameter

Rate Power:500W

Top Speed:38km/h

Battery Type:Lead-acid

Battery Voltage:48V/60V

Charging Voltage: 110V-220V

Tire F/R:2.5-10

Brake F/R:Drum/Drum

Seat Height:720mm

Overall Size:1500*640*1030mm

Wheel Base:1050mm

Net Weight:35kg

Optional Colour



Rear View



F 45° View



Side View

ML Parameter

Rate Power:500W
Top Speed:38km/h
Battery Type:Lead-acid
Battery Voltage:48V
Charging Voltage: 110V-220V
Tire F/R:2.5-10
Brake F/R:Drum/Drum
Seat Height:700mm
Overall Size:1450*630*1040mm
Wheel Base:1030mm
Net Weight:30.4kg

Optional Colour



F 45° View



Side View

MN Parameter

Rate Power:500W
Top Speed:38km/h
Battery Type:Lead-acid
Battery Voltage:48V
Charging Voltage: 110V-220V
Tire F/R:2.5-10
Brake F/R:Drum/Drum
Seat Height:700mm
Overall Size:1480*630*1040mm
Wheel Base:1055mm
Net Weight:33kg

Optional Colour





F 45° View



R 45° View

Q5 Parameter

Rate Power:800W

Top Speed:45km/h

Battery Type:Lead-acid/Lithium

Battery Voltage:48V/60V

Charging Voltage: 110V-220V

Tire F/R:3.0-8 /2.75-10

Brake F/R:Disc/Disc

Seat Height:740mm

Overall Size:1520*675*1070mm

Wheel Base:1110mm

Net Weight:48kg

Optional Colour



Side View



F 45° View



R 45° View

Q7 Parameter

Rate Power:800W

Top Speed:45km/h

Battery Type:Lead-acid /Lithium

Battery Voltage:48V/60V

Charging Voltage: 110V-220V

Tire F/R:3.00-10

Brake F/R:Disc/Drum

Seat Height:740mm

Overall Size:1510*675*1250mm

Wheel Base:1065mm

Net Weight:50kg

Optional Colour



Side View



F 45° View



R 45° View



Front View



F 45° View

WS Parameter

Rate Power:800W

Top Speed:45km/h

Battery Type:Lead-acid /Lithium

Battery Voltage:48V/60V

Charging Voltage: 110V-220V

Tire F/R: 3.0-8/2.75-10

Brake F/R:Disc/Disc

Seat Height:740mm

Overall Size:1520*670*1070mm

Wheel Base:1100mm

Net Weight:48kg

Optional Colour



Side View

Q80 Parameter

Rate Power:1000W

Top Speed:48km/h

Battery Type:Lead-acid /Lithium

Battery Voltage:60V/72V

Charging Voltage: 110V-220V

Tire F/R: 3.0-10

Brake F/R:Disc/Drum

Seat Height:730mm

Overall Size:1710*700*1150mm

Wheel Base:1200mm

Net Weight:48kg

Optional Colour



Side View



F 45° View



Side View

D3 Parameter

Rate Power:800W
Top Speed:42km/h
Battery Type:Lead-acid /Lithium
Battery Voltage:48V/60V
Charging Voltage: 110V-220V
Tire F/R: 3.00-10
Brake F/R:Disc/Drum
Seat Height:790mm
Overall Size:1670*640*1080mm
Wheel Base:1210mm
Net Weight:54.5kg

Optional Colour



R 45° View



F 45° View



Side View

A8 Parameter

Rate Power:1000W
Top Speed:48km/h
Battery Type:Lead-acid /Lithium
Battery Voltage:60V/72V
Charging Voltage: 110V-220V
Tire F/R:3.00-10
Brake F/R:Disc/Disc
Seat Height:790mm
Overall Size:1850*710*1130mm
Wheel Base:1340mm
Net Weight:66.3kg

Optional Colour



R 45° View



F 45° View



R 45° View

XL Parameter

Rate Power:1000W

Top Speed:48km/h

Battery Type:Lead-acid /Lithium

Battery Voltage:60V/72V

Charging Voltage: 110V-220V

Tire F/R: 3.0-10

Brake F/R:Disc/Disc

Seat Height:740mm

Overall Size:1820*720*1110mm

Wheel Base:1340mm

Net Weight:62kg (Bumper + Trunk)

Optional Colour



Side View



F 45° View



R 45° View

ZS Parameter

Rate Power:1000W

Top Speed:48km/h

Battery Type:Lead-acid /Lithium

Battery Voltage:60V/72V

Charging Voltage: 110V-220V

Tire F/R: 3.0-10

Brake F/R:Disc/Disc

Seat Height:760mm

Overall Size:1810*700*1130mm

Wheel Base:1370mm

Net Weight:60kg

Optional Colour



Side View



F 45° View



R 45° View

ZL-9

Parameter

Rate Power:1500W

Top Speed:60km/h

Battery Type:Lead-acid /Lithium

Battery Voltage:60V/72V

Charging Voltage: 110V-220V

Tire F/R:90/80-12

Brake F/R:Disc/Disc

Seat Height:760mm

Overall Size:1910*700*1180mm

Wheel Base:1430mm

Net Weight:72kg

Optional Colour



Side View



Front View



Side View

SL

Parameter

Rate Power:1000W

Top Speed:48km/h

Battery Type:Lead-acid /Lithium

Battery Voltage:60V/72V

Charging Voltage: 110V-220V

Tire F/R: 3.0-10

Brake F/R:Disc/Disc

Seat Height:760mm

Overall Size:1810*700*1130mm

Wheel Base:1370mm

Net Weight:60kg

Optional Colour



F 45° View



F 45° View



R 45° View

ZB Parameter

Rate Power:1200W

Top Speed:55km/h

Battery Type:Lead-acid /Lithium

Battery Voltage:60V/72V

Charging Voltage: 110V-220V

Tire F/R:90/70-12

Brake F/R:Disc/Disc

Seat Height:800mm

Overall Size:1880*690*1160mm

Wheel Base:1300mm

Net Weight:68.3kg

Optional Colour



Side View



F 45° View



Side View

CH Parameter

Rate Power:1000W

Top Speed:48km/h

Battery Type:Lead-acid /Lithium

Battery Voltage:60V/72V

Charging Voltage: 110V-220V

Tire F/R: 3.0-10

Brake F/R:Disc/Disc

Seat Height:770mm

Overall Size:1880*690*1160mm

Wheel Base:1300mm

Net Weight:67kg

Optional Colour



R 45° View



Front View



F 45° View



R 45° View



F 45° View

H20 Parameter

Rate Power:1000W

Top Speed:48km/h

Battery Type:Lead-acid /Lithium

Battery Voltage:60V/72V

Charging Voltage: 110V-220V

Tire F/R: 3.00-10

Brake F/R:Disc/Disc

Seat Height:770mm

Overall Size:1800*690*1150mm

Wheel Base:1365mm

Net Weight:61.4kg

Optional Colour



R 45° View

M7 Parameter

Rate Power:1200W

Top Speed:55km/h

Battery Type:Lead-acid /Lithium

Battery Voltage:60V/72V

Charging Voltage: 110V-220V

Tire F/R: 3.00-10

Brake F/R:Disc/Disc

Seat Height:735mm

Overall Size:1820*660*1260mm

Wheel Base:1310mm

Net Weight:66.4kg (Trunk)

Optional Colour



Side View



F 45° View



Side View

M11 Parameter

Rate Power:1200W

Top Speed:55km/h

Battery Type:Lead-acid /Lithium

Battery Voltage:60V/72V

Charging Voltage: 110V-220V

Tire F/R:3.00-10

Brake F/R:Disc/Disc

Seat Height:755mm

Overall Size:1810*710*1140mm

Wheel Base:1330mm

Net Weight:72.7kg(Trunk)

Optional Colour



R 45° View



R 45° View



Side View

M13 Parameter

Rate Power:1000W

Top Speed:48km/h

Battery Type:Lead-acid /Lithium

Battery Voltage:60V/72V

Charging Voltage: 110V-220V

Tire F/R:3.0-10

Brake F/R:Disc/Disc

Seat Height:790mm

Overall Size:1810*710*1120mm

Wheel Base:1340mm

Net Weight:67.7kg (Bumper + Trunk)

Optional Colour



F 45° View



F 45° View



R 45° View

M15 Parameter

Rate Power:1200W

Top Speed:55km/h

Battery Type:Lead-acid /Lithium

Battery Voltage:60V/72V

Charging Voltage: 110V-220V

Tire F/R:3.00-10

Brake F/R:Disc/Disc

Seat Height:710mm

Overall Size:1800*685*1110mm

Wheel Base:1300mm

Net Weight:56.6kg

Optional Colour



Side View



F 45° View



R 45° View

M16 Parameter

Rate Power:1200W

Top Speed:55km/h

Battery Type:Lead-acid /Lithium

Battery Voltage:60V/72V

Charging Voltage: 110V-220V

Tire F/R:3.00-10

Brake F/R:Disc/Disc

Seat Height:765mm

Overall Size:1800*740*1110mm

Wheel Base:1305mm

Net Weight:63.8kg

Optional Colour



F 45° View



F 45° View



Front View

S7

Parameter

Rate Power:2000W

Top Speed:78km/h

Battery Type:Lead-acid /Lithium

Battery Voltage:60V/72V

Charging Voltage: 110V-220V

Tire F/R: 90/80-12

Brake F/R:Disc/Disc

Seat Height:785mm

Overall Size:1900*670*1300mm

Wheel Base:1350mm

Net Weight:84kg

Optional Colour



Side View



F 45° View



R 45° View

S9

Parameter

Rate Power:2000W

Top Speed:78km/h

Battery Type:Lead-acid /Lithium

Battery Voltage:60V/72V

Charging Voltage: 110V-220V

Tire F/R:90/80-12/110/70-12

Brake F/R:Disc/Disc

Seat Height:760mm

Overall Size:1920*690*1150mm

Wheel Base:1370mm

Net Weight:86.8kg

Optional Colour



F 45° View



Front view



F 45° View

S630 Parameter

Rate Power:1200W

Top Speed:55km/h

Battery Type:Lead-acid /Lithium

Battery Voltage:60V/72V

Charging Voltage: 110V-220V

Tire F/R: 3.0-10

Brake F/R:Disc/Disc

Seat Height:790mm

Overall Size:1810*710*1120mm

Wheel Base:1350mm

Net Weight:67kg (Trunk)

Optional Colour



Side View



F 45° View

S650 Parameter

Rate Power:2000W

Top Speed:70km/h

Battery Type:Lead-acid /Lithium

Battery Voltage:60V/72V

Charging Voltage: 110V-220V

Tire F/R: 3.0-10

Brake F/R:Disc/Disc

Seat Height:760mm

Overall Size:1860*720*1150mm

Wheel Base:1350mm

Net Weight:58kg

Optional Colour



F 45° View



F 45° View



F 45° View



R 45° View

S690 Parameter

Rate Power:1500W

Top Speed:60km/h

Battery Type:Lead-acid /Lithium

Battery Voltage:60V/72V

Charging Voltage: 110V-220V

Tire F/R:90/80-12/90/90-10

Brake F/R:Disc/Disc

Seat Height:765mm

Overall Size:1880*770*1070mm

Wheel Base:1310mm

Net Weight:67.2kg

Optional Colour



F 45° View



F 45° View



R 45° View

TTX Parameter

Rate Power:1500W

Top Speed:65km/h

Battery Type:Lead-acid /Lithium

Battery Voltage:60V/72V

Charging Voltage: 110V-220V

Tire F/R:120/70-12

Brake F/R:Disc/Disc

Seat Height:765mm

Overall Size:1860*770*1070mm

Wheel Base:1400mm

Net Weight:70.8kg

Optional Colour



F 45° View



F 45° View



R 45° View

TK-1 Parameter

Rate Power:2000W

Top Speed:70km/h

Battery Type:Lead-acid /Lithium

Battery Voltage:60V/72V

Charging Voltage: 110V-220V

Tire F/R:120/70-12

Brake F/R:Disc/Disc

Seat Height:790mm

Overall Size:1930*720*1230mm

Wheel Base:1350mm

Net Weight:89kg

Optional Colour



Side View



R 45° View

TK-2 Parameter

Rate Power:2000W

Top Speed:70km/h

Battery Type:Lead-acid /Lithium

Battery Voltage:60V/72V

Charging Voltage: 110V-220V

Tire F/R:120/70-12

Brake F/R:Disc/Disc

Seat Height:800mm

Overall Size:1960*700*1130mm

Wheel Base:1360mm

Net Weight:86.9kg

Optional Colour



Front View



F 45° View



F 45° View



R 45° View

Mini Parameter

Rate Power:2000W

Top Speed:70km/h

Battery Type:Lead-acid /Lithium

Battery Voltage:60V/72V

Charging Voltage: 110V-220V

Tire F/R:120/70-12

Brake F/R:Disc/Disc

Seat Height:800mm

Overall Size:1970*760*1300mm

Wheel Base:1350mm

Net Weight:82kg

Optional Colour



F 45° View



F 45° View



R 45° View

FY-1 Parameter

Rate Power:1500W

Top Speed:60km/h

Battery Type:Lead-acid /Lithium

Battery Voltage:60V/72V

Charging Voltage: 110V-220V

Tire F/R: 90/80-12

Brake F/R:Disc/Disc

Seat Height:765mm

Overall Size:1910*700*1180mm

Wheel Base:1430mm

Net Weight:84kg

Optional Colour



Front View



Front View



R 45° View

FY-3 Parameter

Rate Power:1500W

Top Speed:60km/h

Battery Type:Lead-acid /Lithium

Battery Voltage:60V/72V

Charging Voltage: 110V-220V

Tire F/R: 90/80-12

Brake F/R:Disc/Disc

Seat Height:765mm

Overall Size:1910*700*1180mm

Wheel Base:1430mm

Net Weight:84.6kg

Optional Colour



F 45° View



Side View



R 45° View

M1 Parameter

Rate Power:3000W

Top Speed:85km/h

Battery Type:Lead-acid /Lithium

Battery Voltage:72V

Charging Voltage: 110V 220V

Tire F/R: 2.75-18 100/80-17

Brake F/R:Disc/Disc

Seat Height:805mm

Overall Size:2130*740*1000mm

Wheel Base:1425mm

Net Weight:114.9kg

Optional Colour



F 45° View



F 45° View



R 45° View

WNS Parameter

Rate Power:1500W

Top Speed:60km/h

Battery Type:Lead-acid /Lithium

Battery Voltage:60V/72V

Charging Voltage: 110V-220V

Tire F/R:90/80-12

Brake F/R:Disc/Disc

Seat Height:785mm

Overall Size:1960*700*1180mm

Wheel Base:1460mm

Net Weight:76.3kg

Optional Colour



Side View



F 45° View



Side View

NS Parameter

Rate Power:1500W

Top Speed:65km/h

Battery Type:Lead-acid /Lithium

Battery Voltage:60V/72V

Charging Voltage: 110V-220V

Tire F/R: 90/80-12

Brake F/R:Disc/Disc

Seat Height:800mm

Overall Size:1940*680*1160mm

Wheel Base:1380mm

Net Weight:72.6kg

Optional Colour



R 45° View



F 45° View



R 45° View

WNS Parameter

Rate Power:1500W

Top Speed:60km/h

Battery Type:Lead-acid /Lithium

Battery Voltage:60V/72V

Charging Voltage: 110V-220V

Tire F/R:90/80-12

Brake F/R:Disc/Disc

Seat Height:785mm

Overall Size:1960*700*1180mm

Wheel Base:1460mm

Net Weight:76.3kg

Optional Colour



Side View



F 45° View



Side View

NS Parameter

Rate Power:1500W

Top Speed:65km/h

Battery Type:Lead-acid /Lithium

Battery Voltage:60V/72V

Charging Voltage: 110V-220V

Tire F/R: 90/80-12

Brake F/R:Disc/Disc

Seat Height:800mm

Overall Size:1940*680*1160mm

Wheel Base:1380mm

Net Weight:72.6kg

Optional Colour



R 45° View



F 45° View



R 45° View

ORL-1 Parameter

Rate Power:1500W

Top Speed:60km/h

Battery Type:Lead-acid /Lithium

Battery Voltage:60V/72V

Charging Voltage: 110V-220V

Tire F/R: 120/70-12

Brake F/R:Disc/Disc

Seat Height:800mm

Overall Size:1880*690*1220mm

Wheel Base:1315mm

Net Weight:82.8kg

Optional Colour



F 45° View



F 45° View



R 45° View

ORL-2 Parameter

Rate Power:1500W

Top Speed:60km/h

Battery Type:Lead-acid /Lithium

Battery Voltage:60V/72V

Charging Voltage: 110V-220V

Tire F/R: 120/70-12

Brake F/R:Disc/Disc

Seat Height:800mm

Overall Size:1880*690*1220mm

Wheel Base:1315mm

Net Weight:85.8kg

Optional Colour



F 45° View



F 45° View



R 45° View

WSP-1 Parameter

Rate Power:1500W

Top Speed:60km/h

Battery Type:Lead-acid /Lithium

Battery Voltage:60V/72V

Charging Voltage: 110V-220V

Tire F/R: 120/70-12

Brake F/R:Disc/Disc

Seat Height:800mm

Overall Size:1880*690*1220mm

Wheel Base:1315mm

Net Weight:80kg

Optional Colour



Front View



F 45° View



R 45° View

AEF Parameter

Rate Power:1500W

Top Speed:60km/h

Battery Type:Lead-acid /Lithium

Battery Voltage:60V/72V

Charging Voltage: 110V-220V

Tire F/R: 120/70-12

Brake F/R:Disc/Disc

Seat Height:795mm

Overall Size:1860*680*1200mm

Wheel Base:1380mm

Net Weight:75.1kg

Optional Colour



Front View



F 45° View



R 45° View

WMTS Parameter

Rate Power:3000W

Top Speed:100km/h

Battery Type:Lead-acid /Lithium

Battery Voltage:72V

Charging Voltage: 110V-220V

Tire F/R:120/70-12

Brake F/R:Disc/Disc

Seat Height:785mm

Overall Size:1990*730*1250mm

Wheel Base:1435mm

Net Weight:108.2kg

Optional Colour



F 45° View



F 45° View



Side View

CPX Parameter

Rate Power:2000W

Top Speed:70km/h

Battery Type:Lead-acid /Lithium

Battery Voltage:72V

Charging Voltage: 110V-220V

Tire F/R: 100/80-16 /110/80-14

Brake F/R:Disc/Disc

Seat Height:795mm

Overall Size:2280*720*1530mm

Wheel Base:1460mm

Net Weight:106.6kg

Optional Colour



Front View