

Notes:

- 1.The price is subject to change of exchange rate and raw materials price
- 2.The following data are the experimental data of factories under specific conditions in China
- 3.MOQ 60pcs for 20GP and 150pcs for 40HQ, CKD
- 4.Lead Acid battery and Lithium battery are alternatives

Personalized model

NO	Model	picture	Basic parameter (48V-60V-72V)	EXW Price without battery/charger/tyre (USD)
1	ZA-WM-01 ★		Motor : 1000W Max speed:≤45km/h Battery: 48V/20AH -60V/20AH Brake: Front Disc,Rear Drum Controller: 12 Tube sine wave Range per charge:≤80km Tyre:3.00-12 tubless Vehicle Size: 1850*750*1100 Packing Size: 1800*600*1050 Color option:red,white ,blue,black , gray	245
2	ZA-WM-02 ★		Motor : 1000W Max speed:≤45km/h Battery:48V20AH - 60V 20AH Brake: F disc/R drum Controller: 12 Tube sine wave Range per charge:≤60km /≤80km Tyre:3.00-10 tubless Vehicle Size: 1800*720*1150 Packing Size: 1800*600*1050 Color option:red,white ,blue,black	265
3	ZA-WM-03 ★		Motor : 3000W Max speed:50km/h Battery: 72V/30AH Brake: F/R disc Controller: 15tube sine wave Range per charge:≤80km Tyre:3.00*10 tubless Color optional: black Vehicle Size: 1900*750*1150 Packing Size: 1800*600*1050	380
4	ZA-WM-04 ★		Motor : 1200W Max speed:55km/h Battery:48V20AH - 60V 20AH Brake :Front Disc/Rear Drum Range per charge:≤80km Controller: 12Tube sine wave Tyre:3.0*10Tubless Vehicle Size: 1800*800*1100 Packing Size: 1750*580*1050 color option:red,white ,blue,black , gray	315
5	ZA-WM-05 ★		Motor : 1500W Max speed:60km/h Battery:48V20AH - 60V 20AH Brake :Front Disc/Rear Drum Range per charge:≤80km Controller: 15Tube sine wave Tyre:3.0*12Tubless Vehicle Size: 1750*800*1100 Packing Size: 1750*580*1050 color option:red,white ,blue,black , gray	415

Notes:

- 1.The price is subject to change of exchange rate and raw materials price
- 2.The following data are the experimental data of factories under specific conditions in China
- 3.MOQ 60pcs for 20GP and 150pcs for 40HQ, CKD
- 4.Lead Acid battery and Lithium battery are alternatives

6	ZA-WM-06 ★		Motor : 1000W Max speed:45km/h Battery:48V20AH - 60V 20AH Brake :Front Disc/Rear Drum Range per charge:≤80km Controller: 12Tube sine wave Tyre:3.0*12Tubless Vehicle Size: 1750*800*1100 Packing Size: 1750*580*1050 color option:red,white ,blue,black , gray	415
7	ZA-WM-06-01 ★		Motor : 2000W Max speed:75km/h Battery: 72V30AH Lithium Brake :Front Disc/Rear Disc Range per charge:≤120km Controller: 18Tube sine wave Tyre:3.0*12Tubless Vehicle Size: 1750*800*1100 Packing Size: 1750*580*1050 color option:red,white ,blue,black , gray	435
8	ZA-WM-07 ★		Motor : 1000W Max speed:45km/h Battery:48V20AH - 60V 20AH Brake :Front Disc/Rear Drum Range per charge:≤80km Controller: 12Tube sine wave Tyre:3.0*10Tubless Vehicle Size: 1750*800*1100 Packing Size: 1750*580*1050 color option:red,white ,blue,black , gray	270
9	ZA-WM-07-01 ★		Motor : 1200W Max speed:55km/h Battery:48V20AH - 60V 20AH Brake :Front Disc/Rear Disc Range per charge:≤80km Controller: 12Tube sine wave Tyre:90/90-12Tubless Vehicle Size: 1750*800*1100 Packing Size: 1750*580*1050 color option:red,white ,blue,black , gray	285
10	ZA-WM-8 ★		Motor : 1000W Max speed:45km/h Battery:48V20AH - 60V 20AH Brake :Front Disc/Rear Drum Range per charge:≤80km Controller: 12Tube sine wave Tyre:3.0*10Tubless Vehicle Size: 1750*800*1100 Packing Size: 1750*580*1050 color option:red,white ,blue,black , gray	270

Notes:

- 1.The price is subject to change of exchange rate and raw materials price
- 2.The following data are the experimental data of factories under specific conditions in China
- 3.MOQ 60pcs for 20GP and 150pcs for 40HQ, CKD
- 4.Lead Acid battery and Lithium battery are alternatives

11	ZA-WM-9 ★		Motor : 1500W Max speed:60km/h Battery:48V20AH - 60V 20AH Brake :Front Disc/Rear Drum Range per charge:≤80km Controller: 15Tube sine wave Tyre:3.0*12Tubless Vehicle Size: 1850*900*1100 Packing Size: 1750*580*1050 color option:red,white ,blue,black , gray	405
12	ZA-WM-10 ★		Motor : 1500W Max speed:60km/h Battery:48V20AH - 60V 20AH Brake :Front Disc/Rear Drum Range per charge:≤80km Controller: 15Tube sine wave Tyre:3.0*12Tubless Vehicle Size: 1750*800*1100 Packing Size: 1750*580*1050 color option:red,white ,blue,black , gray	435
13	ZA-WM-11 ★		Motor : 1000W Max speed:45km/h Battery:48V20AH - 60V 20AH Brake :Front Disc/Rear Drum Range per charge:≤80km Controller: 12Tube sine wave Tyre:3.0*12Tubless Vehicle Size: 1850*800*1100 Packing Size: 1750*580*1050 color option:red,white ,blue,black , gray	405
14	ZA-WM-12 ★		Motor : 3000W Max speed:90km/h Battery: 72V45AH Lithium Brake :Front Disc/Rear Drum Range per charge:≤150km Controller: 24Tube sine wave Tyre:120 /70-12 Tubless Vehicle Size: 1900*900*1100 Packing Size: 1850*800*1050 color option:red,white ,blue,black , gray	680
15	ZA-WM-13 ★		Motor : 1000W Max speed:45km/h Battery:48V20AH - 60V 20AH Brake :Front Disc/Rear Disc Range per charge:≤80km Controller: 12Tube sine wave Tyre:3.0*10Tubless Vehicle Size: 1850*800*1100 Packing Size: 1750*580*1050 color option:red,white ,blue,black , gray	315


Notes:

- 1.The price is subject to change of exchange rate and raw materials price
- 2.The following data are the experimental data of factories under specific conditions in China
- 3.MOQ 60pcs for 20GP and 150pcs for 40HQ, CKD
- 4.Lead Acid battery and Lithium battery are alternatives

16	ZA-WM-14 ★		Motor : 1000W Max speed:45km/h Battery:48V20AH - 60V 20AH Brake :Front Disc/Rear Drum Range per charge:≤80km Controller: 12Tube sine wave Tyre:3.0*10Tubless Vehicle Size: 1850*800*1100 Packing Size: 1750*580*1050 color option:red,white ,blue,black , gray	315
17	ZA-WM-15 ★		Motor : 1500W Max speed:60km/h Battery: 72V20AH Brake :Front Disc/Rear Drum Range per charge:≤80km Controller: 15Tube sine wave Tyre:130/60-13Tubless Vehicle Size: 1890*760*1120 Packing Size: 1760*600*1130 color option:red,white ,blue,black , gray	435
18	ZA-WM-16 ★		Motor : 1500W Max speed:60km/h Battery: 60/72V20AH Brake :Front Disc/Rear Disc Range per charge:≤70km Controller: 12Tube sine wave Tyre:90/90-12 Vehicle Size: 1850*700*1150 Packing Size: 1760*600*1180 color option:red,white ,blue,black , gray	378
19	ZA-WM-17 ★		Motor : 1200W Max speed:55km/h Battery: 48/60V20AH Brake :Front Disc/Rear Disc Range per charge:≤70km Controller: 12Tube sine wave Tyre:90/90-12 Vehicle Size: 1850*700*1150 Packing Size: 1760*600*1180 color option:red,white ,blue,black , gray	350
20	ZA-WM-18 ★		Motor : 1000W Max speed:45km/h Battery: 48/60V20AH Brake :Front Disc/Rear Drum Range per charge:≤80km Controller: 12Tube sine wave Tyre:3.0-12 Vehicle Size: 1850*700*1150 Packing Size: 1760*600*1180 color option:red,white ,blue,black , gray	285

Notes:

- 1.The price is subject to change of exchange rate and raw materials price
- 2.The following data are the experimental data of factories under specific conditions in China
- 3.MOQ 60pcs for 20GP and 150pcs for 40HQ, CKD
- 4.Lead Acid battery and Lithium battery are alternatives

21	ZA-WM-19 ★		Motor : 1200W Max speed:55km/h Battery: 48/60V20AH Brake :Front Disc/Rear Drum Range per charge:≤70km Controller: 12Tube sine wave Tyre:90/90-12 Vehicle Size: 1850*700*1150 Packing Size: 1760*600*1180 color option:red,white ,blue,black , gray	320
22	ZA-WM-20 ★		Motor : 1000W Max speed:45km/h Battery: 48/60V20AH Brake :Front Disc/Rear Drum Range per charge:≤80km Controller: 12Tube sine wave Tyre:3.0-10 Vehicle Size: 1850*700*1150 Packing Size: 1760*600*1180 color option:red,white ,blue,black , gray	275
23	ZA-WM-21 ★		Motor : 1200W Max speed:55km/h Battery: 60/72V50AH Brake :Front Disc/Rear Disc Range per charge:≤200km Controller: 15Tube sine wave Tyre:3.0-10 Vehicle Size: 1850*700*1150 Packing Size: 1760*600*1180 color option:red,white ,blue,black , gray	450
24	ZA-WM-22 ★		Motor : 1200W Max speed:55km/h Battery: 60/72V30AH Brake :Front Disc/Rear Drum Range per charge:≤70km Controller: 12Tube sine wave Tyre:90/90-12 Vehicle Size: 1850*700*1150 Packing Size: 1760*600*1180 color option:red,white ,blue,black , gray	405
25	ZA-WM-23 ★		Motor : 1000W Max speed:45km/h Battery: 48/60V20AH Brake :Front Disc/Rear Disc Range per charge:≤70km Controller: 12Tube sine wave Tyre:3.0-10 Vehicle Size: 1850*700*1150 Packing Size: 1760*600*1180 color option:red,white ,blue,black , gray	308

Notes:

- 1.The price is subject to change of exchange rate and raw materials price
- 2.The following data are the experimental data of factories under specific conditions in China
- 3.MOQ 60pcs for 20GP and 150pcs for 40HQ, CKD
- 4.Lead Acid battery and Lithium battery are alternatives

26	ZA-WM-24 ★		Motor : 2000W Max speed:75km/h Battery: 72V40AH Brake :Front Disc/Rear Disc Range per charge:≤150km Controller: 18Tube sine wave Tyre:90/90-12 Vehicle Size: 1900*900*1100 Packing Size: 1800*800*1070 color option:red,white ,blue,black , gray	650
27	ZA-WM-25 ★		Motor : 3000W Max speed:90km/h Battery: 72V50AH Brake :Front Disc/Rear Disc Range per charge:≤150km Controller: 24Tube sine wave Tyre:120/70-12 Vehicle Size: 2000*800*1150 Packing Size: 1930*700*1120 color option:red,white ,blue,black , gray	950
28	ZA-WM-26 ★		Motor : 3000W Max speed:90km/h Battery: 72V50AH Brake :Front Disc/Rear Disc Range per charge:≤150km Controller: 24Tube sine wave Tyre:120/70-12 Vehicle Size: 2000*800*1150 Packing Size: 1930*700*1120 color option:red,white ,blue,black , gray	950
29	ZA-WM-27 ★		Motor : 1200W Max speed:50km/h Battery: 60/72V20AH Brake :Front Disc/Rear Drum Range per charge:≤80km Controller: 12Tube sine wave Tyre:130/60-13Tubless Vehicle Size: 1570*800*1300 Packing Size: 1400*600*1130 color option:red,white ,blue,black , gray	260
30	ZA-WM-28 (C6) ★		Motor : 2000W Max speed:55km/h Battery: 60V12AH lithium Brake :Front Disc/Rear Disc Range per charge:≤75km Controller: 18Tube sine wave Tyre:3.0*10Tubless Vehicle Size: 1750*400*1050 Packing Size: 1650*375*750 color option:red,white ,blue,black , gray	440

Notes:

- 1.The price is subject to change of exchange rate and raw materials price
- 2.The following data are the experimental data of factories under specific conditions in China
- 3.MOQ 60pcs for 20GP and 150pcs for 40HQ, CKD
- 4.Lead Acid battery and Lithium battery are alternatives

31	ZA-WM-29 (M5) ★		Motor : 1500W Max speed:50km/h Battery: 60V12AH lithium Brake :Front Disc/Rear Disc Range per charge:≤75km Controller: 18Tube sine wave Tyre: 8 inch Tubless Vehicle Size: 1820*375*770 Packing Size: 1650*375*750 color option:red,white ,blue,black , gray	378
32	ZA-WM-30 (M6) ★		Motor : 1500W Max speed:50km/h Battery: 60V12AH lithium Brake :Front Disc/Rear Disc Range per charge:≤75km Controller: 18Tube sine wave Tyre: 8 inch Tubless Vehicle Size: 1820*375*770 Packing Size: 1650*375*750 color option:red,white ,blue,black , gray	435
33	ZA-WM-31 (X13) ★		Motor : 1500W Max speed:50km/h Battery: 60V12AH lithium Brake :Front Disc/Rear Disc Range per charge:≤75km Controller: 18Tube sine wave Tyre: 8 inch Tubless Vehicle Size: 1820*375*770 Packing Size: 1650*375*750 color option:red,white ,blue,black , gray	338
34	ZA-WM-32 ★		Motor : 2000W Max speed:55km/h Battery: 60V12AH lithium Brake :Front Disc/Rear Disc Range per charge:≤75km Controller: 18Tube sine wave Tyre: 12 inch Tubless Vehicle Size: 2050*900*1100 Packing Size: 1800*780*420 color option:red,white ,blue,black , gray	468
35	ZA-WM-33 ★		Motor : 1000W Max speed:45km/h Battery: 60/72V20AH lithium Brake :Front Disc/Rear Disc Range per charge:≤75km Controller: 12Tube sine wave Tyre: 90/90-10inch Tubless Vehicle Size:1700*770*1040 Packing Size: 1660*580*930 color option:red,white ,blue,black , gray	298

Notes:

- 1.The price is subject to change of exchange rate and raw materials price
- 2.The following data are the experimental data of factories under specific conditions in China
- 3.MOQ 60pcs for 20GP and 150pcs for 40HQ, CKD
- 4.Lead Acid battery and Lithium battery are alternatives

Popular model

36	ZA-Y1-01		Motor : 800W Max speed:≤45km/h Battery:48V20AH- 60V 20AH Lead acid battery Brake: F drum/R drum Controller: 12 Tube sine wave Range per charge:≤50km /≤60km Tyre:3.00-10 tubless Vehicle Size: 1800*720*1150 Packing Size: 1800*600*1050 Color option:red,white ,blue,black	208
37	ZA-Y2-01		Motor : 800W Max speed:≤45km/h Battery: 48V20AH- 60V 20AH Lead acid battery Brake: F disc/R drum Controller: 12 Tube sine wave Range per charge:≤50km /≤60km Tyre:3.00-10 tubless Vehicle Size: 1900*750*1150 Packing Size: 1800*600*1050 Color ption:red,white ,blue,black , gray	210
38	ZA-Y3-01		Motor : 1000W Max speed:≤45km/h Battery:48V20AH- 60V 20AH Brake: F disc/R drum Controller: 12 Tube sine wave Range per charge:≤100km Tyre:3.00-10 tubless Vehicle Size: 1850*750*1100 Packing Size: 1800*600*1050 Color option:red,white ,blue,black , gray	225
39	ZA-Y4-01		Motor : 1000W Max speed:≤45km/h Battery:48V20AH- 60V 20AH Brake: F disc/R disc Controller: 12 Tube sine wave Range per charge:≤100km/≤120km Tyre:3.00-10 tubless Vehicle Size: 1900*750*1200 Packing Size: 2000*600*1000 Color option: red,white ,blue,black	260
40	ZA-Y5-01		Motor : 800W Max speed:≤45km/h Battery:48V20AH- 60V 20AH Brake: Front Drum,Rear Drum Controller: 12 Tube sine wave Range per charge:≤50km /≤60km Tyre: 2.75*10 Tubless Vehicle Size: 1800*700*1150 Packing Size: 1800*600*1050 Color option: red,white ,blue,black , brown	225


Notes:

- 1.The price is subject to change of exchange rate and raw materials price
- 2.The following data are the experimental data of factories under specific conditions in China
- 3.MOQ 60pcs for 20GP and 150pcs for 40HQ, CKD
- 4.Lead Acid battery and Lithium battery are alternatives

41	ZA-Y6-01		Motor : 1000W Max speed:≤45km/h Battery:48V20AH - 60V 20AH Brake: Front Drum,Rear Drum Controller: 12 Tube sine wave Range per charge:≤60km/≤70km Tyre: 3.00*10 Tubless Vehicle Size: 1900*700*1150 Packing Size: 1800*600*1050 Ccolor option: red,white ,blue,black	235
42	ZA-Y7-01		Motor : 1000W Max speed:≤45km/h Battery:48V20AH - 60V 20AH Brake: F disc/R disc Controller: 12 Tube sine wave Range per charge:≤60km/≤70km Tyre: 3.00*10 Tubless Vehicle Size: 1850*730*1150 Packing Size: 1800*600*1050 Color option: red,white ,blue,black	225
43	ZA-Y8-01		Motor : 1000W Max speed:≤45km/h Battery:48V20AH - 60V 20AH Brake :Front Disc,Rear Drum Controller: 12 Tube sine wave Range per charge:≤60km/≤70km Tyre: 3.00*10 Tubless Vehicle Size: 1800*750*1150 Packing Size: 1800*600*1050 Color option: red,white ,blue,black , gray	225
44	ZA-Y9-01		Motor : 1000W Max speed:≤45km/h Battery:48V20AH - 60V 20AH Brake :Front Disc,Rear Drum Controller: 12 Tube sine wave Range per charge:≤60km/≤70km Tyre: 3.00*10 Tubless Vehicle Size:2000*750*1150 Packing Size: 2000*600*1000 Color option: red,white ,blue,black , gray	245
45	ZA-Y10-01		Motor : 800W Max speed:≤38km/h Battery: 48V20AH - 60V 20AH Brake :Front Drum,Rear Disc Controller: 12 Tube sine wave Range per charge:≤50km /≤60km Tyre: 2.75*10 Tubless Vehicle Size: 1800*700*1100 Packing Size: 1800*600*1050 Color option: red,white ,blue,black , gray	215

Notes:

- 1.The price is subject to change of exchange rate and raw materials price
- 2.The following data are the experimental data of factories under specific conditions in China
- 3.MOQ 60pcs for 20GP and 150pcs for 40HQ, CKD
- 4.Lead Acid battery and Lithium battery are alternatives

46	ZA-Y11-01		Motor : 1000W Max speed:≤45km/h Battery:48V20AH - 60V 20AH Brake :Front Disc,Rear Drum Controller: 12 Tube sine wave Range per charge:≤100km Tyre: 3.00*10 Tubless color option: blue Vehicle Size: 1800*750*1150 Packing Size:1880*600*1050	225
47	ZA-Y12-01		Motor : 1000W Max speed:≤45km/h Battery:48V20AH - 60V 20AH Brake: F/R drum Controller: 12tube sine wave Range per charge:≤100km Tyre:3.00*10 tubless Color optional: Vehicle Size: 1900*750*1150 Packing Size:1880*600*1050	235
48	ZA-Y13-01		Motor : 1000W Max speed:≤45km/h Battery:48V20AH - 60V 20AH Brake: Front Disc,Rear Drum Controller: 12 Tube sine wave Range per charge:≤60km Tyre:3.00-10 tubless Vehicle Size: 1850*750*1100 Packing Size: 1800*600*1050 Color option:red,white ,blue,black , gray	225
49	ZA-Y14-01		Motor : 1500W Max speed:≤60km/h Battery: 72V/30AH Lithium Brake: Front Disc,Rear Disc Controller: 15 Tube sine wave Range per charge:≤100km Tyre:3.00-10 tubless Vehicle Size: 1850*750*1100 Packing Size: 1800*600*1050 Color option:red,white ,blue,black , gray	270
50	ZA-Y15-01		Motor : 1000W Max speed:≤45km/h Battery:48V20AH - 60V 20AH Brake: Front Disc,Rear Drum Controller: 12 Tube sine wave Range per charge:≤80km Tyre:3.00-10 tubless Vehicle Size: 1850*750*1100 Packing Size: 1800*600*1050 Color option:red,white ,blue,black , gray	225

Notes:

- 1.The price is subject to change of exchange rate and raw materials price
- 2.The following data are the experimental data of factories under specific conditions in China
- 3.MOQ 60pcs for 20GP and 150pcs for 40HQ, CKD
- 4.Lead Acid battery and Lithium battery are alternatives

51	ZA-G1-01		Motor : 800W	208
			Max speed:≤45km/h	
			Battery: 48V20AH- 60V 20AH	
			Brake :Front Disc,Rear Drum	
			Controller: 12 Tube sine wave	
			Range per charge:≤50km /≤60km	
			Tyre:2.75*10Tubless	
			Vehicle Size: 1800*750*1100	
			Packing Size: 1750*580*1050	
			Cclor option:red,white ,blue,black , purple pink,	
52	ZA-G2-01		Motor : 800W	208
			Max speed:≤45km/h	
			Battery: 48V20AH- 60V 20AH	
			Brake: F disc/R drum	
			Range per charge:≤50km /≤60km	
			Controller: 12 Tube sine wave	
			Tyre:3.00-10 tubless	
			Vehicle Size: 1800*750*1100	
			Packing Size: 1750*580*1050	
			Color optional :red,white ,pink,black , golden	
53	ZA-G3-01		Motor : 800W	235
			Max speed:≤45km/h	
			Battery: 48V20AH- 60V 20AH	
			Brake :Front Disc/Rear Drum	
			Range per charge:≤50km /≤60km	
			Controller: 12 Tube sine wave	
			Tyre:2.75*10Tubless	
			Vehicle Size: 1800*750*1100	
			Packing Size: 1750*580*1050	
			color option:red,white ,blue,black , gray	
54	ZA-G3-02		Motor : 1200W	248
			Max speed:60km/h	
			Battery: 72V30AH Lithium	
			Brake :Front Disc/Rear Drum	
			Range per charge:≤80km	
			Controller: 15Tube sine wave	
			Tyre:3.0*10Tubless	
			Vehicle Size: 1800*750*1100	
			Packing Size: 1750*580*1050	
			color option:red,white ,blue,black , gray	
55	ZA-G4-01		Motor : 800W	208
			Max speed:≤45km/h	
			Battery: 48V20AH- 60V 20AH	
			Brake :Front Disc/Rear Drum	
			Controller: 12 Tube sine wave	
			Range per charge:≤50km /≤60km	
			Tyre:2.75*10Tubless	
			Vehicle Size: 1800*750*1100	
			Packing Size: 1750*580*1050	
			Color option:red,white ,pink,black , blue	

Notes:

- 1.The price is subject to change of exchange rate and raw materials price
- 2.The following data are the experimental data of factories under specific conditions in China
- 3.MOQ 60pcs for 20GP and 150pcs for 40HQ, CKD
- 4.Lead Acid battery and Lithium battery are alternatives

56	ZA-G5-01		Motor : 800W Max speed:≤45km/h Battery: 48V20AH- 60V 20AH Brake :Front Disc,Rear Dirum Range per charge:≤50km /≤60km Controller: 12 Tube sine wave Tyre:3.00*10 Tubless Vehicle Size: 1800*720*1150 Packing Size: 1750*580*1050 Ccolor option:red,white ,pink,pea green , blue	235
57	ZA-G6-01		Motor : 1000W Max speed:40-45km/h Battery:48V20AH- 60V 20AH Brake: Front Disc/Rear Drum Controller: 12tube sine wave Range per charge:≤100km Tyre:3.00*10 tubless Color optional: black Vehicle Size: 1900*750*1150 Packing Size: 1800*600*1050	245
58	ZA-N1-01		Motor : 1000W Max speed:≤45km/h Battery:48V20AH- 60V 20AH Brake: F disc/R drum Controller: 12 Tube sine wave Range per charge:≤60km/≤70km Tyre:3.00-10 tubless Vehicle Size: 1750*750*1150 Packing Size: 1750*580*1050 Ccolor option:red,white ,blue,black , gray	225
59	ZA-N2-01		Motor : 1000W Max speed:≤45km/h Battery:48V20AH- 60V 20AH Brake: F disc/R disc Controller: 12 Tube sine wave Range per charge:≤60km/≤70km Tyre:3.00-10 tubless Vehicle Size: 1850*750*1100 Packing Size: 1750*580*1050 Ccolor option:red,white ,blue,black , gray	235
60	ZA-N3-01		Motor : 1000W Max speed:≤45km/h Battery:48V20AH- 60V 20AH Brake: F disc/R disc Controller: 12 Tube sine wave Range per charge:≤60km/≤70km Tyre:3.00-10 tubless Vehicle Size: 1850*750*1100 Packing Size: 1750*580*1050 Color option:red,white ,blue,black , grayy	250

Notes:

- 1.The price is subject to change of exchange rate and raw materials price
- 2.The following data are the experimental data of factories under specific conditions in China
- 3.MOQ 60pcs for 20GP and 150pcs for 40HQ, CKD
- 4.Lead Acid battery and Lithium battery are alternatives

61	ZA-N4-01		Motor : 1000W Max speed:≤45km/h Battery:48V20AH - 60V 20AH Brake: F disc/R disc Controller: 12 Tube sine wave Range per charge:≤100km Tyre:3.00-10 tubless Ccolor optional :red,white ,blue,black , gray Vehicle Size: 1750*800*1100 Packing Size: 1750*580*1050	245
62	ZA-N5-01		Motor : 800W compete in speed Max speed:≤45km/h Battery:48V20AH - 60V 20AH Brake :Front Disc,Rear Dirum Controller: 9 Tube sine wave Range per charge:≤50km /≤60km Tyre:3.00*10 Tubless Ccolor optional:red,white,blue,black Vehicle Size: 1685*650*1100 Packing Size: 1750*580*1050	198
63	ZA-GJ-01		Motor : 1000W, compete in spe Max speed:≤50km/h Battery:48V20AH - 60V 20AH Brake: Front disc,Rear drum Controller: 12tube sine wave Range per charge: ≤100km Tyre:2.75*10 Tubless Color optional:Yellow,Black Vehicle Size: 1650*460*860 Packing Size: 1750*440*860	225
64	MY-GJ-02		Motor : 1000W, compete in spe Max. Speed: ≤45km/h Battery: Double 60V20AH Lead Brake: Front disc,Rear drum Controller: 12tube sine wave Range per charge:≤100km Tyre: 3.00-10Tubless Color optional:Yellow Product Size:1685*650*1100 Packing Size: 1750*440*860	378
65	ZA-GB1-01		Motor : 350W Max speed:≤35km/h Battery: 48V 20AH Lead acid bat Brake: F/R drum Controller: 9 tube sine wave Range per charge:≤40km Tyre: 2.75-10 Tumbless Color optional:red Vehicle Size: 1600*700*1050 Packing Size: 1550*350*850	108



ManCheng QUOTATION -EXW 2026

Notes:

- 1.The price is subject to change of exchange rate and raw materials price
- 2.The following data are the experimental data of factories under specific conditions in China
- 3.MOQ 60pcs for 20GP and 150pcs for 40HQ, CKD
- 4.Lead Acid battery and Lithium battery are alternatives

66	ZA-GB2-01		Motor : 350W	140
			Max speed:35km/h	
			Battery: 48V 20AH Lead acid bat	
			Brake: F/R drum	
			Controller: 9 tube sine wave	
			Range per charge: ≤40km	
			Tyre: 2.75-10 Tumbless	
			Color optional: blue	
			Vehicle Size: 1500*700*1050	
			Packing Size: 1450*350*850	