

NANTONG SHUNHUI ELECTRONIC TECHNOLOGY CO., LTD.

# PROFESSIONAL LASER LEVELS

Product Catalog

- Cross-line laser levels
- Green and red beam models
- OEM / ODM options
- Construction measuring tools







# CONTENTS

SUPPORTING  
OEM/ODM  
CUSTOMIZATION



|    |                    |    |
|----|--------------------|----|
| 01 | COMPANY<br>PROFILE | 01 |
| 02 | SOURCE<br>FACTORY  | 03 |
| 03 | COMPANY<br>HONOR   | 05 |
| 04 | LASER<br>LEVEL     | 07 |

# COMPANY PROFILE


Located in Qidong, China, the hometown of tools in the country, the company was founded in 2021, with a total investment of 110 million yuan and an area of over 10 acres. The company has a construction area of about 10000 square meters, and has a production line of intelligent photoelectric equipment, several specialized debugging equipment, senior management and technical personnel, and more than 200 manufacturing personnel. The company integrates product research and development, design, production, and sales, promoting product sales through a combination of online and offline modes, providing a full range of various laser and surveying products





# SOURCE FACTORY


SUPPORTING OEM  
ODM CUSTOMIZATION





# COMPANY HONOR

## QUALITY INHERITANCE AND CORE PROTECTION







## YAGU YG-CB

|                                   |           |
|-----------------------------------|-----------|
| Laser Wave Length,nM              | 515       |
| "Working Range without detector,M | 30m       |
| Accuracy , MM/M                   | 7m/±1.5mm |
| Automatic Leveling Range          | 3±1°      |
| Protection grade                  | 2         |
| Operating voltage                 | 110~220V  |

## YG-D

|                                   |           |
|-----------------------------------|-----------|
| Laser Wave Length,nM              | 515       |
| "Working Range without detector,M | 30m       |
| Accuracy , MM/M                   | 7m/±1.5mm |
| Automatic Leveling Range          | 3±1°      |
| Protection grade                  | 2         |
| Operating voltage                 | 110~220V  |



## YAGU YG-MKX

|                                   |           |
|-----------------------------------|-----------|
| Laser Wave Length,nM              | 515       |
| "Working Range without detector,M | 30m       |
| Accuracy , MM/M                   | 7m/±1.5mm |
| Automatic Leveling Range          | 3±1°      |
| Protection grade                  | 2         |
| Operating voltage                 | 110~220V  |



## YAGU YG-EB

|                                   |           |
|-----------------------------------|-----------|
| Laser Wave Length,nM              | 515       |
| "Working Range without detector,M | 30m       |
| Accuracy , MM/M                   | 7m/±1.5mm |
| Automatic Leveling Range          | 3±1°      |
| Protection grade                  | 2         |
| Operating voltage                 | 110~220V  |



## YAGU YG-BLA

|                                   |           |
|-----------------------------------|-----------|
| Laser Wave Length,nM              | 515       |
| "Working Range without detector,M | 30m       |
| Accuracy , MM/M                   | 7m/±1.5mm |
| Automatic Leveling Range          | 3±1°      |
| Protection grade                  | 2         |
| Operating voltage                 | 110~220V  |

## YAGU YG-MKP

|                                   |           |
|-----------------------------------|-----------|
| Laser Wave Length,nM              | 515       |
| "Working Range without detector,M | 30m       |
| Accuracy , MM/M                   | 7m/±1.5mm |
| Automatic Leveling Range          | 3±1°      |
| Protection grade                  | 2         |
| Operating voltage                 | 110~220V  |







## YAGU YG-MKZ

|                                   |           |
|-----------------------------------|-----------|
| Laser Wave Length,nM              | 515       |
| "Working Range without detector,M | 30m       |
| Accuracy , MM/M                   | 7m/±1.5mm |
| Automatic Leveling Range          | 3±1°      |
| Protection grade                  | 2         |
| Operating voltage                 | 110~220V  |

## YG-MN

|                                   |           |
|-----------------------------------|-----------|
| Laser Wave Length,nM              | 515       |
| "Working Range without detector,M | 30m       |
| Accuracy , MM/M                   | 7m/±1.5mm |
| Automatic Leveling Range          | 3±1°      |
| Protection grade                  | 2         |
| Operating voltage                 | 110~220V  |



## YAGU YG-MK

|                                   |           |
|-----------------------------------|-----------|
| Laser Wave Length,nM              | 515       |
| "Working Range without detector,M | 30m       |
| Accuracy , MM/M                   | 7m/±1.5mm |
| Automatic Leveling Range          | 3±1°      |
| Protection grade                  | 2         |
| Operating voltage                 | 110~220V  |



## YAGU YG-XWX

|                                   |           |
|-----------------------------------|-----------|
| Laser Wave Length,nM              | 515       |
| "Working Range without detector,M | 30m       |
| Accuracy , MM/M                   | 7m/±1.5mm |
| Automatic Leveling Range          | 3±1°      |
| Protection grade                  | 2         |
| Operating voltage                 | 110~220V  |



## JL

|                                   |           |
|-----------------------------------|-----------|
| Laser Wave Length,nM              | 515       |
| "Working Range without detector,M | 30m       |
| Accuracy , MM/M                   | 7m/±1.5mm |
| Automatic Leveling Range          | 3±1°      |
| Protection grade                  | 2         |
| Operating voltage                 | 110~220V  |

## YAGU YG-XZW

|                                   |           |
|-----------------------------------|-----------|
| Laser Wave Length,nM              | 515       |
| "Working Range without detector,M | 30m       |
| Accuracy , MM/M                   | 7m/±1.5mm |
| Automatic Leveling Range          | 3±1°      |
| Protection grade                  | 2         |
| Operating voltage                 | 110~220V  |







## YAGU YG-DK

|                                   |           |
|-----------------------------------|-----------|
| Laser Wave Length,nM              | 515       |
| "Working Range without detector,M | 30m       |
| Accuracy , MM/M                   | 7m/±1.5mm |
| Automatic Leveling Range          | 3±1°      |
| Protection grade                  | 2         |
| Operating voltage                 | 110~220V  |

## YG-CM

|                                   |           |
|-----------------------------------|-----------|
| Laser Wave Length,nM              | 515       |
| "Working Range without detector,M | 30m       |
| Accuracy , MM/M                   | 7m/±1.5mm |
| Automatic Leveling Range          | 3±1°      |
| Protection grade                  | 2         |
| Operating voltage                 | 110~220V  |



## YAGU YG-BS

|                                   |           |
|-----------------------------------|-----------|
| Laser Wave Length,nM              | 515       |
| "Working Range without detector,M | 30m       |
| Accuracy , MM/M                   | 7m/±1.5mm |
| Automatic Leveling Range          | 3±1°      |
| Protection grade                  | 2         |
| Operating voltage                 | 110~220V  |



## YAGU YG-CN

|                                   |           |
|-----------------------------------|-----------|
| Laser Wave Length,nM              | 515       |
| "Working Range without detector,M | 30m       |
| Accuracy , MM/M                   | 7m/±1.5mm |
| Automatic Leveling Range          | 3±1°      |
| Protection grade                  | 2         |
| Operating voltage                 | 110~220V  |



## YAGU YG-CH

|                                   |           |
|-----------------------------------|-----------|
| Laser Wave Length,nM              | 515       |
| "Working Range without detector,M | 30m       |
| Accuracy , MM/M                   | 7m/±1.5mm |
| Automatic Leveling Range          | 3±1°      |
| Protection grade                  | 2         |
| Operating voltage                 | 110~220V  |



## YAGU YG-FT

|                                   |           |
|-----------------------------------|-----------|
| Laser Wave Length,nM              | 515       |
| "Working Range without detector,M | 30m       |
| Accuracy , MM/M                   | 7m/±1.5mm |
| Automatic Leveling Range          | 3±1°      |
| Protection grade                  | 2         |
| Operating voltage                 | 110~220V  |







## YAGU YG-MKC

|                                   |           |
|-----------------------------------|-----------|
| Laser Wave Length,nM              | 515       |
| "Working Range without detector,M | 30m       |
| Accuracy , MM/M                   | 7m/±1.5mm |
| Automatic Leveling Range          | 3±1°      |
| Protection grade                  | 2         |
| Operating voltage                 | 110~220V  |

## YG-MKW

|                                   |           |
|-----------------------------------|-----------|
| Laser Wave Length,nM              | 515       |
| "Working Range without detector,M | 30m       |
| Accuracy , MM/M                   | 7m/±1.5mm |
| Automatic Leveling Range          | 3±1°      |
| Protection grade                  | 2         |
| Operating voltage                 | 110~220V  |



## YAGU YG-MKE

|                                   |           |
|-----------------------------------|-----------|
| Laser Wave Length,nM              | 515       |
| "Working Range without detector,M | 30m       |
| Accuracy , MM/M                   | 7m/±1.5mm |
| Automatic Leveling Range          | 3±1°      |
| Protection grade                  | 2         |
| Operating voltage                 | 110~220V  |



## YAGU YG-ZC

|                                   |           |
|-----------------------------------|-----------|
| Laser Wave Length,nM              | 515       |
| "Working Range without detector,M | 30m       |
| Accuracy , MM/M                   | 7m/±1.5mm |
| Automatic Leveling Range          | 3±1°      |
| Protection grade                  | 2         |
| Operating voltage                 | 110~220V  |



## YAGU YG-MKS

|                                   |           |
|-----------------------------------|-----------|
| Laser Wave Length,nM              | 515       |
| "Working Range without detector,M | 30m       |
| Accuracy , MM/M                   | 7m/±1.5mm |
| Automatic Leveling Range          | 3±1°      |
| Protection grade                  | 2         |
| Operating voltage                 | 110~220V  |

## YAGU YG-ZK

|                                   |           |
|-----------------------------------|-----------|
| Laser Wave Length,nM              | 515       |
| "Working Range without detector,M | 30m       |
| Accuracy , MM/M                   | 7m/±1.5mm |
| Automatic Leveling Range          | 3±1°      |
| Protection grade                  | 2         |
| Operating voltage                 | 110~220V  |







## YAGU YG-FL

|                                   |           |
|-----------------------------------|-----------|
| Laser Wave Length,nM              | 515       |
| "Working Range without detector,M | 30m       |
| Accuracy , MM/M                   | 7m/±1.5mm |
| Automatic Leveling Range          | 3±1°      |
| Protection grade                  | 2         |
| Operating voltage                 | 110~220V  |

## YAGU YG-XEX

|                                   |           |
|-----------------------------------|-----------|
| Laser Wave Length,nM              | 515       |
| "Working Range without detector,M | 30m       |
| Accuracy , MM/M                   | 7m/±1.5mm |
| Automatic Leveling Range          | 3±1°      |
| Protection grade                  | 2         |
| Operating voltage                 | 110~220V  |



## YAGU YG-MNSX

|                                   |           |
|-----------------------------------|-----------|
| Laser Wave Length,nM              | 515       |
| "Working Range without detector,M | 30m       |
| Accuracy , MM/M                   | 7m/±1.5mm |
| Automatic Leveling Range          | 3±1°      |
| Protection grade                  | 2         |
| Operating voltage                 | 110~220V  |



## YG-XLX

|                                   |           |
|-----------------------------------|-----------|
| Laser Wave Length,nM              | 515       |
| "Working Range without detector,M | 30m       |
| Accuracy , MM/M                   | 7m/±1.5mm |
| Automatic Leveling Range          | 3±1°      |
| Protection grade                  | 2         |
| Operating voltage                 | 110~220V  |



## YAGU YG-WM

|                                   |           |
|-----------------------------------|-----------|
| Laser Wave Length,nM              | 515       |
| "Working Range without detector,M | 30m       |
| Accuracy , MM/M                   | 7m/±1.5mm |
| Automatic Leveling Range          | 3±1°      |
| Protection grade                  | 2         |
| Operating voltage                 | 110~220V  |

## YAGU YG-XWX

|                                   |           |
|-----------------------------------|-----------|
| Laser Wave Length,nM              | 515       |
| "Working Range without detector,M | 30m       |
| Accuracy , MM/M                   | 7m/±1.5mm |
| Automatic Leveling Range          | 3±1°      |
| Protection grade                  | 2         |
| Operating voltage                 | 110~220V  |







## YG-CB

|                                   |           |
|-----------------------------------|-----------|
| Laser Wave Length,nM              | 515       |
| *Working Range without detector,M | 30m       |
| Accuracy , MM/M                   | 7m/±1.5mm |
| Automatic Leveling Range          | 3±1°      |
| Protection grade                  | 2         |
| Operating voltage                 | 110~220V  |

## YG-MKG

|                                   |           |
|-----------------------------------|-----------|
| Laser Wave Length,nM              | 515       |
| *Working Range without detector,M | 30m       |
| Accuracy , MM/M                   | 7m/±1.5mm |
| Automatic Leveling Range          | 3±1°      |
| Protection grade                  | 2         |
| Operating voltage                 | 110~220V  |



## YG-CE

|                                   |           |
|-----------------------------------|-----------|
| Laser Wave Length,nM              | 515       |
| *Working Range without detector,M | 30m       |
| Accuracy , MM/M                   | 7m/±1.5mm |
| Automatic Leveling Range          | 3±1°      |
| Protection grade                  | 2         |
| Operating voltage                 | 110~220V  |



## YG-MKJ

|                                   |           |
|-----------------------------------|-----------|
| Laser Wave Length,nM              | 515       |
| *Working Range without detector,M | 30m       |
| Accuracy , MM/M                   | 7m/±1.5mm |
| Automatic Leveling Range          | 3±1°      |
| Protection grade                  | 2         |
| Operating voltage                 | 110~220V  |



## YG-GF

|                                   |           |
|-----------------------------------|-----------|
| Laser Wave Length,nM              | 515       |
| *Working Range without detector,M | 30m       |
| Accuracy , MM/M                   | 7m/±1.5mm |
| Automatic Leveling Range          | 3±1°      |
| Protection grade                  | 2         |
| Operating voltage                 | 110~220V  |

## YG-X235

|                                   |           |
|-----------------------------------|-----------|
| Laser Wave Length,nM              | 515       |
| *Working Range without detector,M | 30m       |
| Accuracy , MM/M                   | 7m/±1.5mm |
| Automatic Leveling Range          | 3±1°      |
| Protection grade                  | 2         |
| Operating voltage                 | 110~220V  |







### **YAGU** **YG-XMN**

|                                   |           |
|-----------------------------------|-----------|
| Laser Wave Length,nM              | 515       |
| "Working Range without detector,M | 30m       |
| Accuracy , MM/M                   | 7m/±1.5mm |
| Automatic Leveling Range          | 3±1°      |
| Protection grade                  | 2         |
| Operating voltage                 | 110~220V  |

### **YAGU** **YG-ZJ**

|                                   |           |
|-----------------------------------|-----------|
| Laser Wave Length,nM              | 515       |
| "Working Range without detector,M | 30m       |
| Accuracy , MM/M                   | 7m/±1.5mm |
| Automatic Leveling Range          | 3±1°      |
| Protection grade                  | 2         |
| Operating voltage                 | 110~220V  |



SOURCE THROUGH  
KEJIA TRADE

Supplier communication  
Quotation support  
Quality control  
Worldwide delivery

[sales@kejiatrade.com](mailto:sales@kejiatrade.com)

WhatsApp: +86 177 3518 0342