



LED LIGHTING PICTURE ALBUM

REQUEST A QUOTATION

sales@kejiastrade.com | kejiastrade.com

Ninghai Neworiental Plastics Industry Co.,LTD



COMPANY PROFILE

Ninghai Neworiental Plastics Industry Co.,LTD was established in 1995, and located in East China Sea coastal city- Ningbo. We are a specialized company integrating the research, development and manufacture of high quality flashlights. Particularly we are stepping with the tendency of energy saving and environment friendly. At present our products include: Aluminum torch Series, Led Cabinet Light Series, Solar lamp Series, Sensor light Series, Plastic torch Series, LED Lamp Series, led push light Series, headlamp Series and book light Series. We sincerely welcome you to visit our company and see our facilities.



Ninghai Neworiental Plastics Industry Co.,LTD

CONTENTS

01
Working Light

13
Security Light

17
Camping Lantern

24
Garden Lamp

25
Sensor Light

30
Night Light

31
Remote Control Light

33
Desk Lamp

34
Flashlight

41
Head Light



MULTIFUNCTIONAL WORK LIGHT



NDF-8727


Item size: 515x89x30mm (fold size)
 1590mm (unfold length)
 Bulb type: SMD (white and red color)
 Luminance: 1000lm (max)
 Light modes: white-red-SOS-off
 Battery type: 18650 lithium battery, 3600mAh
 Working time: 4hrs
 Charging time: 8hrs
 Waterproof level: IPX4



MULTIFUNCTIONAL WORK LIGHT



MULTIFUNCTIONAL WORK LIGHT




NDF-5507

Item size: 105X88X176.5mm
 Bulb type: COB(white color)
 Output: 80lm(low mode)
 400lm(medium mode)
 1000lm(high mode)
 Battery: 21700 lithium battery, 4000mAh
 Runtime: 20hrs(low mode)
 8hrs(medium mode)
 4hrs(high mode)
 Charging time: 8hrs
 Waterproof level: IPX5






hook up




clip



Type-C port



magnet



NDF-5389

Item size: 230x45x19mm
Bulb type: COB(White light+RED light)
Luminance: 240+20lm
USB Input: 5V 1A Type C
Battery type: 750mAh lithium battery
Working time: 2h
Charging time: 2h
Waterproof: IP64




magnet



hook up



Type-C port



NDF-5503

Item size: 253X70X24mm
Bulb type: COB(white and red color)
Output: 150lm(low mode) / 650lm(high mode)
Battery: build-in 18650 lithium battery, 2200mAh
Runtime: 8hrs(low mode) / 3hrs(high mode)
Charging time: 3.5hrs
Waterproof level: IP64

NDF-5503A

Item size: 253X70X24mm
Bulb type: COB(white and red color)
Output: 110lm(low mode) / 520lm(high mode)
Battery: build-in 18650 lithium battery, 2200mAh
Runtime: 8hrs(low mode) / 3hrs(high mode)
Charging time: 3.5hrs
Waterproof level: IP64






hook up



Type-C port




magnet



NDF-5388

Item size: 420x54x17mm
Bulb type: COB(White light+RED light)
Luminance: 500+25lm
USB Input: 5V 1A Type C
Battery type: 1100mAh lithium battery
Working time: 2.5h
Charging time: 3h
Waterproof: IP64



magnet




Type-C port



hook up

NDF-5508

Item size: 355X312X28mm
Bulb type: COB(white color)
Output: 250lm(low mode) / 450lm(medium mode)
/ 600lm(high mode)
Battery: build-in 18650 lithium battery, 2200mAh
Runtime: 7hrs(low mode) / 3.5hrs(medium mode)
/ 2hrs(high mode)
Charging time: 3.5hrs
Waterproof level: IP64





MAGIC STICK & MAGNET
ON BOTTOM



3W FLASHLIGHT




NDF-5393

Item size: 1580x40x25mm
Bulb type: 15W LED
Luminance: 1500lm(max)
Light modes: High-mid-low
Battery type: 3x18650 3.7V 6000mAh
Input: 5V 1A, Type C
Working time: 7 hrs
Charging time: 3 hrs
Waterproof level: IP65



NDF-8722

Item size: 70x37x26mm
Bulb type: 351Cx2, COB
Luminance: 1000lm(max), COB 300lm (high)
Light modes: white-red-SOS-dimmer-off
Battery type: 1000mAh Polymer Battery
Working time: 2hrs (high)/ 3.5hrs (low)
Charging time: 2hrs
Waterproof level: IPX4



NDF-8759

Item size: 95x25x44mm
Bulb type: 5W COB/10W LED
Output: 500LM/1000LM
Input: DC 5V 0.5A
Working time: 2h
Charging time: 2h
Battery: 3.7V 800mah
Waterproof level: IPX4



NDF-5611

Item size : 56x54x20mm
Bulb type: COB
Luminance : COB 300lm (max)
Battery type : 750mAh Polymer Battery
Working time : 8hrs
Charging time : 2hrs
Waterproof level : IPX4




NDF-8728

Item size : 96x55x13mm
Bulb type: COB
Luminance : COB 200lm (max)
Battery type : 400mAh Polymer Battery
Working time : 1.5hrs
Charging time : 40min
Waterproof level : IPX4



NDF-5753

Item size: 21.8x36.6x140mm
Bulb type: LED&COB+Red Laser
Output: LED 500lm/1500lm
Battery: 1500mAh polymer
Runtime: 1-8hrs(medium mode)
Charging time: 3hrs
Waterproof level: IPX4



NDF-5613

Item size: 70.5*63*8.3mm
Bulb type: 2W LED
Luminance: 150LM



NDF-5232B

Item size: 160x68x35mm
Bulb type: 10W COB
Luminance: 450lm
Input: DC 5V 1A
Battery type: 3.7V 3000mAh Li-poly battery
Working time: 2-4H
Charging time: 4-5H
Brightness: 50%-100%
Waterproof level: IP44

NDF-5232A



NDF-5233A

Item size: 326x208x82mm
Bulb type: 50W COB
Luminance: 5000lm
Adapter input: DC13V 3A
USB Output: DC 5V 2A
Battery type: 11.1V 6000mAh Lithium battery
Working time: 1.5-7.5H
Charging time: 6-8H
Brightness: 25%-50%-70%-100%
Waterproof level: IP44



color changing



magnet

NDF-5231A

Item size: 230x146x70mm
Bulb type: 20W COB
Luminance: 2000lm
Adapter input: DC8.4V 2A
USB Output: DC 5V 1A
Battery type: 7.2V 6000mAh Lithium battery
Working time: 2.5-12H
Charging time: 6-8H
Brightness: 25%-50%-70%-100%
Waterproof level: IP44



NDF-5515

Item size: 280x138x265mm
Bulb: 20W LED
Luminance: 1200lm
Solar panel: 5V 800mAh
Battery: built in 3.7V 4000mAh
Sensor distance: 8M
Sensor angle: 120°
Waterproof level: IP54



solar charging



NDF-5316F

Item size: 190x180x120mm
Bulb type: 8W COB
Luminance: 600LM
Solar panel: 5V 800mAh
Battery: 2x18650 2200mAh
Sensor distance: 8-10M
Sensor angle: 180°
Waterproof level: IP44



NDF-5513

Item size: 180x140x190mm
Bulb: 48pcs SMD
Luminance: 1100lm
Solar panel: 5V 800mAh
Battery: built in 3.7V 4000mAh
Sensor distance: 8-10M
Sensor angle: 120-180°
Waterproof level: IP44



solar charging



NDF-5512

Item size: 209x170x183mm
Bulb type: 20W COB
Luminance: 1000lm
Voltage: AC100-240V 50Hz
Sensor distance: 8-10M
Sensor angle: 270°
Waterproof level: IP44



NDF-5316A

Item size: 240x180x120
Bulb type: 18W COB
Luminance: 1500LM
Voltage: AC100-240V 50Hz
Sensor distance: 8-10M
Sensor angle: 180°
Waterproof level: IP44



NDF-5377

Item size: 365x190x170mm
Bulb type: 20W
Luminance: 2500LM
Solar panel: 18V 240mA
Battery: 3x18650 6000mAh
Sensor distance: 10-12M
Sensor angle: 180°
Waterproof level: IP44



NDF-5365

Item size: 145x100x120mm
Bulb type: 3W
Luminance: 300LM
Solar panel: 5V 200mA
Battery: 1x18650 1500mAh
Sensor distance: 6-8M
Sensor angle: 120°
Waterproof level: IP44




NDF-5316C

Item size: 190x180x120mm
Bulb type: 8W COB
Luminance: 600LM
Solar panel: 5V 800mA
Battery: 2x18650 2200mAh
Sensor distance: 8-10M
Sensor angle: 180°
Waterproof level: IP44



NDF-5219A

Item size: 287x235x177mm
Bulb type: 20W COB
Luminance: 1800LM
Voltage: AC100-240V 50Hz
Sensor type: Photo/motion Sensor
Sensor time: 10-600sec.
Sensor distance: 6M
Waterproof level: IP44



NDF-5220A

Item size: 240x215x196mm
Bulb type: 15W COB
Luminance: 1200LM
Voltage: AC100-240V 50Hz
Sensor type: Photo/motion Sensor
Sensor time: 10-600sec.
Sensor distance: 6M
Waterproof level: IP44



SECURITY LIGHT



NDF-5193

Item size: 280x190x190mm
Bulb type: 3W COB
Luminance: 150lm
Voltage: AC100-230V
Sensor type: Photo/motion Sensor
Sensor time: 25-30sec.
Sensor distance: 5-7M



NDF-5229

Item size: 357x170x196mm
Bulb type: 18W COB
Luminance: 1500LM
Voltage: AC100-240V 50Hz
Electricity: 1000mAh
Sensor type: Photo/motion Sensor
Sensor time: 10/60/250sec.
Sensor distance: 8M
Waterproof level: IP44



NDF-5168

Item size: 360x130x170mm
Bulb type: 39pcs 5050 SMD
Luminance: 70lm
Electricity: 350mAh
Voltage: 4.5V
Battery type: 4xNI-MH1200mAh 4.8V
Sensor type: Photo/motion Sensor
Sensor time: 10/60/250sec.
Sensor distance: 3M
Function: On-Auto-Off
Solar panel: 5V 300mA



NDF-5065

Item size: 210x210x140mm
Bulb type: 38 pcs LED
Luminance: 90lm
Electricity: 350mAh
Voltage: 4.8V
Battery type: 4xNI-MH1200mAh 4.8V
Sensor type: Photo/motion Sensor
Sensor time: 25-30sec.
Sensor distance: 3M
Function: On-Auto-Off
Solar panel: 5V 300mA



UMBRELLA LIGHT



NDF-5616

Item size: 80x28x38mm
Bulb type: 2W COB/2W LED
Output: 200LM/150LM
Input: DC 5V 0.3A
Working time: 2h
Charging time: 2h
Battery: 3.7V 600mah
Waterproof level: IP54





NDF-5360A

Bulb type: 8xLuxeon 2835 HE
Multi-Color LED for color changing mode
Output: 200lm/50lm
Battery: 1200mAh polymer
Runtime: 4-100hrs
Waterproof level: IPX4



NDF-5359A

Bulb type: 8xLuxeon 2835 HE
Multi-Color LED for color changing mode
Output: 200lm/50lm
Battery: 1200mAh polymer
Runtime: 4-100hrs
Waterproof level: IPX4



NDF-5501

Item size: 190 X 105 X 94 mm
Bulb type: COB (white and red color)
Output: 600lm(low mode) / 1600lm(high mode)
Battery: built-in 20650 lithium battery,
2600mAh or 3pcs C dry batteries
Runtime: 4hrs(low mode) / 2hrs(high mode)
Charging time: 3hrs
Waterproof level: IPX4



Type-C



Power bank

CAMPING LIGHT

NDF-5610

Item size : $\Phi 100 \times 82 \text{mm}$
Bulb type: Filament
Luminance : 40lm
Light modes : Infinite dimming
Battery type : 1100mAh Polymer Battery
Working time : 8.5hrs (low) / 3hrs (high)
Charging time : 2hrs
Waterproof level : IPX4



CAMPING LIGHT



NDF-5609

Item size : $117 \times 80 \times 40 \text{mm}$
Bulb type: XPE&COB
Luminance : XPE 340lm (max) ; COB 280lm (max)
Light modes : Infinite dimming
Battery type : 18650 lithium battery, 1800mAh
Working time : 8hrs
Charging time : 3hrs
Waterproof level : IPX4



Infinity dimming knob Type-C port



CAMPING LIGHT



NDF-539I

Item size: 130x74mm
Bulb type: 19PCS SMD
Luminance: 500+200lm
USB Input: 5V 1A Type C
Battery type: 4000mAh lithium battery
Working time: 6h
Charging time: 5h
Waterproof: IP44



GARDEN LIGHT



NDF-5315A

Item size: 155x50x50mm
Bulb type: 3x1W COB+XPE 3W
Luminance: 150+100lm
USB Input: DC 5V 1A
USB output: DC 5V 1A
Battery type: 3.7V 1800mAh lithium battery
Working time: 3h



NDF-5315B

Item size: 155x50x50mm
Bulb type: 3x1W COB+XPE 3W
Luminance: 150+100lm
USB Input: DC 5V 1A
USB output: DC 5V 1A
Battery type: 3.7V 1800mAh lithium battery
working time: 3h



NDF-5379

Item size:240x150x98mm
Bulb type:15W
Luminance:1600LM
Input:5V 1A
Output:5V 1A
Battery:1x18650 2600mAh
Working time:2/4H
Charging time:4H
Waterproof level:IP44



NDF-5152

Item size:185x100x100mm
Bulb type: 1pc CREE XM-L LED
Luminance: 90lm
Electricity: 540ma
Voltage: 4.5V
Battery type: 3x1.5V D
Function: 50%-100%-off



NDF-5367

Item size:290x183mm
Bulb type: filament LED
Luminance: 40lm
Light modes: High-mid-low
Battery type: 3xC dry battery
Photo sensor and timer: 8hrs+6hrs+4hrs
Function: IP44

NDF-5367-S

Item size:210x160mm
Bulb type: filament LED
Luminance: 40lm
Light modes: High-mid-low
Battery type: 3xC dry battery
Photo sensor and timer: 8hrs+6hrs+4hrs
Function: IP44




WIND POWER

NDF-5227

Item size:182x1160mm
Bulb type: 0.25W 2835 SMD
Luminance: 10lm
Electricity: 20mAh
Voltage: 3.3V
Battery type: Lithium 14430 400mAh
Sensor type: Photo Sensor
Function: D to D Auto



SENSOR LIGHT



NDF-9021B

Item size:95*95*105mm
Bulb type:Colorful LED
Input:5V 0.3A
Working time:10h
Changing time:3h
Battery:3.7V 800mAh

SENSOR LIGHT



NDF-5378

Item size:280x30x40mm
Bulb type:3W
Luminance:130LM
USB Input:5V 1A
Battery:1x18650 1500mAh
Working time:2.5H
Charging time:3H



Display screen



NDF-5237B

Item size:165x44x30mm
Bulb type: 6pcs 2835 SMD
Luminance: 30lm
Input: 5V 0.5A
Battery type: 3.7V 1800mAh
Sensor type: Photo/motion Sensor
Sensor time: 30sec
Sensor distance: 3M



Rotation



NDF-5358

Item size:85x85x28mm
Bulb type:1W
Luminance:50LM
Battery:3x1.5V AAA
Sensor distance:3-5M
Sensor angle:110°



NDF-5237

Item size:195x40x62mm
Bulb type: 3W COB
Luminance: 60lm
Battery type:3x1.5V AA
Sensor type: Photo/motion Sensor
Sensor time: 30sec
Sensor distance: 3M

SENSOR LIGHT



NDF-5357

Item size: 130x70x50mm
 Bulb type: 3W LED
 Luminance: 150lm
 Light modes: High-mid-low
 Battery type: 3xC dry battery
 photo and PIR sensor
 Sensor time: 30s/300s
 Sensor angle: 170°
 Sensor distance: 8meters
 Waterproof level: IP44



NDF-5376

Item size: 84x62x35mm
 Bulb type: 1W LED
 Luminance: 50lm
 Light modes: High-low
 Battery type: 3xAAA dry battery
 Photo and PIR sensor
 Sensor time: 30s/300s
 Sensor angle: 170°
 Sensor distance: 8meters
 Waterproof level: IP44



NDF-5059

Item size: 106x86x23mm
 Bulb type: 8pcs ϕ 5 LED
 Luminance: 25lm
 Electricity: 200mAh
 Voltage: 6V
 Battery type: 4x1.5V AAA
 Sensor type: Photo/motion Sensor
 Sensor time: 25-30sec.
 Sensor distance: 3M
 Function: On-Auto-Off



COB/SMD

NDF-5087

Item size: 92x92x18mm
 Bulb type: 4pcs straw hat LED
 Luminance: 10lm
 Electricity: 66mAh
 Voltage: 6V
 Battery type: 4x1.5V AAA
 Sensor type: Photo/motion Sensor
 Sensor time: 25-30sec.
 Sensor distance: 3M



COB/SMD

NDF-5086

Item size: 125x75x18mm
 Bulb type: 6pcs ϕ 5 LED
 Luminance: 17lm
 Electricity: 110mAh
 Voltage: 6V
 Battery type: 4x1.5V AAA
 Sensor type: Photo/motion Sensor
 Sensor time: 25-30sec.
 Sensor distance: 3M

SENSOR LIGHT



NDF-5185

Item size: 95x95x40mm
 Bulb type: 1pc 1W white LED
 Luminance: 30lm
 Electricity: 150mAh
 Voltage: 6v
 Battery type: 4x1.5V AAA
 Sensor type: Photo/motion Sensor
 Sensor time: 25-30sec.
 Sensor distance: 3M



NDF-5096

Item size: 95x80x30mm
 Bulb type: 3pcs ϕ 5 LED
 Luminance: 20lm
 Electricity: 100mAh
 Voltage: 4.5V
 Battery type: 3x1.5V AAA
 Sensor type: Photo/motion Sensor
 Sensor time: 25-30sec.
 Sensor distance: 3M Function: Auto-Off



NDF-5102

Item size: 180x58x25mm
 Bulb type: 6pcs ϕ 5 LED
 Luminance: 11lm
 Electricity: 120mAh
 Voltage: 4.5V
 Battery type: 4x1.5V AAA
 Sensor type: Photo/motion Sensor
 Sensor time: 25-30sec.
 Sensor distance: 3M
 Function: On-Auto-Off



NDF-8667B

Item size: 311x50x22mm
 Bulb type: 21pcs 4014SMD
 Luminance: 200/100lm
 Battery type: 3.7V 1000mAh
 Sensor distance: 4M
 waterproof level: ip44
 Function: 100%-50%-SENSOR-OFF



NDF-5221

Item size: 120x35x280mm
 Bulb type: 6LED
 Luminance: 30lm
 Battery type: 6x1.5V AAA
 Sensor type: Photo/motion Sensor
 Sensor time: 45sec
 Sensor distance: 3M

SENSOR LIGHT



NDF-5136

Item size: 125x52x40mm
 Bulb type: 3pcs white LED
 Luminance: 15lm
 Electricity: 110mAh
 Voltage: 4.5V
 Battery type: 3x1.5V AAA
 Sensor type: Photo/motion Sensor
 Sensor time: 25-30sec.
 Sensor distance: 3M
 Function: On-Auto-Off



NDF-5097

Item size: 90x70x36mm
 Bulb type: 2pcs $\phi 5$ LED
 Luminance: 30lm
 Electricity: 140mAh
 Voltage: 4.5V
 Battery type: 3x1.5V AAA
 Sensor type: Photo/motion Sensor
 Sensor time: 25-30sec.
 Sensor distance: 3M
 Function: On-Auto-Off



NDF-5222

Item size: 80x80x25mm
 Bulb type: 6LED
 Luminance: 20lm
 Battery type: 3x1.5V AAA
 Sensor type: Photo/motion Sensor
 Sensor time: 15sec
 Sensor distance: 3M



NDF-5188

Item size: 145x65x40mm
 Bulb type: 6pcs 5050 SMD
 Luminance: 30lm
 Electricity: 110mAh
 Voltage: 4.5V
 Battery type: 3x1.5V AA
 Sensor type: Photo/motion Sensor
 Sensor time: 25-30sec.
 Sensor distance: 3M



NDF-5225

Item size: 90x90x35mm
 Bulb type: 2pcs 2835 SMD
 Luminance: 20lm
 Battery type: 3x1.5V AA
 Sensor type: Photo/motion Sensor
 Sensor time: 15sec
 Sensor distance: 3M

SENSOR LIGHT

NDF-5098

Item size: 160x70x36mm
 Bulb type: 5pcs+3pcs $\phi 5$ LED
 Luminance: 13/18lm
 Electricity: 110/128mAh
 Voltage: 4.5V
 Battery type: 3x1.5V AAA
 Sensor type: Photo/motion Sensor
 Sensor time: 25-30sec.
 Sensor distance: 3M
 Function: On-Auto-Off




NDF-5169A

Item size: 250x55x20mm
 Bulb type: 2pcs 1W CoB
 Luminance: 70lm
 Electricity: 235mAh
 Voltage: 4.5V
 Battery type: 3x1.5V AA
 Sensor type: Photo/motion Sensor
 Sensor time: 25-30sec.
 Sensor distance: 3M



NDF-5088

Item size: 193x23x25mm
 Bulb type: 6pcs 2835 SMD
 Luminance: 15lm
 Electricity: 150mAh
 Voltage: 4.5V
 Battery type: 3x1.5V AAA
 Sensor type: Photo/motion Sensor
 Sensor time: 25-30sec.
 Sensor distance: 3M



NDF-5153

Item size: 305x78x28mm
 Bulb type: 5pcs 5050 SMD
 Luminance: 30lm
 Electricity: 150mAh
 Voltage: 4.5V
 Battery type: 6x1.5V AA
 Sensor type: Photo/motion Sensor
 Sensor time: 25-30sec.
 Sensor distance: 3M
 Function: On-Auto-Off



NDF-5089

Item size: 155x40x78mm
 Bulb type: 5pcs $\phi 5$ LED
 Luminance: 11lm
 Electricity: 120mAh
 Voltage: 6V
 Battery type: 4x1.5V AA
 Sensor type: Photo/motion Sensor
 Sensor time: 25-30sec.
 Sensor distance: 3M
 Function: On-Auto-Off

NIGHT LIGHT



NDF-5138

Item size: 130x58x59mm
 Bulb type: 11 SMD+3led
 Luminance: 22 lm/ 15lm
 Working electricity: 100mAh/110mAh
 Input: AC 110-220V, 50Hz
 Battery type: NI-MH 340mAh, 3.7V
 Sensor type: Photo/motion sensor, 3LEDs on-11 LEDs on-sensor-off
 Sensor time: 25s-30s



NDF-5192

Odors Detection Night Light
 Item size: 105x66x80MM
 Bulb type: 4pcs 2835 SMD
 Luminance: 7lm
 Working electricity: 1.5W
 Input: AC100-230V
 Sensor type: Photo sensor
 Output: 5V/800MA
 Indicator Light Color: Blue/Green/Pink/Red



NDF-5190

Sonic Mosquito Repellent
 Active area: 30 square meters
 Item size: 95x78x66mm
 Bulb type: 8 pcs 2835 SMD
 Luminance: 20lm
 Working electricity: 1.25W
 Input: AC100-230V
 Sensor type: Photo sensor
 USB output: 5V/500MAx2



NDF-5150

Item size: 118x72x59mm
 Bulb type: 5pcs 3528 SMD
 Luminance: 11lm
 Working electricity: 100mAh
 Input: AC 110-220V, 50Hz
 Battery type: NI-MH 340mAh, 3.7V
 Sensor type: Photo sensor, on-sensor-off



NDF-5181

Item size: 110x62x70mm
 Bulb type: 4pcs LEDs
 Luminance: 6lm
 Working electricity: 22mAh
 Input: AC100-230V, 50Hz
 Sensor type: Photo sensor, sensor-off
 Product weight: 50g



NDF-5191


Odors Detection Night Light
 Item size: 138x78MM
 Bulb type: 8pcs 2835 SMD
 Luminance: 20lm
 Working electricity: 1W
 Input: 4.5V

REMOTE CONTROL LIGHT



NDF-5159

Item size: 300x55x24mm
 Bulb type: 6pcs 5050 smd
 Luminance: 90lm
 Electricity: 280mAh
 Voltage: 4.5V
 Battery type: 6x1.5V AAAA
 Function: on-off
 Remote control distance: 8-10m



NDF-5160A

Item size: 314x82x35mm
 Bulb type: 3pcs 1w led
 Luminance: 70lm
 Electricity: 300mAh
 Voltage: 4.5V
 Battery type: 6x1.5V AA
 Function: on-off-brightness adjustment
 Remote control distance: 8-10m



NDF-5313

Item size: 170x37x35mm
 Bulb type: 1w COB
 Luminance: 60lm
 Electricity: 250mAh
 Voltage: 4.5V
 Battery type: 3x1.5V AA
 Remote control distance: 8-10m



NDF-5169

Item size: 252x60x25mm
 Bulb type: 2pcs 1w cob
 Luminance: 60lm
 Electricity: 250mAh
 Voltage: 4.5V
 Battery type: 3x1.5V AA
 Function: on-off-brightness adjustment
 Remote control distance: 8-10m



NDF-5160

Item size: 314x82x35mm
 Bulb type: 2pcs 1w cob
 Luminance: 40lm
 Electricity: 230mAh
 Voltage: 4.5V
 Battery type: 6x1.5V AA
 Function: on-off-brightness adjustment
 Remote control distance: 8-10m

REMOTE CONTROL LIGHT



NDF-5155

Item size: 104x72x29mm
Bulb type: 6pcs 3528 smd
Luminance: 25lm
Electricity: 120mAh
Voltage: 4.5V
Battery type: 3x1.5V AAA
Function: on-off-50%on-30minsoff
Remote control distance: 8-10m



NDF-5211

Item size: 75x75x25mm
Bulb type: 3pcs 2835 smd
Luminance: 15lm
Electricity: 110mAh
Voltage: 4.5V
Battery type: 3x1.5V AAA
Function: multi-function
Remote control distance: 8-10m



NDF-5213

Item size: 100x100x25mm
Bulb type: 3pcs 3528 smd
Luminance: 30lm
Electricity: 120mAh
Voltage: 4.5V
Battery type: 3x1.5V AAA
Function: on-off-50%on-30mins off
Remote control distance: 8-10m



NDF-5137

Item size: 100x100x25mm
Bulb type: 5pcs 3528 smd
Luminance: 30lm
Electricity: 120mAh
Voltage: 4.5V
Battery type: 3x1.5V AA
Function: on-off-50%on-30minsoff
Remote control distance: 8-10m



NDF-5199

Item size: 93x93x28mm
Bulb type: 1pcs seoul 3030
Luminance: 30lm
Electricity: 130mAh
Voltage: 4.5V
Battery type: 3x1.5V AA
Function: on-off-50%on-30mins-off
Remote control distance: 8-10m



NDF-5205

Item size: 58x58x35mm
Bulb type: 3pcs 2835 smd
Luminance: 15lm
Electricity: 130mAh
Voltage: 4.5V
Battery type: 3x1.5V AAA
Function: multi-function
Remote control distance: 8-10m

DESK LAMP



NDF-8667

Material: 6061 Aluminum
Bulb type: 21pcs 4014 SMD
Output power: 200/100LM
Battery: lithium 1000mAh 3.7V
Battery life: 2hrs
Operation: 100%-50%-OFF
Product size: 330x50x20mm



NDF-8678

Item size: 145x45x40mm
Bulb type: 3W
Luminance: 160LM
Input: 5V 1A
Output: 5V 1A
Battery: 1x18650 1800mAh
Working time: 7H
Charging time: 4H
Waterproof level: IP44


NDF-8651

Material: 6061 Aluminum
Bulb type: 21pcs 4014 SMD
Output power: 150LM
Battery: lithium 1000mAh 3.7V
Battery life: 4hrs
Operation: 100%-50%-off
Product size: 1200x66x10mm



NDF-8707

Bulb type:20W
 Input:5V 1A
 Battery:1x21700 4000mAh
 Charging time:4H
 Waterproof level:IP44



NDF-8732

Item size: 75.5x52x163mm
 Bulb type: 6xP50 high bright LED
 Luminance: 12000lumens
 Light mode:High-medium-low-flash-super bright
 Battery type: 3x20650 2600mAh lithiumion
 Working time: High-1.5hrs, medium-4hrs, low-15hrs
 Charge time: 6hrs



NDF-8739

Item size:φ62.5*245mm
 Bulb type:30W LED
 Luminance: 2200LM(MAX)
 Battery:2*26650 10000mAh
 Waterproof level:IPX4



NDF-8740

Item size:φ55*181.5mm
 Bulb type:30W LED
 Luminance:2000LM(MAX)
 Battery:1*26650 5000mAh
 Waterproof level:IPX4



NDF-8729

Item size: 170x45x35mm
Bulb: 10W LED
Luminance: 800lm(max)
Light mode: High-medium-low-Strobe
Zoom flood+focus light
Battery: 1pcs 18650 battery
Type C port input
Output for power bank
Waterproof level: IP44



NDF-8730

Item size: 265x60x50mm
Bulb: 30W LED
Luminance: 5000lm(max)
Light mode: High-medium-low-SOS-Strobe
Zoom flood+focus light
Battery: 8pcs 18650 lithium battery
Type C port input
Output for power bank
Waterproof level: IP44



NDF-8731

Item size: 230x75x55mm
Bulb: 30W LED
Luminance: 4000lm(max)
Light mode: High-medium-low-SOS-Strobe
Zoom flood+focus light
Battery: 4pcs 18650 lithium battery
Type C port input
Output for power bank
Waterproof level: IP44



NDF-8718

Item size: 275x70x54mm
Bulb: 30W LED
Luminance: 5000lm(max)
Light mode: High-medium-low-SOS-Strobe
Zoom flood+focus light
Battery: 4pcs 10000mAh lithium battery
Type C port input
Output for power bank
Waterproof level: IP44

NDF-8719

Item size: 180x49x35mm
Bulb: 10W LED
Luminance: 1000lm(max)
Light mode: High-medium-low-Strobe-SOS
Zoom flood+focus light
Battery: 3xAAA or 1x18650 3.7V 2200mAh
Type C port input
Colorful Night glow
Working time: 6-12hrs
Output for power bank
Waterproof level: IP55



NDF-8681

Item size: 155x31x28mm
Bulb: 30W LED
Luminance: 1500lm(max)
Light mode: High-medium-low-Strobe
Zoom flood+focus light
Battery: 1x18650 3.7V 2000mAh
Type C port input
Waterproof level: IP67





NDF-8708-A

Item size: 56x150mm
Bulb type: 30W P70 LED
Luminance: 3000lm
Light modes: High-mid-low
Battery type: 3x18650 3.7V 6000mAh
USB Input: 5V 1A Type C
Working time: 7h
Charging time: 8h
Waterproof: IP44



NDF-8708-B

Item size: Ø33x134mm
Bulb type: 20W P50 LED
Luminance: 2000lm
Light modes: High-mid-low
Battery type: 1x21700 3.7V 3000mAh
USB Input: 5V 1A Type C
Working time: 3.5h
Charging time: 5h
Waterproof: IP44



NDF-8708-C

Item size: Ø31x131mm
Bulb type: 8W P50 LED
Luminance: 800lm
Light modes: High-mid-low
Battery type: 1x18650 3.7V 1800mAh
USB Input: 5V 1A Type C
Working time: 2.5h
Charging time: 3h
Waterproof: IP44



NDF-8709

Item size: Ø42x115mm
Bulb type: 1.5W LED
Luminance: 120lm
Light modes: High-mid-low
Battery type: 1x18650 3.7V 1800mAh
USB Input: 5V 1A Type C
Working time: 1.5h
Charging time: 3h
Waterproof: IP44



NDF-8703

Item size: 125x35x25mm
Bulb type: 8W
Luminance: 900/ 400/190LM
Input: 5V 1A
Battery: 1x18650 2000mAh/3AAA
Working time: 1H/High Power
Charging time: 3H
Waterproof level: IP44



NDF-8702

Item size: 156x42x30mm
Bulb type: 15W
Luminance: 1300/ 700/190LM
Input: 5V 1A
Battery: 1x26650 5000mAh
Working time: 1H/High Power
Charging time: 3H
Waterproof level: IP44



NDF-8699

Item size: 126x30x26mm
Bulb type: 10W
Luminance: 800/390/80LM
Input: 5V 1A
Battery: 1x18650 1800mAh
Working time: 1H/High Power
Charging time: 3H
Waterproof level: IP65



NDF-8700

Item size: 160x40x34mm
Bulb type: 30W
Luminance: 2800/700/180LM
Input: 5V 1A
Battery: 1x26650 5000mAh
Working time: 4H/High Power
Charging time: 4H
Waterproof level: IP44



NDF-8701A

Item size: 165x56x34mm
Bulb type: 40W
Luminance: 3700/1300/630/180LM
Input: 5V 1A
Battery: 1x26650 5000mAh
Working time: 2H/High Power
Charging time: 4H
Waterproof level: IP65



NDF-8701B

Item size: 159x45x29mm
Bulb type: 18W
Luminance: 1800/1000/630/180LM
Input: 5V 1A
Battery: 1x21700 3000mAh
Working time: 2H/High Power
Charging time: 4H
Waterproof level: IP65



NDF-8701C

Item size: 148x35x25mm
Bulb type: 10W
Luminance: 1000/600/300/50LM
Input: 5V 1A
Battery: 1x18650 1800mAh
Working time: 2H/High Power
Charging time: 4H
Waterproof level: IP65



NDF-8698

Bulb type: CREE XPE+SMD
Output power: 300LM
Battery: 220mAh Lithium
Battery life: 1.5H
Waterproof level: IP44
Product Size: 16x62MM



NDF-8706

Item size: 142x33x25mm
Bulb type: 5W
Luminance: 1000/600/300/80LM
Input: 5V 1A
Battery: 1x18650 2000mAh
Working time: 1H/High Power
Charging time: 3H
Waterproof level: IP65



NDF-8677

Material: 6061 Aluminum
Bulb type: CREE XPL
Output power: 600LM
Battery: 6xAAA
Battery life: 3h
Operation: 100%-5%-OFF
Waterproof level: IP44
Product size: 67x42x262mm



NDF-8677B

Material: 6061 Aluminum
Bulb type: Luminus SST40
Output power: 900LM
Battery: 6xAAA
Battery life: 2h
Operation: 100%-5%-OFF
Waterproof level: IP44
Product size: 60x42x260mm



NDF-8617-3AAA

Material: 6061 Aluminum
Bulb type: CREE XPG
Output power: 350LM
Battery: 3xAAA
Battery life: 1.5/150H
Operation: 100%-30%-OFF
Waterproof level: IP45
Product Size: Φ46x144MM



NDF-8617-2AAA

Material: 6061 Aluminum
Bulb type: CREE XPE
Output power: 150LM
Battery: 2xAAA
Battery life: 2.5/150H
Operation: 100%-30%-OFF
Waterproof level: IP45
Product Size: Φ36x166MM



NDF-8099E

Material: 6061 Aluminum
Bulb type: CREE XM-L2
Output power: 500LM
Battery: 3xAA
Battery life: 3H
Operation: ON-OFF
Waterproof level: IP44



NDF-8099B

Material: 6061 Aluminum
Bulb type: CREE XM-T6
Output power: 550LM
Battery: 3xAA
Battery life: 2.5H
Operation: ON-OFF
Waterproof level: IP44
Product Size: Φ50x35x650mm



NDF-8650

Material: 6061 Aluminum
Bulb type: CREE XPE 3W
Output power: 250/150LM
Battery: 18650/3AAA
Battery life: 2.5H
Operation: 100%-50%-OFF
Waterproof level: IP44
Product Size: 455x104x33mm



NDF-8650A

Material: 6061 Aluminum
Bulb type: CREE XM-L 10Wx2
Output power: 600LM
Battery: 1x26650/3xAA
Battery life: 3H
Operation: ON-OFF
Waterproof level: IP44
Product size: Φ50x38x810mm



NDF-8650B

Material: 6061 Aluminum
Bulb type: CREE XM-L 10W
Output power: 300LM
Battery: 1x26650/3xAA
Battery life: 4H
Operation: ON-OFF
Waterproof level: IP44
Product size: Φ50x38x670mm




NDF-8650D

Material: 6061 Aluminum
Bulb type: CREE XM-L 10Wx2
Output power: 600LM
Battery: 1x26650/3xAA
Battery life: 3H
Operation: ON-OFF
Waterproof level: IP44
Product size: Φ50x38x780mm




NDF-5607

Bulb type: LED&COB
Luminance : 120lm/300lm (Spot/Boost)
Battery type : 1200mAh Polymer Battery
Working time : 6h/2.5h (Spot/Boost)
Charging time : 2.5hrs
Waterproof level : IPX6



NDF-5615

Item size: 62x45x39mm
Bulb type: 3W LED/0.5W Color LED
Output: 300LM
Input: DC 5V 0.6A
Working time: 3h
Charging time: 2h
Battery: 3.7V 1100mAh
Waterproof level: IPX4



NDF-8680

Item size: 66x29x26mm
Bulb type: 13W
Luminance: 800/ 400/ 160LM
Input: 5V 1A
Battery: 1x16340 700mAh
Working time: 40min/ High Power
Charging time: 2.5H
Waterproof level: IP44



NDF-8690

Item size: 74x35x60mm
Bulb type: 10W
Luminance: 1000/600/200/40LM
Input: 5V 1A
Battery: 1x14500 800mAh
Working time: 4H/ High Power
Charging time: 4H
Waterproof level: IP44



NDF-8679

Item size: 66x29x26mm
Bulb type: 13W
Luminance: 800/ 400/ 160LM
Input: 5V 1A
Battery: 1x16340 700mAh
Working time: 40min/ High Power
Charging time: 2.5H
Waterproof level: IP44



NDF-5518

Item size: 75x36x52mm
Bulb: 5W LED
Luminance: 500lm(max)
Battery: built in lithium battery
Waterproof level: IP55



NDF-5517

Item size: 75x45x40mm
Bulb: COB+LED
Luminance: 200lm(max)
Battery: 3xAAA
Waterproof level: IP44



NDF-5516

Item size: 72x40x39mm
Bulb: 3W LED(white color)+1 LED(red color)
Luminance: 120lm(max)
Battery: 1xAA
Waterproof level: IP44



NDF-8716

Item size: 110x28x23mm
Bulb: 3pcs 3W LED
Luminance: 1200lm(max)
Light mode: High-medium-low
Battery: 1x18650 3.7V 2200mAh
Type C port input
Waterproof level: IP44



NDF-8716A

Item size: 110x28x23mm
Bulb: 10W LED
Luminance: 1200lm(max)
Light mode: High-medium-low
Battery: 1x18650 3.7V 2200mAh
Type C port input
Waterproof level: IP44



NDF-8708-HC

Item size: 96x60x42mm
Bulb type: 10W
Luminance: 100-500-800LM
Input: 5V 1A
Battery: 1x18650 2000mAh
Working time: 6/4/ 3h
Charging time: 4h
Waterproof level: IPX4



NDF-8690C

Item size: 74x35x60mm
Bulb type: 8W
Luminance: 200-800LM
Input: 5V1A
Battery: 1x14500 800MAH
Working time: 3.5/1.5h
Charging time: 3h
Waterproof level: IPX4



NDF-8690B

Item size: 74x35x60mm
Bulb type: 8W
Luminance: 350-800LM
Input: 5V1A
Battery: 1x14500 800MAH
Working time: 3/ 1.5h
Charging time: 3h
Waterproof level: IPX4