

We keep our products updated continuously, if any change occur to the products shown here, forgive us for not informing you.



YONGKANG KENUOLEI
INDUSTRY & TRADE CO., LTD
永康市克诺雷工贸有限公司



KENUOLEI ATV



Vehicle

Company Description



Products Certification



About US

>>> YONGKANG KENUOLEI INDUSTRY & TRADE CO., LTD.

YONGKANG KENUOLEI INDUSTRY & TRADE CO., LTD.is located in Yongkang,Zhejiang, covers an area of 2000m² We are one of a professional manufactory of Design, Research, Production and Sales of ATV, DIRT BIKE , GOKART, SCOOTER, E-ATV, and so on. we believe that "People-oriented, customer first" to constantly improve production technology and improve product quality. Through several years of efforts, our company has passed the inspection of ISO9001, and our products have passed the professional test of CE, EEC, EN131 and so on. Because of the competitive price and steady quality, our products are sold well in Middle East, Southeast Asia, Africa, Europe, Australia, America, and South American and other markets. We believe the service tenet -- "High quality and sincere service" . Hope our sincere cooperative attitude can meet your requirement, we are looking forward to building long-term business with you.

MINI ATV



A7-001

Engine:	60CC,49CC, single cylinder,2-Stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	All disc
Tire(F/R):	4.10-6; 13*5.00-6
Seat height:	49cm
Product size:	102*69*68cm
Packing size:	102*58*47cm
N.W./G.W.:	37/41 kgs
Loading Capacity:	110pcs/20GP;230pcs/40HQ



A7-002

Engine:	60CC,49CC, single cylinder,2-Stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	All disc
Tire(F/R):	4.10-6; 13*5.00-6
Seat height:	49cm
Product size:	104*63*71cm
Packing size:	102*58*52cm
N.W./G.W.:	40/44 kgs
Loading Capacity:	88pcs/20GP;230pcs/40HQ

MINI ATV



A7-011

Engine:	60CC,49CC, single cylinder,2-Stroke, air cooled C.
Ignition:	D.I
Drive train:	Chain
Brake(F/R):	All disc
Tire(F/R):	4.10-6;13*5.00-6
Seat height:	52cm
Product size:	112*63*75cm
Packing size:	102*58*52cm
N.W./G.W.:	44/48 kgs
Loading Capacity:	88pcs/20GP; 230pcs/40HQ



A7-012

Engine:	60CC,49CC, single cylinder,2-Stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	All disc
Tire(F/R):	4.10-6;13*5.00-6
Seat height:	52cm
Product size:	115*63*71cm
Packing size:	102*58*47cm
N.W./G.W.:	39/43 kgs
Loading Capacity:	110pcs/20GP; 230pcs/40HQ



A7-003

Engine:	60CC,49CC, single cylinder,2-Stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	All disc
Tire(F/R):	4.10-6;13*5.00-6
Seat height:	52cm
Product size:	105*63*75cm
Packing size:	98*56*44cm
N.W./G.W.:	35/39 kgs
Loading Capacity:	120pcs/20GP;288pcs/40HQ



A7-004

Engine:	60CC,49CC, single cylinder,2-Stroke, air cooled C.D.I
Ignition:	Chain
Drive train:	All disc
Brake(F/R):	All disc
Tire(F/R):	4.10-6;13*5.00-6
Seat height:	52cm
Product size:	115*63*71cm
Packing size:	102*58*47cm
N.W./G.W.:	39/43 kgs
Loading Capacity:	110pcs/20GP;230pcs/40HQ



A7-013

Engine:	60CC,49CC, single cylinder,2-stroke,air cooled C
Ignition:	.D.I
Drive train:	Chain
Brake(F/R):	All disc
Tire(F/R):	4.10-6;13*5.00-6
Seat height:	52cm
Product Size:	115*63*71cm
Packing Size:	102*58*52cm
N.W./G.W.:	39/43kgs
Loading Capacity:	88pcs/20GP; 230pcs/40HQ



A7-013S

Engine:	60CC,49CC, single cylinder,2-stroke,air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	All disc
Tire(F/R):	4.10-6;13*5.00-6
Seat height:	52cm
Product Size:	115*63*71cm
Packing Size:	102*58*52cm
N.W./G.W.:	39/43kgs
Loading Capacity:	88pcs/20GP; 230pcs/40HQ

E■MINI ATV



E7-005	
Motor power:	36V/500W/800W/1000W
Battery:	12V/12AH*3(Lead-acid battery)
Controller:	36V/500W/800W/1000W
Brake(F/R):	All disc
Tire(F/R):	4.10-6;13*5.00-6
Seat height:	52cm
Product size:	110*60*76cm
Packing size:	102*58*52cm
N.W./G.W.:	50/56kgs
Loading Capacity:	88pcs/20GP;230pcs/40HQ



E7-008	
Motor power:	36V/500W/800W/1000W
Battery:	12V/12AH*3(Lead-acid battery)
Controller:	36V/500W/800W/1000W
Brake(F/R):	All disc
Tire(F/R):	4.10-6;13*5.00-6
Seat height:	52cm
Product size:	108*65*74cm
Packing size:	102*58*52cm
N.W./G.W.:	48/54kgs
Loading Capacity:	88pcs/20GP;230pcs/40HQ



E7-010	
Motor power:	36V/500W/800W/1000W
Battery:	12V/12AH*3(Lead-acid battery)
Controller:	36V/500W/800W/1000W
Brake(F/R):	All disc
Tire(F/R):	4.10-6;13*5.00-6
Seat height:	46cm
Product size:	105*65*69cm
Packing size:	102*58*47cm
N.W./G.W.:	50/56kgs
Loading Capacity:	110pcs/20GP;230pcs/40HQ



E7-011	
Motor power:	36V500W/800W/1000W
Battery:	12V/12AH*3(Lead-acid battery)
Controller:	36V500W/800W/1000W
Brake(F/R):	All disc
Tire(F/R):	4.10-6; 13*5.00-6
Seat height:	46cm
Product Size:	105*65*69cm
Packing Size:	102*58*52cm
N.W./G.W.:	50/56kgs
Loading Capacity:	88pcs/20GP; 230pcs/40HQ

E■ATV



E7-02	
Motor power:	500W/800W/1000W
Battery:	36V/12AH *3(Lead-acid battery
Max speed:	)30km/h
Controller:	36V/500W/800W/1000W
Brake(F/R):	Drum/Disc
Tire(F/R):	145/70-6
Seat height:	62cm
Product size:	127*74*85cm
Packing size:	116*66*58cm
N.W./G.W.:	90/106 kgs
Loading Capacity:	54pcs/20GP;136pcs/40HQ



E7-09	
Motor power:	60V1500W
Battery:	12V/12AH*5(Lead-acid battery)
Max Speed:	35-40km/h
Controller:	60V1500W
Brake(F/R):	Drum/ Disc
Tire(F/R):	19*7-8;18*9.5-8
Product Size:	151*86*90cm
Packing Size:	131*76*60cm
N.W./G.W.:	135/150kgs
Loading Capacity:	36pcs/20GP;108pcs/40HQ



E7-13D	
Motor power:	60V1500W
Battery:	12V/12AH*5(Lead-acid battery)
Max Speed:	35-40km/h
Controller:	60V1500W
Brake(F/R):	Drum/ Disc
Tire(F/R):	19*7-8;18*9.5-8
Product Size:	144*90*95cm
Packing Size:	140*84*60cm
N.W./G.W.:	109/125kgs
Loading Capacity:	33pcs/20GP;88pcs/40HQ



E7-17	
Start:	Electric start
Motor power:	72V2000W Brushless
Battery:	12V/20AH(Lead-acid battery)
Brake(F/R):	Hydraulic disc
Tire(F/R):	25*8-12;25*10-12
Seat height:	85cm
Product Size:	180*111*112cm
Packing Size:	172*90*80cm
N.W./G.W.:	155/180kgs
Loading Capacity:	14pcs/20GP;39pcs/40HQ



A7-02/A7-02M/A7-02AM

Start:	Electric start	Tire(F/R):	145/70-6
Engine:	110/125CC,4-stroke, single cylinder,air cooled	Seat height:	62cm
Ignition:	C.D.I	Product size:	125*72*82cm
Drive train:	Chain	Packing size:	116*64*59cm
Brake(F/R):	Drum/Hydraulic disc	N.W./G.W.:	64/76 kgs
		Loading Capacity:	54pcs/20GP;144pcs/40HQ



A7-02G

Start:	Electric start 50CC
Engine:	110/125CC,4-stroke,single cylinder,air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	19*7-8;18*9.5-8
Seat height:	69cm
Product size:	144*90*95cm
Packing size:	137*83*62cm
N.W./G.W.:	105/120kgs
Loading Capacity:	33pcs/20GP;88pcs/40HQ



A7-05

Start:	Electric start 50CC
Engine:	110/125CC,4-stroke,single cylinder,air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	19*7-8;18*9.5-8
Seat height:	69cm
Product size:	144*90*95cm
Packing size:	137*83*62cm
N.W./G.W.:	105/120kgs
Loading Capacity:	33pcs/20GP;88pcs/40HQ



A7-07

Start:	Electric start
Engine:	110/125CC,4-stroke,single cylinder,air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Hydraulic disc
Tire(F/R):	16*8-7
Seat height:	64cm
Product size:	125*78*87cm
Packing size:	116*74*64cm
N.W./G.W.:	82/92kgs
Loading Capacity:	48pcs/20GP;128pcs/40HQ



A7-08

Start:	Electric start
Engine:	110/125CC, 4-stroke,air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	19*7-8;18*9.5-8
Seat height:	72cm
Product size:	146*88*97cmcm
Packing size:	132*76*60cm
N.W./G.W.:	99/114kgs
Loading Capacity:	39pcs/20GP;108pcs/40HQ



A7-09

Start:	Electric start 50CC
Engine:	110/125CC,4-stroke,air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	19*7-8;18*9.5-8
Seat height:	75cm
Product Size:	151*86*93cm
Packing Size:	131*76*60cm
N.W./G.W.:	110/124kgs
Loading Capacity:	36pcs/20GP;108pcs/40HQ



A7-10

Start:	Electric start 150CC
Engine:	110/125CC,4-stroke,air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	19*7-8;18*9.5-8
Seat height:	75cm
Product Size:	151*86*93cm
Packing Size:	131*76*60cm
N.W./G.W.:	110/124kgs
Loading Capacity:	36pcs/20GP;108pcs/40HQ

ATV



A7-11

Start:	Electric start 150CC
Engine:	110/125CC, 4-stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	19*7-8;18*9.5-8
Seat height:	75cm
Product Size:	146*88*97cm
Packing Size:	131*76*60cm
N.W./G.W.:	106/123kgs
Loading Capacity:	39pcs/20GP;108pcs/40HQ



A7-13

Start:	Electric start 150CC
Engine:	110/125CC,4-stroke,single cylinder,air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	16*8-7
Seat height:	64cm
Product size:	140*89*91cm
Packing size:	126*76*61cm
N.W./G.W.:	84/99 kgs
Loading Capacity:	39pcs/20GP;108pcs/40HQ

ATV



A7-14

Start:	Electric start
Engine:	110/125CC,4-stroke,air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	19*7-8;18*9.5-8
Seat height:	75cm
Product Size:	145*94*100cm
Packing Size:	135*86*60cm
N.W./G.W.:	104/116kgs
Loading Capacity:	30pcs/20GP;88pcs/40HQ



A7-15

Start:	Electric start
Engine:	110/125CC, 4-stroke,single cylinder,air cooled
	GY6 80CC, electric start and kick start,air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	16*8-7
Seat height:	64cm
Product size:	140*89*91cm
Packing size:	126*76*61cm
N.W./G.W.:	84/99 kgs
Loading Capacity:	39pcs/20GP;108pcs/40HQ



A7-13H

Start:	Electric start 150CC
Engine:	110/125CC,single cylinder,4-stroke,air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	19*7-8;18*9.5-8
Seat height:	75cm
Product Size:	146*88*97cm
Packing Size:	131*76*60cm
N.W./G.W.:	106/122kgs
Loading Capacity:	39pcs/20GP;108pcs/40HQ



A7-13D SPOT

Start:	Electric start 150CC
Engine:	110/125CC,single cylinder,4-stroke,air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	19*7-8;18*9.5-8
Seat height:	75cm
Product Size:	146*88*97cm
Packing Size:	131*76*60cm
N.W./G.W.:	109/125kgs
Loading Capacity:	39pcs/20GP;108pcs/40HQ



A7-23

Start:	Electric start
Engine:	110/125CC, 4-stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	19*7-8;18*9.5-8
Seat height:	85cm
Product Size:	180*111*112cm
Packing Size:	140*83*62cm
N.W./G.W.:	102/115kgs
Loading Capacity:	33pcs/20GP;88pcs/40HQ



A7-23Z

Start:	Electric start
Engine:	110/125CC, 4-stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	19*7-8;18*9.5-8
Seat height:	75cm
Product Size:	146*88*97cm
Packing Size:	138*76*60cm
N.W./G.W.:	106/123kgs
Loading Capacity:	36pcs/20GP;100pcs/40HQ

ATV



A7-24A

Start:	Electric start 150CC
Engine:	110/125CC,4-stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	19*7-8;18*9.5-8
Seat height:	75cm
Product Size:	151*86*93cm
Packing Size:	131*76*60cm
N.W./G.W.:	110/124kgs
Loading Capacity:	36pcs/20GP;108pcs/40HQ



A7-24B

Start:	Electric start 150CC
Engine:	110/125CC,4-stroke,air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	19*7-8;18*9.5-8
Seat height:	75cm
Product Size:	151*86*93cm
Packing Size:	131*76*60cm
N.W./G.W.:	110/124kgs
Loading Capacity:	36pcs/20GP;108pcs/40HQ



A7-25

Start:	Electric start 200CC
Engine:	300CC,4-stroke,air cooled,
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Hydraulic disc
Tire(F/R):	25*8-12;25*10-12
Seat height:	92cm
Product Size:	194*109*91.5cm
Packing Size:	195*114*80cm
N.W./G.W.:	230/265kgs
Loading Capacity:	12pcs/20GP;36pcs/40HQ



A7-27 4*4

Start:	Electric start
Engine:	300CC,4-stroke,oil cooled
Ignition:	C.D.I
Drive train:	Shaft drive,4*4
Brake(F/R):	Hydraulic disc
Tire(F/R):	25*8-12; 25*10-12
Seat height:	92cm
Product Size:	194*109*91.5cm
Packing Size:	220*101*80cm
N.W./G.W.:	230/265kgs
Loading Capacity:	10pcs/20GP; 30pcs/40HQ

ATV



A7-17G

Start:	Electric start
Engine:	150/200CC, GY6,4-stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	23*7-10; 22*10-10
Seat height:	85cm
Product Size:	180*111*112cm
Packing Size:	148*84*82cm
N.W./G.W.:	135/158kgs
Loading Capacity:	22pcs/20GP;66pcs/40HQ



A7-17M

Start:	Electric start
Engine:	150/200/250CC,4-stroke,air cooled,Manual
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	23*7-10;22*10-10
Seat height:	85cm
Product Size:	180*111*112cm
Packing Size:	148*84*82cm
N.W./G.W.:	135/158kgs
Loading Capacity:	22pcs/20GP;66pcs/40HQ



A7-17 SHAFT DRIVE TRANSISSION

Start:	Electric start
Engine:	250cc, engine(4+1) 4stoke, air cooled,Maunal
Ignition:	C.D.I
Drive train:	Shaft drive, 2*4
Brake(R/F):	Hydraulic disc
Tire(R/F):	25*8-12; 25*10-12
Seat height:	92cm
Product size:	180*111*112cm
Packing Size:	148*84*82cm
N.W./G.W.:	135/158kgs
Loading Capacity:	16pcs/20GP;47pcs/40HQ



A7-17 4*4

Start:	Electric start
Engine:	300CC,4-stroke,oil cooled
Ignition:	C.D.I
Drive train:	Shaft drive,4*4
Brake(F/R):	Hydraulic disc
Tire(F/R):	25*8-12;25*10-12
Seat height:	92cm
Product Size:	194*109*91.5cm
Packing Size:	195*110*80cm
N.W./G.W.:	230/265kgs
Loading Capacity:	12pcs/20GP;36pcs/40HQ

ATV



A7-29

Start:	Electric start 300CC
Engine:	200/250CC4-stroke,air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Hydraulic disc
Tire(F/R):	23*7-10;22*10-10
Seat height:	87cm
Product Size:	177*118*108cm
Packing Size:	165*104*80cm
N.W./G.W.:	162/190kgs
Loading Capacity:	12pcs/20GP;42pcs/40HQ



A7-29

Start:	Electric start 250CC
Engine:	300CC,4-stroke, oil cooled
Ignition:	C.D.I
Drive train:	Shaft drive,4x4
Brake(F/R):	Hydraulic disc
Tire(F/R):	25*8-12;25*10-12
Seat height:	92cm
Product Size:	194*109*91.5cm
Packing Size:	195*110*80cm
N.W./G.W.:	230/265kgs
Loading Capacity:	12pcs/20GP;36pcs/40HQ



A7-30

Start:	Electric start 300CC
Engine:	150/200CC,4-stroke,air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Hydraulic disc
Tire(F/R):	23*7-10;22*10-10
Seat height:	87cm
Product Size:	177*118*108cm
Packing Size:	165*104*80cm
N.W./G.W.:	175/204kgs
Loading Capacity:	12pcs/20GP;42pcs/40HQ



A7-32

Start:	Electric start
Engine:	150/200CC,250C300CC
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Hydraulic disc
Tire(F/R):	21*7-10/22*10-10
Seat height:	95cm
Product Size:	183*117*132cm
Packing Size:	167*97*82cm
N.W./G.W.:	150/173kgs
Loading Capacity:	14pcs/20GP;42pcs/40HQ

GO KART



G7-01

Model:	single-seat 350 BJS go-kart
Engine:	350cc four-stroke water cooling
Transmission system:	automobile semi-axle transmission
Gear position:	one in, one out and one in neutral.
Shock absorption:	hydraulic shock absorption of front and rear airbags.
Tire:	10-inch 12-inch aluminum alloy cross-country tire.
Speed:	80 yards per hour
Load:	500kg
Fuel tank:	15L
Length, width and height:	2800x width 1550x height 1500 mm.



G7-03

Start:	Electric start
Engine:	110/125CC,4-stroke,Single cylinder,air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(R):	Hydraulic disc
Tire:	145/70-6
Seat height :	30cm
Product Size:	167*102*119cm
Packing Size:	161*82*49cm
N.W./G.W.:	94/118kgs
Loading Capacity:	28pcs/20GP; 70pcs/40HQ



G7-03E

Start:	Electric start
Motor power:	60V/1500W brushless motor
Battery:	12V/20AH Lead Acid battery *5pcs
Drive train:	Shaft
Brake(R):	Hydraulic disc
Tire(F/R):	145/70-6
Seat height:	30cm
Product Size:	167*102*119cm
Packing Size:	161*82*59cm
N.W./G.W.:	128/152kgs
Loading Capacity:	21pcs/20GP; 56pcs/40HQ



G7-05

Name:	Ruinax Drift Car
Available Colors:	36V-12.3AH
SpeedBattery Brand:	25 KM/H
Battery :	Tianneng Graphene A+
Seat height :Product Size:	109*75*55CM
Packing Size:	110 x75 x 60cm
N.W./G.W.:	55 kgs
Loading Capacity:	18pcs/20GP; 48pcs/40HQ

ATV



2WD/4WD-500CC-37

Start:	Electric start
Engine:	500,4-stroke,air cooled C.D.I
Ignition:	Chain
Drive train:	
Brake(F/R):	Hydraulic disc
Tire(F/R):	25*8-12;25*10-12
Seat height:	900cm
Product Size:	2210x1230x1120mm
Packing Size:	2200x1290x90mm
N.W./G.W.:	365/395kgs
Loading Capacity:	12pcs/20GP;42pcs/40HQ

2WD/4WD-500CC-38

Start:	Electric start
Engine:	500,4-stroke,air cooled C.D.I
Ignition:	Chain
Drive train:	
Brake(F/R):	Hydraulic disc
Tire(F/R):	25*8-12;25*10-12
Seat height:	900cm
Product Size:	2210x1230x1120mm
Packing Size:	2200x1290x90mm
N.W./G.W.:	365/395kgs
Loading Capacity:	12pcs/20GP;42pcs/40HQ



2WD/4WD-400CC-39

Start:	Electric start
Engine:	400,4-stroke,air cooled C.D.I
Ignition:	Chain
Drive train:	
Brake(F/R):	Hydraulic disc
Tire(F/R):	25*8-12;25*10-12
Seat height:	900cm
Product Size:	2210x1230x1120mm
Packing Size:	2200x1290x90mm
N.W./G.W.:	365/395kgs
Loading Capacity:	12pcs/20GP;42pcs/40HQ

2WD/4WD-500CC-40

Start:	Electric start
Engine:	500,4-stroke,air cooled C.D.I
Ignition:	Chain
Drive train:	
Brake(F/R):	
Tire(F/R):	25*8-12;25*10-12
Seat height:	900cm
Product Size:	2210x1230x1120mm
Packing Size:	2200x1290x90mm
N.W./G.W.:	365/395kgs
Loading Capacity:	12pcs/20GP;42pcs/40HQ

ATV



A7-41

Start:	Electric start
Engine:	150/200CC,4-stroke,air cooled C.
Ignition:	D.I
Drive train:	Chain
Brake(F/R):	Hydraulic disc
Product Size:	
Packing Size:	165*104*80cm
N.W./G.W.:	162/190kgs
Loading Capacity:	12pcs/20GP;42pcs/40HQ

A7-42

Start:	Electric start
Engine:	150/200CC,4-stroke,air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Hydraulic disc
Tire(F/R):	23*7-10;22*10-10
Seat height:	87cm
Product Size:	177*118*108cm
Packing Size:	165*104*80cm
N.W./G.W.:	162/190kgs
Loading Capacity:	12pcs/20GP;42pcs/40HQ



A7-43

Start:	Electric start
Engine:	150/200CC,4-stroke,air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Hydraulic disc
Tire(F/R):	23*7-10;22*10-10
Seat height:	87cm
Product Size:	177*118*108cm
Packing Size:	165*104*80cm
N.W./G.W.:	162/190kgs
Loading Capacity:	12pcs/20GP;42pcs/40HQ

A7-44

Start:	Electric start
Engine:	150/200CC,250CC4-stroke,air
Ignition:	cooled C.D.I
Drive train:	Chain
Brake(F/R):	Hydraulic disc
Tire(F/R):	23*7-10;22*10-10
Seat height:	87cm
Product Size:	177*118*108cm
Packing Size:	165*104*80cm
N.W./G.W.:	162/190kgs
Loading Capacity:	12pcs/20GP;42pcs/40HQ

GO KART



G7-07	
Start:	Electric start
Engine:	125/150CC,4-stroke,air cooled,single cylinder
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Hydraulic disc
Tire(F/R):	18*7.00-8
Seat height :	57cm
Product Size:	207*105*96cm
Packing Size:	195*115.5*64cm
N.W./G.W:	140/160kgs
Loading Capacity:	18pcs/20GP; 48pcs/40HQ



G7-07E	
Start:	Electric start
Engine:	350cc 4-stroke,air cooled,single cylinder
Ignition:	C.D.I
Drive train:	Shaft drive
Brake(F/R):	Hydraulic disc
	12-inch off-road vacuum tire
Product Size:	365*145*175cm
Packing Size:	365*144*100cm
N.W./G.W:	400/360kgs
Loading Capacity:	6/20GP; 12pcs/40HQ



G7-08	
Fuselage: 2.6m× 1.1m× 0.8m, with net weight of 190kg and payload of 200kg.	
Power: 72V 40AH battery +2500W motor, with a top speed of 80 yards per hour and a battery life of 30 kilometers.	
Packing Size:	2616*1146*814mm
N.W./G.W.:	245/280kgs
Loading Capacity:	8pcs/20GP; 24pcs/40HQ



G7-09	
Start:	Electric start
Engine:	300CC/200CC,4-stroke,air cooled,single cylinder
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Hydraulic disc
Tire(F/R):	21*7-10;20*10-10
Seat height :	52cm
Product Size:	225*126*140cm
Packing Size:	232*126*83cm
N.W./G.W.:	245/265kgs
Loading Capacity:	8pcs/20GP;18pcs/40HQ

ATV



A7-46	
Start:	Electric start
Engine:	150/200CC, GY6,4-stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	23*7-10; 22*10-10
Seat height:	85cm
Product Size:	180*111*112cm
Packing Size:	148*84*82cm
N.W./G.W.:	135/158kgs
Loading Capacity:	22pcs/20GP;66pcs/40HQ



2WD/4WD-400CC-47	
Start:	Electric start
Engine:	400,4-stroke,air cooled C.D.I
Ignition:	Chain
Tire(F/R):	25*8-12;25*10-12
Seat height:	900cm
Product Size:	2210x1230x1120 mm
Packing Size:	2200x1290x90mm
N.W./G.W.:	365/395kgs
Loading Capacity:	12pcs/20GP;42pcs/40HQ



A7-50	
Start:	Electric start
Engine:	110/125CC,4-stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	19*7-8;18*9.5-8
Seat height:	75cm
Product Size:	151*86*93cm
Packing Size:	131*76*60cm
N.W./G.W:	110/124kgs
Loading Capacity:	36pcs/20GP;108pcs/40HQ



A7-51	
Start:	Electric start
Motor power:	24V20A250WBrush)
Battery:	Chain
Drive train:	All disc
Product Size:	735*495*6600cm
Packing Size:	740*500*520cm
N W / G W :	46kgs

DIRT BIKE



P7-01

Start:	Pull start/Electric start
Engine:	49CC,single cylinder,2-stroke,air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	All disc
Tire(F/R):	90/65-6.5 / 110/50-6.5
Seat height:	47 cm
Product Size:	104*50*58 cm
Packing Size:	99*32*58 cm
N.W./G.W.:	18/21 kgs
Loading Capacity:	136pcs/20GP;370pcs/40HQ



D7-05

Start:	Pull start/Electric start
Engine:	49CC Single Cylinder,2-Stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	All Disc
Tire(F/R):	2.50-10
Seat height:	65cm
Product size:	122*63*80cm
Packing size:	108*32*52cm
N.W/G.W.:	22/25 kgs
Loading Capacity:	148pcs/20GP;368pcs/40HQ

DIRT BIKE



D7-12

Start:	Electric start & Kick start
Engine:	110/125CC, single cylinder,4-Stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Hydraulic disc
Tire(F/R):	2.5-10 10inch tyres
Seat height:	76cm
Packing size:	122x38x65cm
N.W/G.W.:	73/88 kgs
Loading Capacity:	78pcs/20GP;224pcs/40HQ



D7-13

Start:	Electric start & Kick start
Engine:	150CC, single cylinder,4-Stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Hydraulic disc
Tire(F/R):	70/100-17;90/100-14
Seat height:	85cm
Product size:	170*71*110cm
Packing size:	152*38*72cm
N.W/G.W.:	75/89kgs
Loading Capacity:	63pcs/20GP;157pcs/40HQ



E7-205

Start:	Electric start
Motor power:	24V/36V 350W(Brush)
Battery:	12V/12AH *2pcs(*3pcs)
Drive train:	Chain
Brake(F/R):	All Disc
Tire(F/R):	2.50-10
Seat height:	65cm
Product size:	125*63*80cm
Packing size:	112*32*53cm
N.W./G.W.:	28.5/32 kgs(35/38.5kgs)
Loading Capacity:	140pcs/20GP;358pcs/40HQ



E7-206

Start:	Electric start
Motor power:	24V/36V 350W(Brush)
Battery:	12V/12AH*2pcs(*3pcs)
Drive train:	Chain
Brake(F/R):	All disc
Tire(F/R):	2.50-10
Seat height:	65cm
Product Size:	125*63*80cm
Packing Size:	112*31*54cm
N.W/G.W:	22/25kgs
Loading Capacity:	140pcs/20GP;330pcs/40HQ



D7-16

Starting:	Electric start & kick start
Engine:	110/125CC single cylinder,4 storke
Brake(F/R):	Hydraulic disc
Tire (R/F):	90/100-14(14") / 70/100-17(17")With steel hub
Muffier:	Aluminum muffier
Absorber:	inverted fork,rear absorber with inner gasbag
Product size:	170*71*110cm
Packing Size:	153*43*72cm
N.W/G.W:	78/89kgs
Loading Capacity:	55pcs/20GP;133pcs/40HQ



D7-18

Starting:	Electric start & kick start
Engine:	110/125CC single cylinder,4 storke
Brake(F/R):	Hydraulic disc
Tire (R/F):	80/100-12(12") / 60/100-14(14")With steel hub
Muffier:	Alu muffier
Absorber:	Inverted fork,rear absorber with inner gasbag
Product size:	156*68*97cm
Packing Size:	148*38*70cm
N.W/G.W:	72/85kgs
Loading Capacity:	72pcs/20GP;168pcs/40HQ

ATV Forklift



2WD/4WD-250CC-54

Start:	Electric start
Engine:	250.300,4-stroke,air cooled
Drive train:	Hydraulic disc
Cargo bucket:	2.6m.2.8m
Brake(F/R):	
Tire(F/R):	22*8-10/22*10-10
Seat height:	F:800mm/R:900mm
Product Size:	3.41×1.5×1.7m
Packing Size:	4.2×1.6×1.7m
N W /G W :	450/550kgs
Loading Capacity:	2pcs/20GP, 5pcs/40HQ



2WD/4WD-250CC-55

Start:	Electric start
Engine:	250.300,4-stroke,air cooled
Drive train:	Hydraulic disc
Cargo bucket:	2.6m 2.8m
Brake(F/R):	
Tire(F/R):	22*8-10/22*10-10
Seat height:	F:800mm/R:900mm
Product Size:	3.41×1.5×1.7m
Packing Size:	4.2×1.6×1.7m
N.W./G.W.:	450/550kgs
Loading Capacity:	10pcs/20GP;30pcs/40HQ



2WD/4WD-250cc-56Diesel

Start:	4X4
Engine:	25 HP diesel engine
Ignition:	515 gearbox 5 in and 1 out
Drive train:	Shaft drive
Cargo bucket:	2.2m 2.4m
Tire(F/R):	500-14 tire
Product Size:	3.41×1.5×1.7m
Packing Size:	4.2×1.6×1.7m
N.W./G.W.:	450/550kgs
Loading Capacity:	2pcs/20GP5pcs/40HQ



2WD/4WD-250CC-57

Start:	Electric start
Engine:	250.300,4-stroke,air cooled
Cargo bucket:	1.5m.1.8m2m
Brake(F/R):	Hydraulic disc
Tire(F/R):	22*8-10/22*10-10
Product Size:	3.41×1.5×1.7m
Packing Size:	4.2×1.6×1.7m
N.W./G.W.:	450/550kgs
Loading Capacity:	10pcs/20GP;30pcs/40HQ

MOTO



A7-48

Start:	Electric start
Engine:	150/200CC, GY6,4-stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	11800*290=1040*345
Seat height:	890m
Product Size:	2700大835大1250cm
Packing Size:	2670×1070×1070cm
N.W./G.W.:	220/240kgs
Loading Capacity:	22pcs/20GP;66pcs/40HQ



A7-49

Working width:	120CM
working	40cm 120mm:
G.W./N.W.:	37.5/32KGS Carton
size:	124*41.5*17cm 107*28*16cm



D7-52

Starting:	Electric start & kick start
Engine:	150CC single cylinder,4 storke
Brake(F/R):	Hydraulic disc
Tire (R/F):	90/100-14(14")/ 70/100-17(17")With steel hub
Muffier:	Aluminum muffier
Absorber:	inverted fork,rear absorber with inner gasbag
Product size:	170*71*110cm
Packing Size:	153*43*72cm
N.W/G.W:	78/89kgs
Loading Capacity:	55pcs/20GP;133pcs/40HQ



A7-53

Start:	Electric start
Engine:	300C, GY6,4-stroke, air cooled C.D.I
Ignition:	Chain
Drive train:	
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	11800*290=1040*345
Seat height:	890m
Product Size:	2700大835大1250cm
Packing Size:	2670×1070×1070cm
N.W./G.W.:	220/240kgs
Loading Capacity:	22pcs/20GP;66pcs/40HQ19

Electric motorcycle



M3-52

Engine:	48V/800W.(peak1300W)200W(peak 2000W
Battery:	48V/13AH.18AH
Transmission):	Chain drive
Tires:	Front 60-100-12 ’ ,Rear80-100-10 ”
Max.speed:	50KM/H
Product size:	1350*640*847MM
Packing Size:	1200*360*630MM
N.W/G.W:	60/68kgs
Loading Capacity:	106pcs/20GP;264pcs/40HQ



M5-48

Engine:	48V/2500W
Battery:	20.8Ah
Transmission):	Chain drive
Tires:	60/100-14” ’ , 80/100-12 ”
Max.speed:	60 kms
Product size:	1560*730*950mm
Packing Size:	1370*370*640mm
N.W/G.W:	59.5kgs/67.5 kgs
Loading Capacity:	106pcs/20GP;264pcs/40HQ



W1

Engine:	72V/3000w(peak 7000W)
Battery:	72V/36AH lithium battery
Transmission):	Chain drive
Tires:	70-h100-17 ’ 90-h100-14
Max.speed:	75 KM/H
Product size:	1780*380*1050MM
Packing Size:	1500*410*890MM
N.W/G.W:	74.5kgs/85gs
Loading Capacity:	40pcs/20GP;126pcs/40HQ



W3

Engine:	772V/4.5KW
Battery:	100 KM/H
Transmission):	Chain drive
Tires:	70-h100-17 ’ 90-h100-14
Max.speed:	100 KM/H
Product size:	2140x840x1225MM
Packing Size:	1680*560*850MM
N.W/G.W:	130kgs/140gs
Loading Capacity:	34pcs/20GP;83pcs/40HQ

Electric Harley



ITEM : SS-1

Motor:	2000W/3000W
Battery:	60V/12AH/16AH/20AH/25AH/30AHTravel
Range:	60km/75km
Max Load:	200kg
Max Speed:	60km/h
Tire Size:	front 13”/16",rear 12”Brake: Hydraulic
Oil brake +Disc BrakeCharging	
Time:	4-5hours
Charger:	AC140-240V,50/60
HZAccelerate way:	Handlebar accelerationNet
weight:	70kg
Gross weight:	75kg



ITEM :SS-6W

Motor:	1500W/2000W/3000W
Battery:	60V/12AH/16AH/20AH/25AH/30AHTravel Range:40km
Max Load:	200kg
Max Speed:	50km/h
Tire Size:	10”/12”/18*9.5"
Brake:	Hydraulic Brake+EABS
Front brake:	Oil brake +Disc BrakeCharging
Time:	5 hoursCharger:AC140-240V,50/60
HZAccelerate way:	Handlebar accelerationNet
weight:	70kg
Gross weight:	75kg
Packing size:	178*48*85cm(L*W*H)



ITEM : SS-4

Motor:	2000W/3000W
Battery:	60V/12AH/16AH/20AH/25AH
Range:	60km
Max Load:	200kg
Max Speed:	75km/hTire
Tire Size:	10”/12”/18*9.5”Brake:
Hydraulic	
Brake+EABSFront	Oil brake +Disc BrakeCharging
brake:	
Time:	4-5hours
Charger:	AC140-240V,50/60
HZAccelerate way:	Handlebar accelerationNet
weight:	58kg
Gross weight:	60kg



ITEM :SS-8

Motor :	1000W
Battery:	48V/12AH/16AH/20AH/25AH/30AHTravel Range:40km
Max Load:	200kg
Max Speed:	50km/h
Tire Size:	front 15” , rear 6”
Brake:	front&rear brake discCharging
Time:	4-8hours
Charger:	AC140-240V,50/60
HZAccelerate way:	Handlebar acceleration
Net weight:	35kg
Gross weight:	40kg
Packing size:	137*32*66cm(L*W*H)

